


SKILL WEEK-3

1.Create Database :

```
CREATE DATABASE BankDB;  
USE BankDB;
```



2. Create Customer table :

```
CREATE TABLE Customer (  
    Customer_ID INT PRIMARY KEY,  
    Customer_Name VARCHAR(100) NOT NULL,  
    Phone VARCHAR(15),  
    Email VARCHAR(100),  
    City VARCHAR(50)  
);
```

```
1 CREATE DATABASE BankDB;
2
3 USE BankDB;
4 CREATE TABLE Customer (
5     Customer_ID INT PRIMARY KEY,
6     Customer_Name VARCHAR(100) NOT NULL,
7     Phone VARCHAR(15),
8     Email VARCHAR(100),
9     City VARCHAR(50)
10 );
11
```

100% 1:4

Action Output

	Time	Action	Response
✓ 1	17:01:00	CREATE DATABASE BankDB	1 row(s) affected
✓ 2	17:01:02	USE BankDB	0 row(s) affected
✓ 3	17:02:40	CREATE TABLE Customer (Customer_ID INT PRIMARY KEY, Customer_Name V...	0 row(s) affected

3. Create Account table :

```
CREATE TABLE Account (
    Account_No INT PRIMARY KEY,
    Customer_ID INT,
    Account_Type VARCHAR(20),
    Balance DECIMAL(12,2),
    Branch VARCHAR(50),
    FOREIGN KEY (Customer_ID)
REFERENCES Customer(Customer_ID)
);
```

```
11
12 CREATE TABLE Account (
13     Account_No INT PRIMARY KEY,
14     Customer_ID INT,
15     Account_Type VARCHAR(20),
16     Balance DECIMAL(12,2) DEFAULT 0,
17     Branch VARCHAR(50),
18
19     FOREIGN KEY (Customer_ID)
20     REFERENCES Customer(Customer_ID)
21 );
22
23
```

100% 3:21

Action Output

	Time	Action	Response
✓ 1	17:01:00	CREATE DATABASE BankDB	1 row(s) affected
✓ 2	17:01:02	USE BankDB	0 row(s) affected
✓ 3	17:02:40	CREATE TABLE Customer (Customer_ID INT PRIMARY KEY, Customer_Name V...	0 row(s) affected
✓ 4	17:03:13	CREATE TABLE Account (Account_No INT PRIMARY KEY, Customer_ID INT,...	0 row(s) affected

4. Create Bank transaction table :

```
CREATE TABLE Bank_Transaction (  
    Transaction_ID INT PRIMARY KEY AUTO_INCREMENT,  
    Account_No INT,  
    Transaction_Type VARCHAR(20),  
    Amount DECIMAL(12,2),  
    Transaction_Date DATETIME DEFAULT CURRENT_TIMESTAMP,  
  
    FOREIGN KEY (Account_No)  
    REFERENCES Account(Account_No)  
);
```

The screenshot shows a database IDE with a SQL editor and an Action Output window. The SQL editor contains the following code:

```
23 CREATE TABLE Bank_Transaction (  
24     Transaction_ID INT PRIMARY KEY AUTO_INCREMENT,  
25     Account_No INT,  
26     Transaction_Type VARCHAR(20),  
27     Amount DECIMAL(12,2),  
28     Transaction_Date DATETIME DEFAULT CURRENT_TIMESTAMP,  
29  
30     FOREIGN KEY (Account_No)  
31     REFERENCES Account(Account_No)  
32 );  
33  
34  
35
```

The Action Output window shows the following results:

	Time	Action	Response
✓ 1	17:01:00	CREATE DATABASE BankDB	1 row(s) affected
✓ 2	17:01:02	USE BankDB	0 row(s) affected
✓ 3	17:02:40	CREATE TABLE Customer (Customer_ID INT PRIMARY KEY, Customer_Name V...	0 row(s) affected
✓ 4	17:03:13	CREATE TABLE Account (Account_No INT PRIMARY KEY, Customer_ID INT,...	0 row(s) affected
✓ 5	17:03:53	CREATE TABLE Bank_Transaction (Transaction_ID INT PRIMARY KEY AUTO_INCR...	0 row(s) affected

5. Create Laon table :

```
CREATE TABLE Loan (  
    Loan_ID INT PRIMARY KEY,  
    Customer_ID INT,  
    Loan_Type VARCHAR(30),  
    Loan_Amount DECIMAL(12,2),  
    Interest_Rate DECIMAL(5,2),  
  
    FOREIGN KEY (Customer_ID)  
    REFERENCES Customer(Customer_ID)  
);
```

The screenshot displays the SQL Server Enterprise Manager interface. The left-hand pane shows the 'Object Explorer' with a tree view of the database structure. The central pane shows the 'Query Editor' with a SQL script for creating the 'Loan' table. The script includes a foreign key constraint linking 'Customer_ID' to the 'Customer' table. The right-hand pane shows the 'Context Help' for the 'REFERENCES' keyword. The bottom pane shows the 'Action Output' window, which lists the execution steps and their results.

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

	Time	Action	Response	Duration / Fetch Time
1	17:01:00	CREATE DATABASE BankDB	1 row(s) affected	0.0029 sec
2	17:01:02	USE BankDB	0 row(s) affected	0.00036 sec
3	17:02:40	CREATE TABLE Customer (Customer_ID INT PRIMARY KEY, Customer_Name V...	0 row(s) affected	0.0055 sec
4	17:03:13	CREATE TABLE Account (Account_No INT PRIMARY KEY, Customer_ID INT,...	0 row(s) affected	0.0082 sec
6	17:03:53	CREATE TABLE Bank_Transaction (Transaction_ID INT PRIMARY KEY AUTO_INCR...	0 row(s) affected	0.0078 sec
6	17:04:19	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, Customer_ID INT, Loan_Ty...	0 row(s) affected	0.0070 sec

Query Completed

6. Insert Customer data :

```
34 CREATE TABLE Loan (  
35     Loan_ID INT PRIMARY KEY,  
36     Customer_ID INT,  
37     Loan_Type VARCHAR(30),  
38     Loan_Amount DECIMAL(12,2),  
39     Interest_Rate DECIMAL(5,2),  
40  
41     FOREIGN KEY (Customer_ID)  
42     REFERENCES Customer(Customer_ID)  
43 );  
44  
45
```

100% 1:34

Action Output

	Time	Action	Response
✓ 1	17:01:00	CREATE DATABASE BankDB	1 row(s) affected
✓ 2	17:01:02	USE BankDB	0 row(s) affected
✓ 3	17:02:40	CREATE TABLE Customer (Customer_ID INT PRIMARY KEY, Customer_Name V...	0 row(s) affected
✓ 4	17:03:13	CREATE TABLE Account (Account_No INT PRIMARY KEY, Customer_ID INT,...	0 row(s) affected
✓ 5	17:03:53	CREATE TABLE Bank_Transaction (Transaction_ID INT PRIMARY KEY AUTO_INCR...	0 row(s) affected
✓ 6	17:04:19	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, Customer_ID INT, Loan_Ty...	0 row(s) affected