


SKILL WEEK-1

Query1: Create Table




The screenshot shows a database client interface with a toolbar at the top. The main area displays the following SQL queries:

```
1 CREATE DATABASE IF NOT EXISTS 2520090071_vignesh;  
2 USE 2520090071_vignesh;  
3 CREATE TABLE student_marks1 (  
4     roll_no INT PRIMARY KEY,  
5     name VARCHAR(50),  
6     subject VARCHAR(50),  
7     marks DECIMAL(5,2)  
8 );
```

The bottom section, titled "Action Output", shows the results of the executed queries:

	Time	Action	Response
⚠ 1	15:38:40	CREATE DATABASE IF NOT EXISTS 2520090071_vignesh	1 row(s) affected, 1 warning(s):
✅ 2	15:38:40	USE 2520090071_vignesh	0 row(s) affected
✅ 3	15:38:40	CREATE TABLE student_marks1 (roll_no INT PRIMARY KEY, name VARCHAR(50...	0 row(s) affected

Query2: Insert Data



The screenshot shows the same database client interface. The main area displays the following SQL query:

```
10 INSERT INTO student_marks1 (roll_no, name, subject, marks) VALUES  
11 (1, 'Ravi', 'Math', 85.50),  
12 (2, 'Sita', 'Math', 92.75),  
13 (3, 'Anil', 'Math', 78.40),  
14 (4, 'Priya', 'Math', 88.90),  
15 (5, 'Vijay', 'Math', 80.25),  
16 (6, 'subbusir', 'aws', 98.50),  
17 (7, 'dwaraka', 'dbms', 95.75),  
18 (8, 'ranjani', 'english', 97.40),  
19 (9, 'kavithamam', 'aws1', 99.90),  
20 (10, 'seetha', 'azure', 82.25);
```

The bottom section, titled "Action Output", shows the results of the executed queries:

	Time	Action	Response
⚠ 1	15:38:40	CREATE DATABASE IF NOT EXISTS 2520090071_vignesh	1 row(s) affected, 1 warning(s):
✅ 2	15:38:40	USE 2520090071_vignesh	0 row(s) affected
✅ 3	15:38:40	CREATE TABLE student_marks1 (roll_no INT PRIMARY KEY, name VARCHAR(50...	0 row(s) affected
✅ 4	15:42:17	INSERT INTO student_marks1 (roll_no, name, subject, marks) VALUES (1, 'Ravi', 'Mat...	10 row(s) affected Records: 10

Query3: Simple Select

The screenshot shows a database IDE interface. At the top, there's a toolbar with various icons and a 'Limit to 1000 rows' dropdown. Below the toolbar, a SQL query is entered in the editor:

```
19 (9, 'kavithamam', 'aws1', 99.90),  
20 (10, 'seetha', 'azure', 82.25);  
21  
22 SELECT * FROM student_marks1;  
23
```

Below the editor, the 'Result Grid' is displayed, showing a table with 5 columns: roll_no, name, subject, marks, and an empty column. The table contains 3 rows of data:

	roll_no	name	subject	marks	
1	1	Ravi	Math	85.50	
2	2	Sita	Math	92.75	
3	3	Anil	Math	78.40	

Below the result grid, the 'Action Output' tab is selected, showing a log of database actions:

	Time	Action	Response
1	15:38:40	CREATE DATABASE IF NOT EXISTS 2520090071_vignesh	1 row(s) affected, 1 warning(s):
2	15:38:40	USE 2520090071_vignesh	0 row(s) affected
3	15:38:40	CREATE TABLE student_marks1 (roll_no INT PRIMARY KEY, name VARCHAR(50...	0 row(s) affected
4	15:42:17	INSERT INTO student_marks1 (roll_no, name, subject, marks) VALUES (1, 'Ravi', 'Mat...	10 row(s) affected Records: 10
5	15:44:29	(6, 'subbusir', 'aws', 98.50),	Error Code: 1064. You have an
6	15:44:34	SELECT * FROM student_marks1 LIMIT 0, 1000	10 row(s) returned

Query4: Aggregate Functions

1. **SELECT COUNT(*) AS total_students FROM student_mark1;**


The screenshot shows a database IDE interface. In the editor, three SQL queries are entered:

```
21 SELECT COUNT(*) AS total_students FROM student_marks1;  
22 SELECT SUM(marks) FROM student_marks1;  
23 SELECT AVG(marks) FROM student_marks1;
```

Below the editor, the 'Result Grid' is displayed, showing a table with 2 columns: total_... and an empty column. The table contains 1 row of data:

	total_...	
1	10	


2. SELECT SUM(marks) FROM student_marks1;



The screenshot shows a SQL query editor with three queries. The second query, `SELECT SUM(marks) FROM student_marks1;`, is highlighted. Below the editor, the 'Result Grid' shows a single row with the value 899.60.

SUM(...)
899.60


3. SELECT AVG (marks) FROM student_marks1;



The screenshot shows a SQL query editor with the third query, `SELECT AVG(marks) FROM student_marks1;`, highlighted. Below the editor, the 'Result Grid' shows a single row with the value 89.9...

AVG...
89.9...


4. SELECT MAX (marks) FROM student_marks1;



The screenshot shows a SQL query editor with two queries. The first query, `SELECT MAX(marks) FROM student_marks1;`, is highlighted. Below the editor, the 'Result Grid' shows a single row with the value 99.90.

MAX(...)
99.90

5. SELECT MIN (marks) FROM student_marks1;




The screenshot shows a SQL IDE interface. The query editor at the top contains the query: `SELECT MIN(marks) FROM student_marks1;`. Below the editor, the status bar shows 100% zoom and a timer of 39:25. The toolbar includes a 'Result Grid' button, a 'Filter Rows' search bar, and an 'Export' button. The result grid below displays a single row with the value 78.40 under the column header 'MIN...'.

MIN...
78.40

Query:5 Filtering with WHERE


1.SELECT*FROM student_marks WHERE marks>85;



The screenshot shows a SQL IDE interface with two queries in the editor. The first query is `SELECT * FROM student_marks1 WHERE marks > 85;` and the second is `SELECT * FROM student_marks1 WHERE marks >= 90;`. The status bar shows 100% zoom and a timer of 22:26. The toolbar includes a 'Result Grid' button, a 'Filter Rows' search bar, an 'Edit' button, and an 'Export/Import' button. The result grid below displays the results of the first query, showing rows where marks are greater than 85.

roll_no	name	subject	marks
1	Ravi	Math	85.50
2	Sita	Math	92.75
4	Priya	Math	88.90
6	subbusir	aws	98.50
7	dwaraka	dbms	95.75
8	ranjani	english	97.40
9	kavithamam	aws1	99.90
NULL	NULL	NULL	NULL

2. SELECT*FROM student_marks WHERE marks>=90;



The screenshot shows a SQL IDE interface with the query `SELECT * FROM student_marks1 WHERE marks >= 90;` in the editor. The status bar shows 100% zoom and a timer of 48:27. The toolbar includes a 'Result Grid' button, a 'Filter Rows' search bar, an 'Edit' button, and an 'Export/Import' button. The result grid below displays the results of the query, showing rows where marks are greater than or equal to 90.

roll_no	name	subject	marks
2	Sita	Math	92.75
6	subbusir	aws	98.50
7	dwaraka	dbms	95.75
8	ranjani	english	97.40
9	kavithamam	aws1	99.90
NULL	NULL	NULL	NULL

3. **SELECT*FROM student_marks WHERE marks<80;**

28

SELECT * FROM student_marks1 WHERE marks < 80;

29

SELECT * FROM student_marks1 WHERE marks BETWEEN 80 AND 90;

100%

47:28

Result Grid

Filter Rows:

Q

Search

Edit:

Export/Import

	roll_no	name	subject	marks	
	3	Anil	Math	78.40	
	NULL	NULL	NULL	NULL	