



Skill week – 7

2520090071_Vignesh Kumar



After clicking send:



GET:

The screenshot shows a REST client interface with a GET request to `http://localhost:3000/students`. The request body is a JSON object for a student named Anita. The response is a 200 OK status with a JSON array containing the student's details, including a unique ID and timestamps.


Request:

```
1 {
2   "name": "Anita",
3   "age": 20,
4   "course": "CSE",
5   "email": "anita@example.com"
6 }
```

Response: 200 OK • 9 ms • 427 B

```
1 [
2   {
3     "_id": "6ab20bbb26121b7350bbbcac",
4     "name": "Anita",
5     "age": 20,
6     "course": "CSE",
7     "email": "anita@example.com",
8     "createdAt": "2026-09-22T05:01:47.158Z",
9     "updatedAt": "2026-09-22T05:01:47.158Z",
10  }
```

Checking if `student_id` exists:



Updating with PATCH:

PATCH ▼ http://localhost:3000/students/6ab20bbb26121b7350bbbcac Send ▼

Docs Params Authorization Headers 9 **Body** ● Scripts Settings Cookies

raw ▼ JSON ▼ Schema Beautify

```
1 {
2   "name": "Anita",
3   "age": 21,
4   "course": "AI & DS",
5   "email": "anita@example.com"
6 }
7
8
```

Body ▼ ↺ 200 OK • 17 ms • 482 B • 🌐 ⋮

{} JSON ▼ ▶ Preview 🖼️ Visualize ▼ ↺ ≡ 🔍 📄 🔗

```
1 {
2   "message": "Student updated successfully",
3   "student": {
4     "_id": "6ab20bbb26121b7350bbbcac",
5     "name": "Anita",
6     "age": 21,
7     "course": "AI & DS",
8     "email": "anita@example.com",
9     "createdAt": "2026-09-22T05:01:47.158Z",

```

⬆ All systems are go

DELETE:

DELETE ▼ http://localhost:3000/students/6ab20bbb26121b7350bbbcac Send ▼

Docs Params Authorization Headers 9 **Body** ● Scripts Settings Cookies

raw ▼ JSON ▼ Schema Beautify

```
1 {
2   "name": "Anita",
3   "age": 21,
4   "course": "AI & DS",
5   "email": "anita@example.com"
6 }
7
8
```

Body ▼ ↺ 200 OK · 11 ms · 482 B · 🌐 ⋮

{} JSON ▼ ▶ Preview 🖼️ Visualize ▼ ↺ ≡ 🔍 📄 🔗

```
1 {
2   "message": "Student deleted successfully",
3   "student": {
4     "_id": "6ab20bbb26121b7350bbbcac",
5     "name": "Anita",
6     "age": 21,
7     "course": "AI & DS",
8     "email": "anita@example.com",
9     "createdAt": "2026-09-22T05:01:47.158Z",
```

Checking:

GET <http://localhost:3000/students/6ab20bbb26121b7350bbbcac> Send

Docs Params Authorization Headers 9 Body • Scripts Settings Cookies

raw JSON Schema Beautify

```
1 {
2   "name": "Anita",
3   "age": 21,
4   "course": "AI & DS",
5   "email": "anita@example.com"
6 }
```

Body 404 Not Found • 8 ms • 275 B • ...

Student not found Diagnose Decline ...

{ } JSON Preview Debug with AI

```
1 {
2   "message": "Student not found"
3 }
```

Updated in MongoDB:

Documents 1 Aggregations Schema Indexes 2 Validation

Type a query: { field: 'value' } or [Generate query](#)

ADD DATA BULK EXPORT DATA EXPORT CODE 25

```
▶ {
  _id: ObjectId('6ab20ec026121b7350bbbc4')
  name: "Anita"
  age: 21
  course: "AI & DS"
  email: "anita@example.com"
  createdAt: ISODate('2026-09-22T05:14:40.755+00:00') September 22, 2026 at 5:14:40 AM UTC
  updatedAt: ISODate('2026-09-22T05:14:40.755+00:00') September 22, 2026 at 5:14:40 AM UTC
  __v: 0
}
```

After PATCH:

Documents 1

Aggregations

Schema

Indexes 2

Validation

ⓘ ▼

Type a query: { field: 'value' } or [Generate query](#) ⚡

➕ ADD DATA ▼

 BULK ▼

 EXPORT DATA ▼

 EXPORT CODE

25 ▼

```
{
  "_id": ObjectId('6ab20ec026121b7350bbcb4'),
  "name": "Anita",
  "age": 19,
  "course": "ECE",
  "email": "anita@example.com",
  "createdAt": ISODate('2026-09-22T05:14:40.755+00:00') September 22, 2026 at 5:14:40 AM UTC
  "updatedAt": ISODate('2026-09-22T05:16:46.217+00:00') September 22, 2026 at 5:16:46 AM UTC
  "__v": 0
}
```

After DELETE:

Documents 0

Aggregations

Schema

Indexes 2

Validation

ⓘ ▼

Type a query: { field: 'value' } or [Generate query](#) ⚡

➕ ADD DATA ▼

 BULK ▼

 EXPORT DATA ▼

 EXPORT CODE

