2520090071- Vignesh Kumar

Task-1:
To Create Main Loop, Display Prompt, Read User Input, Handle Exit Conditions, Design Control Flow Diagram, Test Interactive Loop

```
[vigneshkumar@vigneshs-MacBook-Air ~ % nano Task1.c
```

```c
#include <stdio.h>
#include <string.h>
int main()
{
 char command[100];
 while(1)
 {
 printf("Enter a command (type exit to quit): ");
 fgets(command, sizeof(command), stdin);
 command[strcspn(command, "\n")] = 0;
 if(strcmp(command, "exit") == 0)
 {
 printf("Exiting Program...\n");
 break;
 }
 printf("You entered: %s\n", command);
 }
 return 0;
}
```

Then press ctrl+oenter ctrl+x2)then gcc filename.c -o filename

```
[vigneshkumar@vigneshs-MacBook-Air ~ % gcc Task1.c -o Task1
[vigneshkumar@vigneshs-MacBook-Air ~ % ./Task1
```

Enter the linux command

```
[vigneshkumar@vigneshs-MacBook-Air ~ % nano Task1.c
[vigneshkumar@vigneshs-MacBook-Air ~ % gcc Task1.c -o Task1
[vigneshkumar@vigneshs-MacBook-Air ~ % ./Task1
Enter a command (type exit to quit): Hello
You entered: Hello
Enter a command (type exit to quit): exit
Exiting Program...
```

Design Control Flow Diagram

```
Start
  |
Display Prompt
  |
Read User Input
  |
Is Input "exit"?
  |     |
 No     Yes
  |     |
Display    Exit Program
Input      |
  |     |
  <---------
```

Task-2
Step 1: Create File1

```
[vigneshkumar@vigneshs-MacBook-Air ~ % nano Task2.txt
```

Write: Welcome to OSSP Skill lab Session..
Step 2: Create File2

```
[vigneshkumar@vigneshs-MacBook-Air ~ % nano Task2.txt
[vigneshkumar@vigneshs-MacBook-Air ~ % touch File.txt
```

Step 3: Create C Program

```
[vigneshkumar@vigneshs-MacBook-Air ~ % nano Task2.txt
[vigneshkumar@vigneshs-MacBook-Air ~ % touch File.txt
[vigneshkumar@vigneshs-MacBook-Air ~ % nano copyfile.c
```

```c
#include <stdio.h>
#include <fcntl.h>
#include <unistd.h>
int main()
{
 char buffer[100];
 int source, destination, bytes;

 source = open("File1.txt", O_RDONLY);
 destination = open("File2.txt", O_WRONLY | O_CREAT | O_TRUNC, 0644);

 while((bytes = read(source, buffer, sizeof(buffer))) > 0)
 {
 write(destination, buffer, bytes);
 }

 close(source);
 close(destination);

 printf("File copied successfully.\n");
 return 0;
}
```

Compile and Run

```
[vigneshkumar@vigneshs-MacBook-Air ~ % nano Task2.txt
[vigneshkumar@vigneshs-MacBook-Air ~ % touch File.txt
[vigneshkumar@vigneshs-MacBook-Air ~ %  nano copyfile.c
[vigneshkumar@vigneshs-MacBook-Air ~ %  nano copyfile.c
[vigneshkumar@vigneshs-MacBook-Air ~ % gcc copyfile.c -o copyfile
[vigneshkumar@vigneshs-MacBook-Air ~ %  ./copyfile
```

OUTPUT

```
[vigneshkumar@vigneshs-MacBook-Air ~ % nano Task2.txt
[vigneshkumar@vigneshs-MacBook-Air ~ % touch File.txt
[vigneshkumar@vigneshs-MacBook-Air ~ %  nano copyfile.c
[vigneshkumar@vigneshs-MacBook-Air ~ %  nano copyfile.c
[vigneshkumar@vigneshs-MacBook-Air ~ % gcc copyfile.c -o copyfile
[vigneshkumar@vigneshs-MacBook-Air ~ %  ./copyfile
File copied successfully.
vigneshkumar@vigneshs-MacBook-Air ~ %
```