


Docker Task -2

Task Description:


Create a dockerfile, docker-compose file which when executed must display your basic details in the website.

Solution:


✓ 1. Launched a New EC2 Instance




✓ 2. Connected to the EC2 Instance Using SSH



✓ 3. Updated the Package Manager



✓ 4. Installed Docker



✓ 5. Started Docker Service & Checked Docker Version

```
root@ip-172-31-9-192:~# service docker start
root@ip-172-31-9-192:~# docker --version
Docker version 27.5.1, build 27.5.1-0ubuntu3~24.04.2
root@ip-172-31-9-192:~#
```

i-0aecabaed46afff10 (Docker-VM)

PublicIPs: 13.203.196.202 PrivateIPs: 172.31.9.192

✓ 6. Created a working folder

```
root@ip-172-31-9-192:~# mkdir docker-task-2
cd docker-task-2
root@ip-172-31-9-192:~/docker-task-2#
```

✓ 7. Created index.html file

```
root@ip-172-31-9-192:~/docker-task-2# nano index.html
root@ip-172-31-9-192:~/docker-task-2# cat index.html
<!DOCTYPE html>
<html>
<head>
<title>My Details</title>
</head>
<body>
<h1>Hello, I'm Vignesh Marimuthu</h1>
<p>Email: vignesh@example.com</p>
<p>Course: DevOps</p>
</body>
</html>
root@ip-172-31-9-192:~/docker-task-2#
```

i-0aecabaed46afff10 (Docker-VM)

PublicIPs: 13.203.196.202 PrivateIPs: 172.31.9.192

✓ 8. Created the Dockerfile

```
root@ip-172-31-9-192:~/docker-task-2# nano Dockerfile
root@ip-172-31-9-192:~/docker-task-2# cat Dockerfile
# Use official Nginx image
FROM nginx:latest

# Copy the HTML file to Nginx default directory
COPY index.html /usr/share/nginx/html/index.html
root@ip-172-31-9-192:~/docker-task-2#
```

i-0aecabaed46afff10 (Docker-VM)

PublicIPs: 13.203.196.202 PrivateIPs: 172.31.9.192

✓ 9. Created docker-compose.yml

```
root@ip-172-31-9-192:~/docker-task-2# nano docker-compose.yml
root@ip-172-31-9-192:~/docker-task-2# cat docker-compose.yml
version: '3'
services:
  mywebsite:
    build: .
    ports:
      - "8080:80"
root@ip-172-31-9-192:~/docker-task-2#
```

i-0aecabaed46afff10 (Docker-VM)

PublicIPs: 13.203.196.202 PrivateIPs: 172.31.9.192

✓ 10. Build and run using docker-compose

```
root@ip-172-31-9-192:~/docker-task-2# docker-compose up --build
Creating network "docker-task-2_default" with the default driver
Building mywebsite
DEPRECATED! The legacy builder is deprecated and will be removed in a future release.
Install the buildx component to build images with BuildKit:
https://docs.docker.com/go/buildx/


Sending build context to Docker daemon  4.096kB
Step 1/2 : FROM nginx:latest
--> 1e5f3e5b981a
Step 2/2 : COPY index.html /usr/share/nginx/html/index.html
--> 8a53680a3047
Successfully built 8a53680a3047
Successfully tagged docker-task-2_mywebsite:latest
Creating docker-task-2_mywebsite_1 ... done
```

```
root@ip-172-31-9-192:~/docker-task-2# docker-compose up -d
Starting docker-task-2_mywebsite_1 ... done
root@ip-172-31-9-192:~/docker-task-2#
```

i-0aecabaed46afff10 (Docker-VM)

PublicIPs: 13.203.196.202 PrivateIPs: 172.31.9.192

✓ 11. Open it in browser



Hello, I'm Vignesh Marimuthu

Email: vignesh@example.com

Course: DevOps

- I have successfully completed all the required steps for Docker Task-2.
- I created a simple HTML webpage with my basic details, built a Docker image using a Dockerfile.
- used Docker Compose to run the container.
- The webpage is now accessible on my browser through <http://13.203.196.202:8080>
- it displays my name, email, and course information as expected.