


Jenkins Task

Task Description:

Launch jenkins and explore creating projects and users.


Solution:

✓ 1. Launched an EC2 Ubuntu Instance




- I used an EC2 instance to simulate a real server where Jenkins would be hosted. Port 8080 is required for Jenkins web interface.

✓ 2. Updated the System & Installed Java




- Jenkins runs on Java, and Java 17 is one of the recommended versions.

✓ 3. Install Jenkins & Started & Enabled Jenkins




- start: Immediately starts Jenkins.
- enable: Automatically starts Jenkins after reboot.

✓ 4. Accessed Jenkins in My Browser



- Initially, Jenkins didn't open. I added port 8080 in EC2 security group as inbound rule to fix it.
- URL used: `http://65.0.178.255:8080`

✓ 5. Created the Admin User



- To securely manage Jenkins and login with custom credentials instead of temporary password.

✓ 6. Created a Freestyle Jenkins Project

The screenshot shows the Jenkins Dashboard. On the left, there's a sidebar with 'New Item', 'Build History', 'Manage Jenkins', and 'My Views'. The 'Build Queue' section shows 'No builds in the queue.' and 'Build Executor Status' shows '0/2'. The main area displays a table of builds for 'TestJob'.

S	W	Name	Last Success	Last Failure	Last Duration
✓	☀	TestJob	2 min 15 sec #1	N/A	0.14 sec

Below the table, there's a section for 'Icon: S M L'.

- Freestyle projects are basic job types where we can run scripts or commands.


✓ 7. Configured and Built the Project

The screenshot shows the 'TestJob Configuration' page. The left sidebar has 'General', 'Source Code Management', 'Triggers', 'Environment', 'Build Steps', and 'Post-build Actions'. The 'Build Steps' section is active, showing a single step named 'Execute shell'. The command field contains the text: `echo "Today's date is: $(date)"`.

The screenshot shows the 'TestJob #1 Console' page. The left sidebar has 'Status', 'Changes', 'Console Output', 'Edit Build Information', 'Delete build #1', and 'Timings'. The 'Console Output' section is active, showing the output of the build. The output text is:


```
Started by user vignesh
Running as SYSTEM
Building in workspace /var/lib/jenkins/workspace/TestJob
[TestJob] $ /bin/sh -xe /tmp/jenkins13675447181625466120.sh
+ date
+ echo Today's date is: Sun Jul 13 16:38:36 UTC 2025
Today's date is: Sun Jul 13 16:38:36 UTC 2025
Finished: SUCCESS
```

8. Enabled Role-Based Strategy



- To allow assigning specific permissions (admin, read-only, etc.) to different users.

9. Created a New Jenkins User



- To simulate multi-user access and role assignment.

10. Created and Assigned Roles

Manage Roles

Assign Roles

Permission Templates

Role Strategy Macros

Manage Roles

Global roles

	Overall	Credentials	Agent	Job	Run	View	SCM	Metrics																								
Role	Administer	Read	Create	Delete	Update	View	Build	Configure	Connect	Create	Delete	Disconnect	Provision	Build	Cancel	Configure	Create	Delete	Discover	Move	Read	Workspace	Replay	Update	Configure	Create	Delete	Read	Tag	HealthCheck	ThreadDump	View
admin	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
devuser	☒	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	

Assign Roles

Permission Templates

Role Strategy Macros

Assign Roles

Global roles

User/Group	admin	devuser
Anonymous	☐	☐
Authenticated Users	☐	☐
vignesh	☒	☐
vignesh-Dev	☒	☐

Add User

Add Group

- To give limited access to users based on their roles (e.g., developers vs admins).