




PNETLab | Topology (1) WhatsApp Ask Gemini

labs.surennetwork.com/legacy/topology

Notifications

SUREN NETWORK

1ST FLOOR 10 PC
Win-1

2ND FLOOR 100 PC
Win-2

3RD FLOOR 150 PC
Win-3

12.0.0.0/24

Terminal
R1 x R2 x R3 x R4 x R5 x R6 x Win-2 x Win-1 x Win-4 x Win-5 x Win-3

Network Connections

Windows IP Configuration

Ethernet adapter Local Area Connection:

Connection-specific DNS Suffix . . : 12.0.1.131
IP Address. : 129.70.1.3
Subnet Mask : 255.255.255.240
Default Gateway : 12.0.1.129

C:\Documents and Settings\user>ping 129.70.1.3

Pinging 129.70.1.3 with 32 bytes of data:

Reply from 129.70.1.3: bytes=32 time=3ms TTL=125
Reply from 129.70.1.3: bytes=32 time=1ms TTL=125
Reply from 129.70.1.3: bytes=32 time=2ms TTL=125
Reply from 129.70.1.3: bytes=32 time=1ms TTL=125

Ping statistics for 129.70.1.3:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 3ms, Average = 1ms

C:\Documents and Settings\user>

Physical 01:00:00 START

15:48 13-09-2026

PNETLab | Topology (1) WhatsApp Ask Gemini

labs.surennetwork.com/legacy/topology

Notifications

Terminal

R1 x R2 x R3 x R4 x R5 x R6 x Win-2 x Win-1 x Win-4 x Win-5 x Win-3 x

o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

12.0.0.0/8 is variably subnetted, 6 subnets, 4 masks

12.0.0.0/24 [1/0] via 129.70.1.69
12.0.1.0/25 [1/0] via 129.70.1.69
12.0.1.128/28 [1/0] via 129.70.1.69
12.0.1.144/30 [1/0] via 129.70.1.69
12.0.1.148/30 [1/0] via 129.70.1.69
12.0.1.152/30 [1/0] via 129.70.1.69

129.70.0.0/16 is variably subnetted, 6 subnets, 3 masks

129.70.0.0/24 is directly connected, Ethernet0/1
129.70.0.1/32 is directly connected, Ethernet0/1
129.70.1.0/30 [1/0] via 129.70.1.69
129.70.1.64/30 [1/0] via 129.70.1.69
129.70.1.68/30 is directly connected, Ethernet0/0
129.70.1.70/32 is directly connected, Ethernet0/0

R6(config)#
R6(config)#
R6(config)#

12.0.0.0/8 129.70.0.0/16

1ST FLOOR 10 PC Win-1
2ND FLOOR 100 PC Win-2
3RD FLOOR 150 PC Win-3

TERMINAL (11) Physical 01 : 00 : 00 START

ENG IN 15:50 13-09-2026

PNETLab | Topology (1) WhatsApp Ask Gemini

labs.surennetwork.com/legacy/topology

Notifications

SUREN NETWORK

1ST FLOOR 10 PC
Win-1

2ND FLOOR 100 PC
Win-2

3RD FLOOR 150 PC
Win-3

12.1

Terminal

R1 R2 R3 R4 R5 R6 Win-2 Win-1 Win-4 Win-5 Win-3

```
C:\WINDOWS\system32\cmd.exe
Reply from 129.70.1.69: bytes=32 time=1ms TTL=254
Reply from 129.70.1.69: bytes=32 time=1ms TTL=254
Reply from 129.70.1.69: bytes=32 time=1ms TTL=254
Reply from 129.70.1.69: bytes=32 time=1ms TTL=254

Ping statistics for 129.70.1.69:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 1ms, Average = 1ms

C:\Documents and Settings\user>ping 129.70.0.3

Pinging 129.70.0.3 with 32 bytes of data:
Reply from 129.70.0.3: bytes=32 time=2ms TTL=125
Reply from 129.70.0.3: bytes=32 time=2ms TTL=125
Reply from 129.70.0.3: bytes=32 time=1ms TTL=125
Reply from 129.70.0.3: bytes=32 time=1ms TTL=125

Ping statistics for 129.70.0.3:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 2ms, Average = 1ms

C:\Documents and Settings\user>
```

Network Connections
Suren Pillai

Physical 01 : 00 : 00 START

15:45 13-09-2026

PNETLab | Topology (1) WhatsApp Ask Gemini

labs.surrennetwork.com/legacy/topology

Notifications

Terminal

R1 x R2 x R3 x R4 x R5 x R6 x Win-2 x Win-1 x Win-4 x Win-5 x Win-3 x

1ST FLOOR 10 PC
Win-1

2ND FLOOR 100 PC
Win-2

3RD FLOOR 150 PC
Win-3

```
Connection-specific DNS Suffix . :  
IP Address. . . . . : 129.70.0.3  
Subnet Mask . . . . . : 255.255.255.0  
Default Gateway . . . . . : 129.70.0.1  
  
C:\Documents and Settings\user>do ping 129.70.0.3  
'do' is not recognized as an internal or external command,  
operable program or batch file.  
  
C:\Documents and Settings\user>ping 129.70.0.3  
  
Pinging 129.70.0.3 with 32 bytes of data:  
  
Reply from 129.70.0.3: bytes=32 time=2ms TTL=125  
Reply from 129.70.0.3: bytes=32 time=2ms TTL=125  
Reply from 129.70.0.3: bytes=32 time=1ms TTL=125  
Reply from 129.70.0.3: bytes=32 time=1ms TTL=125  
  
Ping statistics for 129.70.0.3:  
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
Minimum = 1ms, Maximum = 2ms, Average = 1ms  
  
C:\Documents and Settings\user>
```

12.0.0.0/8 129.70.0.0/16

TERMINAL (11) Physical 01 : 00 : 00 START

15:49 13-09-2026

PNETLab | Topology x (1) WhatsApp x + Ask Gemini

labs.surennetwork.com/legacy/topology

Notifications

Terminal

R1 x R2 x R3 x R4 x R5 x R6 x Win-2 x Win-1 x Win-4 x Win-5 x Win-3 x

a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is 12.0.1.154 to network 0.0.0.0

S* 0.0.0.0/0 [1/0] via 12.0.1.154
12.0.0.0/8 is variably subnetted, 6 subnets, 3 masks
S 12.0.1.144/30 [1/0] via 12.0.1.154
S 12.0.1.148/30 [1/0] via 12.0.1.154
S 129.70.0.0/30 is subnetted, 2 subnets
S 129.70.1.64 [1/0] via 12.0.1.154
S 129.70.1.68 [1/0] via 12.0.1.154

R3(config)#
R3(config)#
R3(config)#
R3(config)#ip route 12.0.1.128 255.255.255.240 12.0.1.154
R3(config)#ip route 12.0.1.0 255.255.255.128 12.0.1.154
R3(config)#ip route 129.70.0.0 255.255.255.0 12.0.1.154
R3(config)#ip route 129.70.1.0 255.255.255.192 12.0.1.154
R3(config)#do wr
Building configuration...
[OK]
R3(config)#

1ST FLOOR 10 PC
Win-1
2ND FLOOR 100 PC
Win-2
3RD FLOOR 150 PC
Win-3

12.0.0.0/8 129.70.0.0/16

TERMINAL (11) Physical 01 : 00 : 00 START

ENG IN 15:50 13-09-2026

PNETLab | Topology x (1) WhatsApp x + Ask Gemini

labs.surennetwork.com/legacy/topology

Notifications

Terminal

R1 x R2 x R3 x R4 x R5 x R6 x Win-2 x Win-1 x Win-4 x Win-5 x Win-3 x

1ST FLOOR 10 PC
Win-1

2ND FLOOR 100 PC
Win-2

3RD FLOOR 150 PC
Win-3

```
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

12.0.0.0/8 is variably subnetted, 8 subnets, 5 masks
S   12.0.0.0/24 [1/0] via 12.0.1.146
S   12.0.1.0/25 [1/0] via 12.0.1.146
S   12.0.1.148/30 [1/0] via 12.0.1.146
S   12.0.1.152/30 [1/0] via 12.0.1.146
S   129.70.0.0/16 is variably subnetted, 4 subnets, 3 masks
S   129.70.0.0/24 [1/0] via 12.0.1.146
S   129.70.1.0/26 [1/0] via 12.0.1.146
S   129.70.1.64/30 [1/0] via 12.0.1.146
S   129.70.1.68/30 [1/0] via 12.0.1.146

R1(config)#
R1(config)#
R1(config)#
R1(config)#
R1(config)#
```

12.0.0.0 /8 129.70.0.0 /16

TERMINAL (11) Physical 01 : 00 : 00 START

ENG IN 15:49 13-09-2026

PNETLab | Topology (1) WhatsApp

labs.surennetwork.com/legacy/topology

Ask Gemini

Notifications

SUREN NETWORK

1ST FLOOR 10 PC
Win-1

2ND FLOOR 100 PC
Win-2

3RD FLOOR 150 PC
Win-3

12.0.1.3

Terminal

R1 R2 R3 R4 R5 R6 Win-2 Win-1 Win-4 Win-5 Win-3

Network Connections

```
C:\WINDOWS\system32\cmd.exe
Reply from 12.0.0.1: bytes=32 time=1ms TTL=253
Reply from 12.0.0.1: bytes=32 time=1ms TTL=253
Reply from 12.0.0.1: bytes=32 time=1ms TTL=253
Reply from 12.0.0.1: bytes=32 time=1ms TTL=253
Ping statistics for 12.0.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 1ms, Average = 1ms
C:\Documents and Settings\user>ping 12.0.1.3
Pinging 12.0.1.3 with 32 bytes of data:
Reply from 12.0.1.3: bytes=32 time=2ms TTL=125
Reply from 12.0.1.3: bytes=32 time=1ms TTL=125
Reply from 12.0.1.3: bytes=32 time=1ms TTL=125
Reply from 12.0.1.3: bytes=32 time=1ms TTL=125
Ping statistics for 12.0.1.3:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 2ms, Average = 1ms
C:\Documents and Settings\user>
```

TERMINAL (11)

Physical

01 : 00 : 00 START

ENG IN 15:48 13-09-2026

Browser tabs: PNETLab | Topology, (1) WhatsApp, Ask Gemini

Address bar: labs.surennetwork.com/legacy/topology

Browser extensions: Gmail, YouTube, Maps, News, Translate

Notifications: 1

SUREN NETWORK

1ST FLOOR 10 PC
Win-1 - e0 - R1 (e0/0)

2ND FLOOR 100 PC
Win-2 - e0 - R2 (e0/0) - e0/1

3RD FLOOR 150 PC
Win-3 - e0 - R3 (e0/0) - e0/1

IP Address Ranges:
12.0.0.0 /8
129.70.0.0 /16

Terminal

R1 x R2 x R3 x R4 x R5 x R6 x Win-2 x Win-1 x Win-4 x Win-5 x Win-3

Network Connections

Pinging 12.0.0.3 with 32 bytes of data:

```
Reply from 12.0.0.3: bytes=32 time=2ms TTL=125
Reply from 12.0.0.3: bytes=32 time=2ms TTL=125
Reply from 12.0.0.3: bytes=32 time=2ms TTL=125
Reply from 12.0.0.3: bytes=32 time=2ms TTL=125
```

Ping statistics for 12.0.0.3:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 2ms, Maximum = 2ms, Average = 2ms

C:\Documents and Settings\user>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

Connection-specific DNS Suffix	:	:
IP Address	:	129.70.0.3
Subnet Mask	:	255.255.255.0
Default Gateway	:	129.70.0.1

C:\Documents and Settings\user>

Details

Local Area Connection
129.70.0.3

Physical

01 : 00 : 00 START

15:48 13-09-2026

PNETLab | Topology (1) WhatsApp Ask Gemini

labs.surennetwork.com/legacy/topology

Notifications

Terminal

R1 x R2 x R3 x R4 x R5 x R6 x Win-2 x Win-1 x Win-4 x Win-5 x Win-3 x

Gateway of last resort is 129.70.1.65 to network 0.0.0.0

```
S* 0.0.0.0/0 [1/0] via 129.70.1.65
S 12.0.0.0/8 is variably subnetted, 6 subnets, 3 masks
S 12.0.0.0/24 [1/0] via 129.70.1.65
S 12.0.1.0/25 [1/0] via 129.70.1.65
S 12.0.1.128/25 [1/0] via 129.70.1.65
S 12.0.1.144/30 [1/0] via 129.70.1.65
S 12.0.1.148/30 [1/0] via 129.70.1.65
S 12.0.1.152/30 [1/0] via 129.70.1.65
S 129.70.0.0/16 is variably subnetted, 6 subnets, 4 masks
S 129.70.0.0/24 [1/0] via 129.70.1.65
C 129.70.1.0/26 is directly connected, Ethernet0/1
L 129.70.1.1/32 is directly connected, Ethernet0/1
C 129.70.1.64/30 is directly connected, Ethernet0/0
L 129.70.1.66/32 is directly connected, Ethernet0/0
S 129.70.1.68/30 [1/0] via 129.70.1.65
R5(config)#
R5(config)#
R5(config)#do wr
Building configuration...
[OK]
R5(config)#
```

1ST FLOOR 10 PC Win-1

2ND FLOOR 100 PC Win-2

3RD FLOOR 150 PC Win-3

12.0.0.0/8 129.70.0.0/16

TERMINAL (11) Physical 01 : 00 : 00 START

ENG IN 15:49 13-09-2026