




```
Terminal
R2 x R3 x R1 x Win-1 x

C:\WINDOWS\system32\cmd.exe
C:\Documents and Settings\user>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

    Connection-specific DNS Suffix  . : 
    IP Address. . . . . : 50.0.1.130
    Subnet Mask . . . . . : 255.255.255.192
    Default Gateway . . . . . : 50.0.1.129

C:\Documents and Settings\user>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

    Connection-specific DNS Suffix  . : 
    IP Address. . . . . : 50.0.1.130
    Subnet Mask . . . . . : 255.255.255.192
    Default Gateway . . . . . : 50.0.1.129

C:\Documents and Settings\user>
```

PNETLab | Topology

labs.surennetwork.com/legacy/topology

Ask Gemini

Gmail YouTube Maps News Translate

HR **50-PC** **PRODUCER**

Win-1 VPC-1 Win-2

Net

R1

Terminal

R2 * R3 * **R1** * Win-1 *


```
R1(config)#
R1(config)#
R1(config)#
R1(config)#
R1(config)#ip dhcp pool hr
R1(dhcp-config)#network 50.0.1.128 255.255.255.192
R1(dhcp-config)#default-router 50.0.1.129
R1(dhcp-config)#dns-server 8.8.8.8
R1(dhcp-config)#exit
R1(config)#
R1(config)#
R1(config)#ip dhcp pool hr
R1(dhcp-config)#ip dhcp excluded-address 50.0.1.130 50.0.1.150
R1(dhcp-config)#lease 1 2 3
R1(dhcp-config)#exit
R1(config)#
R1(config)#
R1(config)#
```

TERMINAL (4)

Physical

01 : 00 : 00 START

ENG IN 06:57 11-09-2026



```
Terminal
R2 x R3 x R1 x Win-1 x
D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is 50.0.1.197 to network 0.0.0.0
S* 0.0.0.0/0 [1/0] via 50.0.1.197
C 50.0.0.0/8 is variably subnetted, 7 subnets, 5 masks
C 50.0.0.0/24 is directly connected, Ethernet0/0
L 50.0.0.1/32 is directly connected, Ethernet0/0
S 50.0.1.0/25 [1/0] via 50.0.1.197
S 50.0.1.128/26 [1/0] via 50.0.1.197
S 50.0.1.192/30 [1/0] via 50.0.1.197
C 50.0.1.196/30 is directly connected, Ethernet0/1
L 50.0.1.198/32 is directly connected, Ethernet0/1
R3(config)#
R3(config)#
R3(config)#
```

TERMINAL (4)

Physical 01 : 00 : 00 START

PNETLab | Topology

labs.surennetwork.com/legacy/topology

Ask Gemini

Gmail YouTube Maps News Translate

HR

50-PC

PRODUC

Win-1

Win-2

Net

R1

Win-1

Win-2

Net

R1

Terminal

R2

R3

R1

Win-1

R2(config)#do sh ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR
Gateway of last resort is not set

50.0.0.0/8 is variably subnetted, 8 subnets, 5 masks
50.0.0.0/24 [1/0] via 50.0.1.198
50.0.1.0/25 is directly connected, Ethernet0/0
50.0.1.1/32 is directly connected, Ethernet0/0
50.0.1.128/26 [1/0] via 50.0.1.193
50.0.1.192/30 is directly connected, Ethernet0/1
50.0.1.194/32 is directly connected, Ethernet0/1
50.0.1.196/30 is directly connected, Ethernet0/2
50.0.1.197/32 is directly connected, Ethernet0/2
R2(config)#

TERMINAL (4)

Physical

01 : 00 : 00

START

ENG IN

06:57

11-09-2026

PNETLab | Topology

labs.surennetwork.com/legacy/topology

Ask Gemini

Notifications

HR

50-PC

Win-1

VPC-1

Net

R1

Terminal

R1 * R2 * R3 * Win-1 * Win-2 * Win-3 *

Network Connections

C:\WINDOWS\system32\cmd.exe

C:\Documents and Settings\user>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

Connection-specific DNS Suffix . :

IP Address. : 50.0.0.231

Subnet Mask : 255.255.255.0

Default Gateway : 50.0.0.1

C:\Documents and Settings\user>

TERMINAL (6)

Physical

01 : 00 : 00

START

ENG IN

08:57

11-09-2026

PNETLab | Topology

labs.surennetwork.com/legacy/topology

Ask Gemini

Notifications

HR

50-PC

Win-1

eth0

VPC-1

eth0

Net

R1

eth0

Terminal

R1 * R2 * R3 * Win-1 * Win-2 * Win-3 *

Network Connections

C:\WINDOWS\system32\cmd.exe

C:\Documents and Settings\user>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

Connection-specific DNS Suffix . : 169.254.59.90

Autoconfiguration IP Address. . : 255.255.0.0

Subnet Mask : 255.255.0.0

Default Gateway :

C:\Documents and Settings\user>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

Connection-specific DNS Suffix . : 50.0.1.151

IP Address. : 255.255.255.192

Subnet Mask : 50.0.1.129

Default Gateway :

C:\Documents and Settings\user>

TERMINAL (6)

Physical

01 : 00 : 00

START

ENG

IN

08:58

11-09-2026