




QEMU (Win1) QEMU (Win2)

10.0.0.10 - Remote Desktop Connection

user
Logged on

Password

Windows 7 Ultimate

Administrator: Command Prompt

```
IPv4 Address . . . . . : 10.0.0.10
Subnet Mask . . . . . : 255.0.0.0
Default Gateway . . . . . :

Tunnel adapter {42A1F8B7-30A8-4EF7-81AF-C694F5F3D81B}:

Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . :

C:\Users\User>ping 10.0.0.20

Pinging 10.0.0.20 with 32 bytes of data:
Reply from 10.0.0.20: bytes=32 time<1ms TTL=128
Reply from 10.0.0.20: bytes=32 time<1ms TTL=128
Reply from 10.0.0.20: bytes=32 time<1ms TTL=128
Reply from 10.0.0.20: bytes=32 time<1ms TTL=128

Ping statistics for 10.0.0.20:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\Users\User>sysdm.cpl

C:\Users\User>Test123
```

LAB-1 Physical 01:00:00 START

