





Switch# Show spanning-tree

Physical

01 : 00 : 00 START

PNETLab | Topology

WhatsApp

Ask Gemini

labs.surennetwork.com/legacy/topology

Gmail YouTube Maps News Translate

Notifications

SW1

SW2

e0/1

e0/0

e0/1

e0/0

STP-1

Terminal

SW2 x SW4 x SW1 x SW3 x

SW4(config)#do sh spanning-tree

VLAN0001

Spanning tree enabled protocol ieee

Root ID Priority 32769

Address aabb.cc00.0300

Cost 200

Port 2 (Ethernet0/1)

Hello Time 2 sec Max Age 20 sec Forward Delay 15

Bridge ID Priority 32769 (priority 32768 sys-id-ext 1)

Address aabb.cc00.0400

Hello Time 2 sec Max Age 20 sec Forward Delay 15

Aging Time 300 sec

Interface Role Sts Cost Prio.Nbr Type

Et0/1 Root FWD 100 128.2 P2p

Po1 Altn BLK 100 128.65 P2p

SW4(config)#

SW4(config)#

Physical 01:00:00 START

Windows Taskbar

System Tray

PNETLab | Topology

WhatsApp

Ask Gemini

labs.surennetwork.com/legacy/topology

Gmail YouTube Maps News Translate

Notifications

```
graph TD; SW1[SW1] --- e0/1((e0/1)) --- e0/0((e0/0)) --- SW2[SW2]; SW2 --- e0/0((e0/0)) --- e0/1((e0/1)) --- SW1;
```

STP-1

Terminal

SW2 x SW4 x SW1 x SW3 x

SW2#
SW2#sh spanning-tree

VLAN0001
Spanning tree enabled protocol ieee
Root ID Priority 32769
 Address aabb.cc00.0300
 Cost 100
 Port 1 (Ethernet0/0)
 Hello Time 2 sec Max Age 20 sec Forward Delay 15

Bridge ID Priority 32769 (priority 32768 sys-id-ext 1)
 Address aabb.cc00.0500
 Hello Time 2 sec Max Age 20 sec Forward Delay 15
 Aging Time 300 sec

Interface	Role	Sts	Cost	Prio.Nbr	Type
Et0/0	Root	FWD	100	128.1	P2p
Et0/1	Desg	FWD	100	128.2	P2p

SW2#

TERMINAL (4)

Physical

01 : 00 : 00

START

Windows taskbar with icons for Start, Search, Task View, File Explorer, Microsoft Edge, Settings, and others.

System tray showing language (ENG IN), network, volume, and date/time (21:46 18-09-2026).

PNETLab | Topology

WhatsApp

Ask Gemini

labs.surennetwork.com/legacy/topology

Gmail

YouTube

Maps

News

Translate

Notifications

SW1

e0/1

e0/0

SW2

e0/1

e0/0

STP-1

Terminal

SW2 x SW4 x SW1 x SW3 x

SW3#
SW3#sh spanning-tree

VLAN0001
Spanning tree enabled protocol ieee
Root ID Priority 32769
 Address aabb.cc00.0300
 Cost 100
 Port 1 (Ethernet0/0)
 Hello Time 2 sec Max Age 20 sec Forward Delay 15

Bridge ID Priority 32769 (priority 32768 sys-id-ext 1)
 Address aabb.cc00.0600
 Hello Time 2 sec Max Age 20 sec Forward Delay 15
 Aging Time 300 sec

Interface Role Sts Cost Prio.Nbr Type

Et0/0 Root FWD 100 128.1 P2p
Et0/1 Desg FWD 100 128.2 P2p

SW3#

Physical 01:00:00 START

TERMINAL (4)

Physical 01:00:00 START

21:46

18-09-2026

PNETLab | Topology

labs.surennetwork.com/legacy/topology

Ask Gemini

Notifications

SW1

SW2

VLAN0001

Spanning tree enabled protocol ieee

Root ID Priority 32769

Address aabb.cc00.0100

Cost 56

Port 65 (Port-channel1)

Hello Time 2 sec Max Age 20 sec Forward Delay 15 sec

Bridge ID Priority 32769 (priority 32768 sys-id-ext 1)

Address aabb.cc00.0200

Hello Time 2 sec Max Age 20 sec Forward Delay 15 sec

Aging Time 15 sec

Interface Role Sts Cost Prio.Nbr Type

Po1 Root FWD 56 128.65 P2p

SW1(config)#

SW1(config)#

SW1(config)#

SW1(config)#

TERMINAL (2)

Switch# Show spanning-tree

Physical

01 : 00 : 00

START

STP-1

PNETLab | Topology

labs.surennetwork.com/legacy/topology

Ask Gemini

Notifications

SW1

SW2

STP-1

Terminal

SW1 x SW2 x

Switch(config)#
Switch(config)#ex
% Ambiguous command: "ex"
Switch(config)#do sh spanning-tree

VLAN0001
Spanning tree enabled protocol ieee
Root ID Priority 32769
 Address aabb.cc00.0100
 This bridge is the root
 Hello Time 2 sec Max Age 20 sec Forward Delay 15 sec

Bridge ID Priority 32769 (priority 32768 sys-id-ext 1)
 Address aabb.cc00.0100
 Hello Time 2 sec Max Age 20 sec Forward Delay 15 sec
 Aging Time 15 sec

Interface Role Sts Cost Prio.Nbr Type

Po1 Desg FWD 56 128.65 P2p

Switch(config)#

Switch# Show spanning-tree

TERMINAL (2)

Physical

01 : 00 : 00

START

21:38

18-09-2026

PNETLab | Topology

New Tab

Ask Gemini

labs.surennetwork.com/legacy/topology

Gmail

YouTube

Maps

News

Translate

Notifications

SW1

SW2

SW1#

SW1#

SW1#

SW1#conf t

Enter configuration commands, one per line. End with CNTL/Z.

SW1(config)#interface range e0/0-1

SW1(config-if-range)#channel-group 1 mode on

Creating a port-channel interface Port-channel 1

SW1(config-if-range)#

*Sep 18 16:07:34.856: %LINK-3-UPDOWN: Interface Port-channel1, changed state to up

*Sep 18 16:07:35.856: %LINEPROTO-5-UPDOWN: Line protocol on Interface Port-channel1, changed state to up

SW1(config-if-range)#

SW1(config-if-range)#

SW1(config-if-range)#ex

SW1(config)#do sh spanning-tree

VLAN0001

Spanning tree enabled protocol ieee

Root ID Priority 32769

TERMINAL (2)

Physical

01:00:00

START

SW1

SW2

e0/1

e0/0

e0/1

e0/0

STP-1

Windows

Search

Taskbar

System Tray

ENG

IN

21:38

18-09-2026