







The screenshot shows a Windows XP desktop environment. At the top, a blue taskbar contains the text 'Terminal' and three window buttons labeled 'R1', 'R2', and 'Win'. The desktop background is blue. On the left side, there is a vertical taskbar with icons for 'My Documents', 'My Computer', 'My Recent Places', 'My Network Places', 'Recycle Bin', 'Internet Explorer', 'Google', 'Skype', 'Local Area Connection', and 'T-Mobile'. A 'Network' icon is also visible on the desktop. A command prompt window is open, displaying the following text:

```
C:\WINDOWS\system32\cmd.exe
Microsoft Windows XP [Version 5.1.2600]
(C) Copyright 1985-2001 Microsoft Corp.

C:\Documents and Settings\user>ncpa.cpl
C:\Documents and Settings\user>ipconfig


Windows IP Configuration

Ethernet adapter Local Area Connection:

    Connection-specific DNS Suffix  . : 
    IP Address. . . . . : 10.0.0.10
    Subnet Mask . . . . . : 255.0.0.0
    Default Gateway . . . . . : 10.0.0.5

C:\Documents and Settings\user>
```

The taskbar at the bottom shows the 'Start' button, several application icons, and the system tray with the date and time '5:37 PM'.




```
Terminal
R1 x R2 x
R1(config-if)#ex
R1(config)#
*Sep 18 16:33:45.784: %HSRP-5-STATECHANGE: Ethernet0/0 Grp 1 state Standby
R1(config)#
R1(config)#
R1(config)#do sh standby
Ethernet0/0 - Group 1
  State is Active
    2 state changes, last state change 00:01:42
    Virtual IP address is 10.0.0.5
    Active virtual MAC address is 0000.0c07.ac01
    Local virtual MAC address is 0000.0c07.ac01 (v1 default)
    Hello time 3 sec, hold time 10 sec
    Next hello sent in 2.096 secs
    Preemption disabled
    Active router is local
    Standby router is 10.0.0.2, priority 100 (expires in 10.544 sec)
    Priority 100 (default 100)
    Group name is "hsrp-Et0/0-1" (default)
R1(config)#
R1(config)#
R1(config)#
R1(config)#
```

PNETLab | Topology (2) WhatsApp

labs.surennetwork.com/legacy/topology

Ask Gemini

Notifications



```
R1 x R2 x
R2(config)#
R2(config)#do sh standby
Ethernet0/0 - Group 1
State is Standby
1 state change, last state change 00:00:16
Virtual IP address is 10.0.0.5
Active virtual MAC address is 0000.0c07.ac01
Local virtual MAC address is 0000.0c07.ac01 (v1 default)
Hello time 3 sec, hold time 10 sec
Next hello sent in 2.064 secs
Preemption disabled
Active router is 10.0.0.1, priority 100 (expires in 10.240 sec)
Standby router is local
Priority 100 (default 100)
Group name is "hsrp-Et0/0-1" (default)
R2(config)#
R2(config)#
R2(config)#
R2(config)#
R2(config)#
R2(config)#
```

HSRP

TERMINAL (2)

Physical

01 : 00 : 00 START

ENG IN

22:05 18-09-2026