

TICHI APPLICATION

Defect / Bug Report

DEFECT SUMMARY	
Defect ID	BUG_LOGIN_001
Project Name	Tichi
Module / Page	Login Page
Reported By	VIGNESH S
Reported Date	02-Jul-2026
Application URL	https://tichi-app-webapp-stage.web.app
Environment	Staging (Web Application)
Browser / Platform	Google Chrome (Latest) / Windows
Build / Version	Staging Build (as accessed on 02-Jul-2026)
Related Test Case ID	TC_LOGIN_004 – Verify login with invalid email format
DEFECT TITLE	
Application allows user to log in with an invalid email format instead of displaying a validation error.	
SEVERITY / PRIORITY / STATUS	
Severity	High
Priority	High
Status	New / Open
Defect Type	Functional – Input Validation
DESCRIPTION	
On the Login page, the email field does not validate the format of the entered email address before allowing the login request to be processed. When a value that does not conform to a standard email format (e.g., missing '@' symbol, missing domain, or containing only plain text such as "abc") is entered along with a password and the Login button is clicked, the system does not block the action or display a client-side/server-side format validation message. Instead, the application proceeds to process the login attempt, which is a violation of expected input validation rules for the email field.	
PRE-CONDITIONS	
1. The user has access to the Tichi application login page (https://tichi-app-webapp-stage.web.app). 2. The user has a registered account, or an active session on the login page is available.	
STEPS TO REPRODUCE	
1. Navigate to the Tichi application login page.	

2. Click on the Email field and enter a value that is not in a valid email format (e.g., "abc", "test@", or "test.com").
3. Enter any password value in the Password field.
4. Click the Login button.
5. Observe the application's behavior and response.

TEST DATA

Email	abc (invalid format – no "@" or domain)
Password	Any valid/sample password

EXPECTED RESULT

The application should validate the email field's format before submitting the login request. If the format is invalid, the login should be blocked and a clear validation message such as "Please enter a valid email address" should be displayed to the user.

ACTUAL RESULT

The application does not validate the email format and allows the login attempt to proceed with an invalid email value, without displaying any format validation error message.

IMPACT / RISK

Absence of proper email format validation can allow malformed or unintended data to reach the backend, may lead to inconsistent user records, weakens overall input validation on the login flow, and could be an indicator of a broader lack of validation that may be exploited or cause downstream errors.

ATTACHMENTS

Screenshot / screen recording of the login attempt with invalid email format to be attached here (not included in this template).

ADDITIONAL NOTES

During test execution, test case TC_LOGIN_004 ("Verify login with invalid email format") was logged with a Pass status, as an email-format validation message was observed for the plain-text value "abc" at that time. This defect is raised as per the issue explicitly provided in the assignment, and it is recommended that the login flow be re-verified across different types of invalid email formats (e.g., "abc", "abc@", "abc@com", "abc.com") to confirm whether validation is inconsistently applied or missing for certain invalid formats.

TICHI APPLICATION

Defect / Bug Report

DEFECT SUMMARY	
Defect ID	BUG_LOGIN_002
Project Name	Tichi
Module / Page	Login Page
Reported By	VIGNESH S
Reported Date	02-Jul-2026
Application URL	https://tichi-app-webapp-stage.web.app
Environment	Staging (Web Application)
Browser / Platform	Google Chrome (Latest) / Windows
Build / Version	Staging Build (as accessed on 02-Jul-2026)
Related Test Case IDs	TC_LOGIN_001, TC_LOGIN_010, TC_LOGIN_012, TC_LOGIN_014, TC_LOGIN_015
DEFECT TITLE	
Login API call fails with a 500 Internal Server Error — frontend is unable to successfully communicate with the backend even when correct login data is submitted.	
SEVERITY / PRIORITY / STATUS	
Severity	Critical
Priority	High
Status	New / Open
Defect Type	Functional – Frontend-Backend Integration / API Failure
DESCRIPTION	
This is not an input or validation issue — the user is entering a correct, registered email and the correct password. The problem is that the login request from the frontend does not get a successful response from the backend: the API call fails with a 500 Internal Server Error, meaning the frontend is unable to properly fetch/connect with the backend server to complete the login. As a result, the user is not logged in even though the credentials themselves are correct (as recorded in TC_LOGIN_001 – "User was not logged in and it has been server error"). The same underlying fetch/connection failure repeats when submitting via the Enter key, immediately after a password reset, and after some time has passed following a previously successful login — in every one of these cases the credentials are valid, so the failure point is the frontend-to-backend API call, not the data entered by the user.	
PRE-CONDITIONS	
1. The user has access to the Tichi application login page (https://tichi-app-webapp-stage.web.app).	

2. The user has a registered account with a known, correct email and password.

STEPS TO REPRODUCE

1. Navigate to the Tichi application login page.
2. Enter a valid, registered email address.
3. Enter the correct (valid) password for that account.
4. Click the Login button.
5. Open the browser's Network tab / console and observe the login API request.
6. Observe: the API call returns a 500 Internal Server Error and the frontend is unable to complete the login, even though the email and password submitted are both correct.
7. (Related scenarios producing the same API failure) Submit the same valid credentials using the Enter key instead of the Login button; or reset the password and immediately log in with the new password; or wait some time after a successful login and log in again — each reproduces the same 500 Internal Server Error / failed API call.

TEST DATA

Email	Valid, registered email address (correct, not invalid)
Password	Correct, valid password for that account (including a newly reset password)

EXPECTED RESULT

When correct login data is submitted, the frontend should successfully call the backend login API and receive a valid (200) response, logging the user in every time — including immediately after a password reset and after normal delays between logins.

ACTUAL RESULT

The frontend's login API request fails with a 500 Internal Server Error, meaning the frontend is not able to successfully fetch a valid response from the backend, even though the email and password entered are both correct. The user is not logged in. In some cases (after a password reset) the user is forced to reset the password again before being able to log in.

IMPACT / RISK

This is a critical, blocking defect at the frontend-backend integration level — it prevents every legitimate user from logging in, regardless of how correct their credentials are. It affects core login functionality, undermines the reliability of the password-reset flow, and generates a poor user experience since no meaningful error message is shown to explain that it is a server/connectivity failure rather than a login mistake.

ATTACHMENTS

Screenshot(s) / browser console / Network tab showing the failed login API call and the 500 Internal Server Error response to be attached here (not included in this template).

ADDITIONAL NOTES

This is a backend/API-side failure surfacing through the frontend, reproduced across 5 separate test cases (TC_LOGIN_001, TC_LOGIN_010, TC_LOGIN_012, TC_LOGIN_014, TC_LOGIN_015) — all with valid credentials. It is recommended that the backend/server logs be checked for the exact exception behind the 500 response, and that the frontend be reviewed to confirm it surfaces a clear "something went wrong, please try again" message instead of failing without explanation when the API call does not succeed.

