SME Docker Documentation

Not supported on Internet Explorer

This application is used to easily deploy Guidewire environment. Each user has it's own independant environment that can be used for various purposes.

How to use the app

1. To deploy your own Guidewire environment click onto this icon:



- 2. Depending of your case choose the right tab and this will display the list of **pods** that are available.
 - A **pod** is an independant Guidewire environment that can be deploy on command.

Each item of the list is composed this way: <u>SME-TRN-01</u> is the name of the pod, the <u>first URL</u> linked to the Guidewire environment and the <u>second</u> is to consult the reports associated with the specified environment:



Click on the name of the pod, in this case SME-TRN-01 to show more details.

3. The first line in the pod menu tells some information about the pod and the second line allows to **deploy**, **restart** or **stop** a pod.



To deploy an environment:

- 1. check Reset DB
- 2. choose a branch on the dropdown menu
- 3. click the *deploy* button

Notes

To restart the database of an environment, re-deploy it and make sure the *Reset DB* checkbox is checked.

When you are done with an environment please **stop** it to relocate the ressources that are dedicated to it.

The details concerning a pod do not update on their own. To see the status of a pod before or after performing an action always press the refresh button:

Environments available in the app:

SME environments: Allow SME and BA to be able to test Guidewire Billing Center with any data and in any way they need without impacting any other person

SME-TRN environments: These environments are dedicated to Super Users so they can prepare for training sessions

Sandbox environments: This environment contains the 'Out of the Box' version of Guidewire Billing Center for references