


Agentic AI Demo with n8n


Google Calendar Assistant

This agent takes natural language input and queries your Google Calendar to retrieve and summarize your events. It uses OpenAI for reasoning, Google Calendar API for event access, and n8n to orchestrate the full workflow — enabling smart, automated responses like “What’s on my calendar today?”


Open n8n and sign in




Click on start from scratch to start creating agentic workflow




Click on add first step to add a trigger-In n8n, a trigger is the starting point of a workflow — it defines when or how the agent should run




For our particular use case we will use an On chat message as the trigger




After creating the trigger click on the + button to add the AI agent



Click on AI



Then click on AI agents




Within the AI agent write the prompt-

You are a helpful assistant. The user has asked: "{{ \$json.chatInput }}".

Today's calendar events are:
{{ \$json.calendarSummary }}

Summarize the user's day clearly and suggest if they need breaks.

The prompt tells the AI agent to act as a helpful assistant, use the user's chat input as a question, and summarize today's calendar events in response




Click on + Chat model and select a chat model to add to your AI agent node-This is required because your **AI Agent needs a language model** (like GPT-4) to generate intelligent responses based on your prompt


The image displays two screenshots of the n8n workflow editor interface, illustrating the process of configuring an AI agent node.

Top Screenshot: The workflow editor shows a workflow named "My workflow 2". The first node is "When chat message received", which triggers the workflow. This node is connected to an "AI Agent Tools Agent" node. The "AI Agent" node has three sub-nodes: "Chat Model*", "Memory", and "Tool". The "Chat Model*" node is highlighted with a red box, indicating it is the focus of the configuration. The interface includes a sidebar with navigation options like Overview, Personal, Shared with you, Projects, Admin Panel, Templates, Variables, Insights, and Help. The top bar shows "14 days left in your n8n trial" and "0/1000 Executions".


Bottom Screenshot: This screenshot shows the same workflow editor, but with the "Language Models" panel open on the right side. The panel displays a search bar with "OpenAI" entered. Below the search bar, two options are listed: "OpenAI Chat Model" and "Azure OpenAI Chat Model". The "AI Agent Tools Agent" node is still highlighted with a red box, and the "Chat Model*" sub-node is also highlighted. The interface elements are consistent with the top screenshot, including the sidebar and top bar.

To use your language model add in the required credentials but clicking on create new credential and filling in the API key







Click on +memory-Memory allows an AI agent to **remember past interactions**, steps, or context across multiple turns.




Click on simple memory




Set context window length



Click on + Tool - In the context of **AI agents**, **tools** are **external actions or services** the agent can use to complete a task.



For this particular use case we will use Google Calendar




Click on create new credential and sign in with your Google account

The image displays two screenshots of the n8n workflow editor interface, illustrating the steps to configure a Google Calendar node.


Top Screenshot: The 'Google Calendar' node configuration panel is open. The 'Parameters' tab is selected. The 'Credential to connect with' dropdown shows 'Select Credential' and a '+ Create new credential' button. The 'Resource' is set to 'Event', and the 'Operation' is set to 'Create'. The 'Calendar' dropdown is set to 'From list' with a 'Select a Calendar...' button. The 'Start' field is configured with the expression `{{ $now }}` and the 'End' field is configured with the expression `{{ $now.plus(1, 'hour') }}`. The 'Use Default Reminders' toggle is turned on. The 'Additional Fields' section is empty.

Bottom Screenshot: The 'Google Calendar account' connection dialog is open. The 'Connection' tab is selected, showing a 'Sign in with Google' button. The 'Sharing' and 'Details' tabs are also visible. The 'Details' tab contains a note: 'Enterprise plan users can pull in credentials from external vaults. [More info](#)'. The 'Save' button is in the top right corner.


In Operation click on Get Many




Click on let model define this parameter



Click on Calendar and choose a specific calendar to query



When this set up is complete click on open chat to trigger the agent



Type in your query and you will get a response

The image displays two screenshots of the n8n workflow editor interface, demonstrating a chat-based AI agent workflow.

Top Screenshot: Shows the workflow editor for "My workflow 2". The workflow starts with a trigger node "When chat message received", followed by an "AI Agent Tools Agent" node. The AI Agent node is connected to a "Chat Model*" node, which is linked to a "Memory" node. The "Memory" node is connected to a "Tool" node, which is linked to a "Google Calendar" node. The "Google Calendar" node is configured with the action "getAll: event". The workflow is currently inactive. The chat interface at the bottom shows a session with the user "Riya Bangera" and a query: "what events do I have today?". The response area displays "Waiting for message".

Bottom Screenshot: Shows the same workflow after execution. The chat interface now displays the response: "You currently have no events scheduled for today. This means you have a free day ahead of you! Since there are no commitments, it's a great opportunity to take breaks whenever you like or to engage in activities you enjoy. If you have any tasks or projects to work on, make sure to schedule in some short breaks to stay refreshed!". The "Latest Logs from AI Agent node" panel shows the input and output of the AI Agent node. The input is a JSON object:

```
{  "action": "loadMemoryVariables",  "values": {    "input": "You are a helpful assistant. The user has asked: \\\"what events do I have today?\\\".\\n\\nToday's calendar events are:\\n\\n\\nSummarize the user's day clearly and suggest if they need breaks.\\n\\n",    "system_message": "You are a helpful assistant",    "formatting_instructions": "IMPORTANT: For your response to user, you MUST use the 'format_final_json_response' tool with your complete answer formatted according to the required schema. Do not attempt to format the JSON manually - always use this tool. Your response will be rejected if it is not properly formatted through this tool. Only use this tool once you are ready to provide your final answer."  }  }
```