



M.N. SAFETY SOLUTIONS

Audit-Training-Survey Company Profile

**M.N.Safety Solutions a young dynamic customer/
client centric company Manufacturers of Quality
Lockout Tagout Products to meet OSHA'S 29 CFR
1910.147 & 1910.269 and Trainers of Personnel
Protective Equipments offering at very competitive
and affordable pricing to retail clients and
Resellers across India, Lockout Tag-out Products
Covering, Electrical, Mechanical, Pneumatic,
Hydraulic etc to Control/Isolate Various Hazardous
Energies in a Complex Manufacturing on a day to
day basis.
Our Expertise: LOTO Audit/LOTO Training/LOTO
Survey.**

**MANUFACTURERS OF LOCKOUT/TAGOUT &
SUPPLIERS OF P.P.E. ITEMS.**

**What is Lockout Tagout: Lockout /Tagout Procedures are
designed to isolate or shut off machines and
equipment/s from their power sources before Employees
perform any servicing or maintenance work.**

**Definition: Lockout is a placement of a lockout device on
an energy isolation Apparatus (Circuit Breaker, Line
Valve, Slide Gate, Disconnect Switch, HT < Panel
Breakers etc) to ensure that the energy isolating device
and equipment being controlled cannot be operated until
the lockout device is removed.**



OSHA LOCKS

OSHA safety Padlock - with Metallic Shackle/Di-Electric Available
with - Alike/Differ and Master key Options 38-40MM

"Available in different colors"



JACKTED PADLOCKS REGULAR/LONG

Jacketed Long /Regular Shackle - Lockout Padlock - with 3 keys
for one padlock in multiple colors

"Available in different colors with Regular & Long Shackles"



HASP METAL/DI-ELECTRIC

Lockout Safety Hasp: Vinyl coated hasp with 25/38mm jaw dia,
Di-Electric and labeled Hasp etc.



CIRCUIT BREAKER LOCKOUT

Single Pole, Double Pole, Three Pole MCB lockout devices Universal/Large Circuit Breaker Lockout devices, HT/LT Breaker Electrical Panel lockout devices etc.



ELECTRICAL PENAL LOCKOUT

Emergency Push/Stop Button Lockout, Padlock eye, electrical panel lockout (Transparent).



BALL VALVES

Sizes Available-9.5 mm to 31.5 mm (3/8" to 1 1/4"), 9.5 mm to 31.5 mm (3/8" to 1 1/4") with side extensions attachment, 135mm – 230mm 2 1/2 " (63.5 MM), Double Leg for valves up to 2 1/2 " (63.5 MM) and 2"- 8" (50.8 MM TO 203.20MM)



BUTTERFLY VALVE

12 slots at bottom part and 6 holes at upper small part, Size of lower part , Total Length – 300mm Width at back end – 70mm • Width at front end – 100mm • Internal Height to accommodate handle /lever : 25mm • Internal width : 48 mm (accommodate lever width) • Cut out size : 50 x 50 mm in taper shape, Size of upper small part : • Length : 100 mm • Width : 70 mm Material : Poly Propylene – UV Color.



GATE VALVES

Gate Valve Lockout :For Dia Size –Gate valve cover, Bind gate valve to rotate freely once locked
Resistant to extreme weather and temperature conditions can withstand temperatures from 20 degree F – 200 degree F
Color – RED, Sizes 25mm to 63.5mm, 63.5 to 127mm, Adjustable Gate Valve-25 MM to 190 mm, Gate Valve Size-127 to 190 mm, 165 to 280 mm and 280 to 381 mm.



UNIVERSAL LOCKOUT

ABS/PP, Mild stainless steel part, SS sheet and Spring, PU
4 numbers.
Front Jaw/grip 14.5mm X 28mm, BOLT thickness 7 / 8 mm
Accepts shackle maximum up to : 9mm
Can used to lockout gate valve, ball valve and butterfly valve of numerous



LOCKOUT TAGOUT KEY & PADLOCK STATIONS

Lockable Lockout Station/Key Station Box: Material made of MS powder coated sheet with front side Transparent acrylic cover and lock . Electrical, Mechanical and Electromechanical With or without material with Shelf/Hooks available in Different Sizes: 14" x 16" x 6" ,18.25" x 15.5" x 2" , 18" x 15" x2" , 30" x 15" x9" and 36" x 46" x1 6"



GROUP LOCKOUT BOX

Group lockout Box: Various Sizes Available for Group isolation (6,8,12 and 16 slots)Group lockout Box with 16 slots made of metallic material sheet with powder coated having multiple slot for padlocks and lockable arrangement. Group lockout size : 253 x 154 x 110 (+ -10%)- With or Without padlocks.



CABLE LOCKOUT

Round Multipurpose Cable lockout:Cable Injection molded lockout comprising of Stainless Steel nut and bolt for corrosion free, long lasting with 2 Mtrs Galvanized Vinyl Coated Steel Cable, This design applicable for 8 padlocks to Withstands Temperatures (+55° C to -20° C) , Ideal lockout for gate valve sizes above 381mm,Any length can provide as per customer requirement.

Colour : Red or any other on customer requirement

Dimensions : Round Dia : 40mm, Bolt Dia – 15mm and hole dia – 8mm



PLUG CHORD / POWER LOCKOUT

"Pneumatic Plug chord lockout Made of polypropylene.

Completely encloses electrical plugs to prevent accidental re-connection – SMALL UV Resistant quality. With 75mm dia hole for Wire.

Dimensions : Inner Length 83mm and inner dia – 43 mm

Outer Length – 88mm" Plug Lockout – Large made of Polypropylene Plastic material having UV Resistant quality.With 1" dia hole for Wire. Dimensions : Inner Length 190mm and inner dia – 55-80 mm Outer Length – 197mm



LOCKOUT & FIRE INSPECTION TAGS

Lockout DO NOT OPERATE TAGS printed on 0.5mm Thick Plastic sheet. Double Color printing, Do not operate, Do not On, Do not start etc. Size : 77 x 138 mm in cut shape-1-SET(10 Nos)

Scaffold tags Square

Made of re writable Plastic material of thickness 0.3 mm- 0.5 mm (+- 10%)

with three colours printing

Large Size tag of size – 76 x 186 mm (set of 10 Nos) Round Large Size - 95 x 204 mm (set of 10 nos)



SACFFOLD HOLDER

Scaffold Tag Holder

use to hold the tag

single molded made of ABS plastic material

Size of holder : 300mm x 85.5 mm with inner round hole



LOCKOUT TAGOUT KITS

Lockout Tagout Kits are combinations of lockout tagout products. many types of kits like electrical kits and mechanical kits and electri-mechanical kits cbl kits and ect.



LOCKOUT POSTERS & LABELS

Self adheive lockout posters and labels made on high quality vinyl and laminations and (paste on sun board or acp sheet as a choice)

- Size : 18"X24"(Available in Hindi & English)



P.P.E. PRODUCTS

Industrial Safety PPE Products-Respiratory, Disposable, Safety, All Major Brands, Cut Resistant, Heat Resistant, Chemical Resistant, Acid Resistant, Cold Resistant, Alkali Resistant, Flame Resistant, Heat Preservation , Material:Cotton, Non-Woven, Pvc, Leather etc