Client Finder Agent PRO

PRO GUIDE

Pro guide

Run all five niches, switch on the Follow-up Autopilot and build your own niche pack.

Version 1.0.0 · Tested on n8n 1.123.83 and 2.42.3

Contents

What Pro adds

The five niche workflows

Setting up the other niches

Follow-up Autopilot

Make your own niche pack

Tips for running all five

What Pro adds

Read this guide after you set up your first workflow with SETUP-GUIDE.pdf. Pro adds three things:

1. **Four more niche workflows.** A *niche* is the type of service you sell, such as local SEO or AI chatbots. Each niche workflow looks for different problems and gives Claude a different angle for the pitch.
2. **The Follow-up Autopilot.** A workflow that runs every morning. It checks Gmail for the pitches you sent, the replies you got and any bounces, and drafts short follow-ups in the same email thread.
3. **Your own niche packs.** A *niche pack* is a small block of settings inside each workflow. It decides what the workflow checks and how many points each problem is worth.

You also get OUTREACH-PLAYBOOK.pdf and TEMPLATES.pdf. The basics stay the same: Client Finder Agent uses Google's official Places API with your own key, not a scraper. Google's Maps Platform Terms (section 3.2.3) restrict storing Places content such as business names and addresses outside Google's services (Place IDs may be kept), so read the terms, treat your sheet as a working list and delete leads you don't pursue. It finds an email only when a business publishes one on its homepage. The checks are conservative: when one can't be sure, it makes no claim. It never sends anything: pitches and follow-ups become Gmail drafts that you read and send yourself.

> **Important:** Upgrading from Starter? Keep your web-design workflow, credentials and sheet. Skip the Pro copy of `client-finder-web-design.json`. It is the same workflow, and two copies would clash on one form address.

The five niche workflows

Workflow file	Who it is for	What it checks (points)	Example search	Default offer
`client-finder-web-design.json`	Web designers and web agencies	No website 45, Website down 45, Security certificate error 40, Placeholder website 40, Slow on mobile 30, Not mobile-friendly 30, Not secure (no HTTPS) 25, Outdated website 20, Weak SEO basics 10	dentists, Austin, TX	a free 2-minute video showing exactly what I would fix

Workflow file	Who it is for	What it checks (points)	Example search	Default offer
`client-finder-seo.json`	Local SEO freelancers and agencies	Weak SEO basics 35, Slow on mobile 25, No schema markup 20, Few Google reviews 20, Not mobile-friendly 20, Not secure (no HTTPS) 15, No website 15, Outdated website 10	plumbers, Denver, CO	a free mini SEO audit with the 3 fixes that would help you most
`client-finder-reviews.json`	Review and reputation services	Low Google rating 45, Few Google reviews 45, No website 10	hair salons, Manchester, UK	a free one-page plan to get more reviews from customers you already have
`client-finder-social-media.json`	Social media managers and ads agencies	No social media links 40, No analytics or ad pixel 30, No website 15, Few Google reviews 15, Outdated website 10	gyms, Pune, India	3 ready-to-post content ideas for your Instagram, free
`client-finder-ai-chatbot.json`	AI automation agencies (chatbots, AI receptionists, booking)	No online booking 35, No chat or WhatsApp 30, Limited opening hours 25, No website 10	physiotherapy clinics, Bangalore, India	a free 5-minute demo of an AI assistant trained on your own website

In every niche, the points of all problems found are added up, to a maximum of 100. **Hot** is 60 or more, **Warm** 30-59, **Low** 1-29.

What each workflow opens, and how fast it is

Workflow (Niche column)	Default service	Opens the homepage	PageSpeed test
Web Design	website design and redesign	Yes	Yes
Local SEO	local SEO (getting found on Google Search and Google Maps)	Yes	Yes
Social Media & Ads	social media management and Instagram/Facebook ads	Yes	No
AI Chatbots & Booking	AI assistants that answer enquiries and book appointments 24/7	Yes	No
Google Reviews & Reputation	getting more 5-star Google reviews from happy customers	Yes (only to find an email)	No

Every niche opens each homepage, because that is where contact emails come from. A PageSpeed test can take up to a minute per site, so Web Design and Local SEO are the slowest. Web Design also loads a site that failed a second time, 15 seconds later, before it calls it down. Reviews, Social Media & Ads and AI Chatbots & Booking skip PageSpeed and finish faster. The Reviews checks themselves use only Google Maps data.

> **Example:** One made-up test business, Sunrise Family Dental in Austin, TX, scores 50 in Web Design, 55 in Local SEO, 40 in Social Media & Ads and 65 in AI Chatbots & Booking. In Reviews it scores 0: 4.6 stars from 212 reviews is a strong profile.

Setting up the other niches

You reuse the four credentials from your first workflow.

1. Import the file

1. In n8n, go to **Workflows** and click **Create Workflow** (or **Create** > **Workflow**, or **+**).
2. Open the workflow menu, the **...** button (next to the workflow name in n8n 2.x, at the top right in n8n 1.x), and choose **Import from File...**.
3. Choose a file from the `workflows` folder, for example `client-finder-seo.json`.
4. Click **Save**.

Import each file only once. It appears as, for example, "Client Finder: Local SEO".

2. Select the same four credentials

Open each node and choose the credential you created before.

Credential	Nodes
Google API Key	*Search Google Maps*, plus *PageSpeed Test* in Web Design and Local SEO
Anthropic API Key	*Write Pitch with Claude*, *Retry Pitch with Claude*
Google Sheets account	*Read Saved Leads*, *Recheck Sheet*, *Save to Google Sheet*, *Save Draft IDs*
Gmail account	*Create Gmail Draft*

> **Tip:** Check every node, even if n8n filled in a credential by itself.

3. Fill in its ⚙️ Settings

Each workflow has its own ⚙️ *Settings*. A change in one does not change the others.

1. Copy your values from your first workflow: **yourName**, your signature fields, **signOff**, **searchCountryCode**, **emailLanguage** and so on.
2. Paste the **googleSheetUrl** (see "One sheet or several?" below).
3. **yourService** and **yourOffer** hold the niche defaults. Put them in your own words, and offer only what you can deliver. Write the offer as you would say it to the owner, for example "...for your Instagram".
4. Close the node and click **Save**.

4. Test, then activate or publish


1. Click **Execute workflow** and run a test search with **20** businesses.
2. Check the new rows, the **Niche** column and the **Notes** column in your sheet.
3. Switch it on: **Active** in n8n 1.x, **Publish** in n8n 2.x.


> **Tip:** Notes say `PageSpeed test failed: enable "PageSpeed Insights API" for your Google API key (setup guide, Google Cloud step).`? Enable that API and tick it under **API restrictions** on your key. Until then, Web Design and Local SEO skip the speed and HTTPS checks.

5. Bookmark its form

Open *Find Clients Form*, switch to **Production URL** and bookmark it.

Workflow	Form address ends in
Web Design	`/form/client-finder-web-design`
Local SEO	`/form/client-finder-seo`
Google Reviews & Reputation	`/form/client-finder-reviews`
Social Media & Ads	`/form/client-finder-social-media`
AI Chatbots & Booking	`/form/client-finder-ai-chatbot`


Client Finder: Web Design
Find local businesses with a missing, broken, slow or outdated website.
Type a business type and a city. The agent finds up to 60 businesses on Google Maps, checks each one, writes a personalized pitch for the best leads and saves everything to your Google Sheet. It takes about 2-8 minutes; keep this tab open and don't submit another search until this one is done.
Business type *
dentists
City or area *
Austin, TX
How many businesses? *
40
Find clients



A Client Finder form. Every niche has its own form and address.

> **Warning:** Anyone with a Production URL can run searches on your accounts. Keep each URL private, and lock each form: in *Find Clients Form*, set **Authentication** to **Basic Auth** with a username and password credential. You can also change **Form Path** to something hard to guess. Wait for a search to finish before you submit another one.

One sheet or several?

Every workflow skips businesses that are already in its sheet, matched by Google's **Place ID**. A business is never added twice. It also checks the **email address** and **website**. A chain location or duplicate listing that shares one with a lead already in the sheet (or higher up in the same search) is saved, but not pitched again: Notes say "Same email as ..." (or website) and AI Status says "Skipped (already pitched)". An address or website whose row has a final status (**Do not contact**, **Not interested**, **Bounced**, **Replied**, **Won**, **Lost**, **Meeting booked**) is never pitched. Each run also reads the sheet again just before it saves, so two runs at the same time never create duplicate rows or drafts. So:

	One shared sheet	One sheet per niche
A business found by two niches	Saved once, by the niche that finds it first. The others skip it.	Saved in both sheets. It can get two different pitches from you.
A final status such as **Do not contact**	Protects that address and website in every niche	Protects it only in its own sheet
Follow-up Autopilot	One copy covers every niche	It reads one sheet, so you need one copy per sheet
Overview	All leads and one **Pipeline** tab	Spread over several sheets

Our recommendation: use one shared sheet. Two different cold emails from you to the same business look careless. Filter by the **Niche** column when you want one niche.

Separate sheets? Import the Autopilot once per sheet, each copy with its own **googleSheetUrl**. It has no form, so copies do not clash.

Follow-up Autopilot

What it does

The Autopilot runs every morning at 9:00 in your n8n instance's time zone, and whenever you start it by hand. It looks at every lead in your **Leads** sheet that has an email address. It only acts on rows whose **Status** is empty, **New**, **Pitch ready**, **Draft ready**, **Contacted** or **Follow-up drafted**. Any other status means hands off: the final statuses **Replied**, **Meeting booked**, **Won**, **Lost**, **Do not contact**, **Not interested** and **Bounced**, and anything you type yourself, such as "Unsubscribed" or "Call back". An address with a hands-off status on **any** row is never emailed from another row.


For each lead it searches your Gmail for the last 120 days: emails you **sent** to that address, and emails **from** that address, even archived, deleted or in spam. It also reads **every message in the Gmail threads your pitches were sent in**, so it sees a reply from a colleague or the owner's personal address, and a bounce. Then:

- **Someone replied after your first email:** Status becomes **Replied**. No more follow-ups, ever. If the reply came from another address, **Notes** says who. Out-of-office auto-replies don't count.
- **Your email bounced** (a delivery failure from mailer-daemon or "Delivery Status Notification" in the thread): Status becomes **Bounced**. That address is never emailed again. A "delivery delayed" notice doesn't count, and if you re-sent the email later and it went through, the old failure no longer counts.
- **They replied or it bounced while a follow-up draft was waiting:** the status changes as above, and **Notes** says "a follow-up draft is still in Gmail Drafts: delete it, don't send it". Delete that draft.
- **Your pitch is still a draft:** nothing happens until you send it.
- **You sent it, but it is too early:** Status becomes **Contacted**, and **Last Contacted** gets Gmail's send date.
- **You sent it, no reply, 3 or more days since your last email:** it drafts follow-up #1 in the same Gmail thread, with "Re: " before the subject of the email you actually sent. If you only typed a **Last Contacted** date (the pitch wasn't sent from this Gmail), it drafts a new email instead, with the pitch's subject.
- **7 or more days after you sent follow-up #1:** it drafts follow-up #2, a short and polite last note. Then it stops (**maxFollowUps** is 2). If you raise **maxFollowUps**, the follow-ups in between each add one new angle, and only the last one says it is the last note.
- **A follow-up draft is waiting and you have not sent it:** nothing. It never creates a second draft while one is waiting.

Each follow-up uses the angle of the niche that found the lead (the **Niche** column) and builds on your original email. Claude is asked for 2-4 sentences in #1 and 2-3 in #2. Your **signOff** and signature are added, then **followUpOptOutLine**: "If you'd rather I didn't follow up, just reply and I'll stop." It goes on every follow-up. Leave it on; an empty value turns it off.

There is one action per address and per Place ID. Two rows with the same email address get one follow-up, not two. If a Place ID is on two rows, only the first of them is ever read and updated, whatever its status, so delete the extra copy (to try a second address for a business, change the **Email** on the first row instead). It writes only the columns that change.

If a Gmail search or thread read fails, the run stops with an error and drafts nothing that day. Without a full picture of who replied, a follow-up could reach someone who said no. The next run tries again.



The Follow-up Autopilot. Top: triggers, settings and your sheet. Bottom: Gmail searches, thread checks, follow-up drafts and the sheet update.

A worked timeline

This example uses the defaults (`3,7` and `2`) and made-up test data.

When	What happens	Status after
Day 0, Monday	Client Finder creates a pitch draft for Sunrise Family Dental	Draft ready
Day 1, Tuesday, 8:30	You read the draft and send it	Draft ready
Day 1, Tuesday, 9:00	The Autopilot finds it in Gmail Sent	Contacted

When	What happens	Status after
Days 2-3	Too early. Nothing changes.	Contacted
Day 4, Friday, 9:00	3 full days have passed. Follow-up #1 is drafted in the same thread.	Follow-up drafted (Follow-ups: 1)
Day 4, Friday, 11:00	You read follow-up #1 and send it	Follow-up drafted
Day 5, Saturday, 9:00	The Autopilot sees it in Sent	Contacted
Day 11, Friday, 9:00	Only 6 days and 22 hours since 11:00 last Friday. Nothing yet.	Contacted
Day 12, Saturday, 9:00	7 full days. Follow-up #2 is drafted.	Follow-up drafted (Follow-ups: 2)
After you send #2	Next morning: Contacted. No more follow-ups.	Contacted
A reply, at any point	The next run marks it	Replied

The wait counts full 24-hour days from the moment you sent your last email, and the draft appears at the next 9:00 run. Send at 3 pm on day 1, and follow-up #1 appears at 9:00 on day 5. The Autopilot uses the later date of your email in Gmail Sent and **Last Contacted** in your sheet.

The Autopilot writes **Last Contacted** only from Gmail's own send date, and only when it is newer than the sheet's. A date you type by hand is read as a date in your sheet's locale, so 05/10/2026 means what your sheet shows. A date typed as text, like 25/09/2026, is read day first when the first number is over 12, and dotted dates (06.10.2026) are read day first. Impossible dates and dates in the future are ignored. A lead with only a typed date (nothing in Gmail Sent) gets its follow-up as a new email, not in a thread.

> **Tip:** It runs at weekends too. You can send Saturday's drafts on Monday; the next wait starts when you send.

After the last follow-up, the lead stays **Contacted** until you set it to **Lost**.

Set it up

1. **Import** `follow-up-autopilot.json` the same way as the niche workflows. It appears as "Client Finder: Follow-up Autopilot".
2. **Select three credentials.** No Google API key is needed.

Credential	Nodes
Google Sheets account	*Read Leads*, *Update Leads*
Gmail account	*Search Gmail*, *Read Gmail Threads*, *Create Follow-up Draft*
Anthropic API Key	*Write Follow-up with Claude*

3. **Fill in ⚙️ *Settings*** (table below), close the node and click **Save**.
4. **Test it.** Click **Execute workflow** (**Test workflow** in some versions). If the button says "from Every Morning" or "from Run Now", either is fine. A test is a real run: it updates your sheet and can create drafts.
5. **Read the result** in the *Report* node. If there was nothing to do, the run ends at *Nothing To Do* instead. A setup or Gmail problem ends at *Stop With Error*.
6. **Switch it on: Active** in n8n 1.x, or **Publish** in n8n 2.x (again after every change). The 9:00 schedule runs only then.

> **Important:** Use the Gmail account you send your pitches from. The Autopilot reads that inbox's Sent folder and replies. It cannot see emails sent from another inbox.

Field	Default	What it does
googleSheetUrl	`PASTE_YOUR_GOOGLE_SHEET_URL_HERE`	**Required.** The same sheet your Client Finder workflows use.
followUpDays	`3,7`	Days to wait before each follow-up, after your last sent email. Whole numbers (1-119), separated by commas.
maxFollowUps	`2`	Most follow-ups per lead (0-5). The last **followUpDays** number repeats if needed. `0` = only mark **Replied**, **Bounced** and **Contacted**.
yourName	`Your Name`	**Required.** Signs every follow-up.
yourBusinessName, **yourWebsite**, **yourPhone**, **yourAddress**	`Your Business`, then empty	Signature. Use the same values as in Client Finder. US law (CAN-SPAM) requires a postal address in commercial email.
yourService, **yourOffer**	empty	Empty = each lead's niche default. Filled in = used for every lead.
signOff	`Thanks,`	The line before your name, for example "Best regards,".

Field	Default	What it does
followUpOptOutLine	`If you'd rather I didn't follow up, just reply and I'll stop.`	Added to the end of every follow-up. Leave it on. Empty = no line.
emailLanguage	`English`	Language of the follow-ups
emailTone	`friendly, direct and human`	A short tone instruction
aiModel	`claude-opus-5-5`	Cheaper: `claude-sonnet-5-5` or `claude-haiku-4-5`
aiEffort	`low`	`low`, `medium` or `high`

> **Tip:** Changed **yourOffer** in a Client Finder workflow? Follow-ups still use the niche default offer, unless you fill in **yourOffer** here.

To change the time, open *Every Morning* and change **Trigger at Hour**. For another time zone, open the workflow menu (**...**), choose **Settings** and change **Timezone**.

> **Cost:** Each follow-up is one Claude request, similar in cost to a pitch. Gmail searches are free.

Statuses it sets

Status	When	Also updates
Contacted	You sent an email and the next follow-up is not due yet	Last Contacted (Gmail's send date)
Follow-up drafted	A follow-up draft is waiting in Gmail Drafts	Follow-ups, Last Draft On, Thread ID
Replied	Someone answered after your first email: the lead's address, or anyone in your pitch's thread	Last Contacted, and Notes when the reply came from another address
Bounced	A delivery failure came back in your pitch's thread	Notes, for example "2026-10-06: email bounced (address not reachable)"

How to stop following someone up

Pick a final status from the **Status** dropdown: **Do not contact** (they asked you to stop), **Not interested** (they said no), **Lost** (you are done), **Won** or **Meeting booked**. The Autopilot never touches that row

again, and never emails that address from another row. Client Finder never pitches that address or website again either. The Autopilot never deletes drafts: if a follow-up draft is already waiting in Gmail, delete it yourself.

> **Warning:** The Autopilot sees replies from the address in the **Email** column anywhere in Gmail, and replies from any address inside your pitch's thread. If the owner writes a new email from another address, it misses it: set **Replied** yourself. Look at the Gmail thread before you send any follow-up.

> **Tip:** Deleted a waiting follow-up draft by mistake? The Autopilot still thinks it is waiting. To get a new one, clear the lead's **Last Draft On** cell and lower **Follow-ups** by 1.

When something fails

- **Claude fails** (no credits, wrong key, or busy): a short template follow-up is drafted instead, with no retry, for example "Quick follow-up on my note about slow on mobile. Happy to send [your offer] if it would help. Would that be useful?" Your signature and **followUpOptOutLine** are added as usual. The sheet does not say which one you got, so read every draft.
- **Gmail cannot create the draft:** a dated note goes at the front of **Notes**, for example "2026-10-06 follow-up draft failed: ...". Your own notes are kept, and yesterday's failure note is replaced. **Status** and **Follow-ups** stay the same, so tomorrow's run tries again. Fix the Gmail credential, then delete the note.
- **A Gmail search or thread read fails:** the run stops at *Stop With Error*, for example "Gmail search failed: ... — nothing was drafted today; the next run tries again." Check the Gmail credential on *Search Gmail* and *Read Gmail Threads*.
- **A setup problem** (no sheet address, "Your Name" unchanged, or the sheet cannot be read): the run stops at *Stop With Error* and shows in red in **Executions**, for example "Settings needed: ...".
- **Nothing to do:** the run ends quietly at *Nothing To Do*. That is normal.

What the Report node shows

Open **Executions**, click a run, then click *Report*. It shows six numbers (**followUpsDrafted**, **markedReplied**, **markedBounced**, **markedContacted**, **draftsFailed**, **draftsToDelete**) and one line:

> **Example:** `1 follow-up draft created, 0 leads marked Replied, 1 lead marked Bounced, 0 leads marked Contacted, 1 draft failed (see the Notes column).` This comes from our test data.

Make your own niche pack

Each Client Finder workflow has a block called `NICHE_PACK` in its *Prepare Search* node. It sets the checks, their points and Claude's angle. Change it in a copy, and you have a new niche.

1. Pick the right workflow to copy

A check works only if the workflow collects its facts (**Uses**, below):

- **Google Maps and homepage checks:** copy any workflow. Those without PageSpeed are faster.
- **PageSpeed checks** (Slow on mobile, Not secure): copy Web Design or Local SEO.
- **Website down:** copy Web Design. Only it loads a failing site a second time, 15 seconds later, before it claims the site is down.

Changing `needsWebsiteCheck` or `needsPageSpeed`, or adding `site_down` to `weights`, does not add or remove nodes. Leave `needsWebsiteCheck`, `needsPageSpeed`, `tagline` and `exampleSearch` as they are.

2. Duplicate it and change the form path

1. Open the workflow, open the workflow menu (**...**), choose **Duplicate** and name the copy.
2. In the copy, open *Find Clients Form*. Under **Options**, change **Form Path**, for example to `client-finder-wedding-photographers`. You can also change **Form Title** and **Form Description**.
3. Click **Save**.

3. Edit NICHE_PACK

1. Double-click *Prepare Search*. It holds a lot of code; you change only the end.
2. Scroll to the bottom. Find the block that starts with `const NICHE_PACK = {`. It ends just above the last line, which starts with `return`.
3. Change these values, close the node and click **Save**.

Field	What it does
`title`	The name in the **Niche** column (the Autopilot reads it too)
`id`	A short name without spaces
`weights`	The checks that run and their points. Delete a line or set it to 0 to switch a check off.
`thresholds`	Your own limits, for example `{ "lowRating": 4.3 }`. `{}` = the defaults.
`pitchAngle`	Plain-English guidance for Claude: who you are and why the problem matters

Field	What it does
`defaultService`, `defaultOffer`	Used only when **yourService** or **yourOffer** in ⚙️ *Settings* is empty. The Autopilot uses them too once you add your pack to it (see "Teach the Autopilot your niche"). Write the offer to the owner ("...for your Instagram").
`fallback`	The template pitch's subject and "why it matters" sentence, used when Claude fails. The template starts "I was looking at how [business] shows up online, and one thing stood out:" and then quotes the top problem's evidence, addressed to them ("your homepage...").

4. Update ⚙️ Settings, test and publish

⚙️ *Settings* wins over `defaultService` and `defaultOffer`, so change **yourService** and **yourOffer** in the copy's ⚙️ *Settings* too. Run a test with **20** businesses, check the **Problems** and **Evidence** columns, then activate or publish.

All available checks

Uses: **Maps** = the Google Maps listing. **Home** = the homepage. **PSI** = the PageSpeed test; **(+ PSI)** = also uses it when the workflow has it. **Search** = the other businesses in the same search.

Check id	Label	Counts when	Uses
`no_website`	No website	Google lists no website, or only a social, booking, ordering, delivery or directory page (such as a Facebook page), or a domain that forwards to one. A square.site or Google Sites page counts as their own website.	Maps (+ Home, PSI)
`site_down`	Website down	The homepage failed to load twice, 15 seconds apart: the domain doesn't resolve, the connection is refused, no answer in 20 seconds, 404/410 or a server error. Temporary errors are never claimed. A dead link that isn't the homepage shows as **Broken website link**, with the exact link.	Home
`ssl_error`	Security certificate error	PageSpeed's Chrome also refuses the certificate, or it is expired, for another domain or self-signed. Otherwise only a note.	Home (+ PSI)
`placeholder_site`	Placeholder website	Only a "coming soon", parked or default page, seen in the title, the main heading or a nearly empty page. A placeholder is judged on nothing else.	Home
`slow_mobile`	Slow on mobile	Score below **slowMobileScore** in Google's PageSpeed mobile test (a simulated phone on a 4G connection)	PSI
`no_https`	Not secure (no HTTPS)	The page finally loads on http://, not https://	PSI

Check id	Label	Counts when	Uses
`not_mobile_friendly`	Not mobile-friendly	No mobile viewport (the code that fits a page to a phone). PageSpeed's result wins over our reading of the code.	Home (+ PSI)
`outdated_site`	Outdated website	Footer year **outdatedYears** or more years old. A range like "© 2008-24" counts as 2024, "2015–present" as this year, and a year filled in by a script is not used.	Home
`weak_seo`	Weak SEO basics	No page title, meta description or main heading, or SEO score below **weakSeoScore**. PageSpeed's result wins for the title and description.	Home (+ PSI)
`no_schema`	No schema markup	No structured data (schema.org) to help Google show hours, reviews and services	Home
`low_rating`	Low Google rating	Rating below **lowRating**, with at least **minReviewsForRating** reviews	Maps
`few_reviews`	Few Google reviews	Fewer than **fewReviewsMax** reviews and far below the local median	Maps, Search
`no_booking`	No online booking	No booking tool or "book online" button	Home
`no_chat`	No chat or WhatsApp	No live chat, chatbot or WhatsApp button. Skipped when the page has a tag manager, which can add a chat widget in the browser.	Home
`limited_hours`	Limited opening hours	Closes before 6 pm on **earlyCloseWeekdays** or more weekdays, or closed all weekend	Maps
`no_social`	No social media links	No link to Instagram, Facebook or TikTok. Skipped when the page has a social feed widget.	Home
`no_tracking`	No analytics or ad pixel	No visitor analytics (such as Google Analytics) and no Meta Pixel. Skipped with a tag manager, and on Wix, Squarespace, Shopify, GoDaddy, Weebly/Square Online, Duda, Jimdo, Strikingly or Hostinger sites (they have built-in visitor stats).	Home

Homepage checks run only when the homepage loaded and is a real site. Bot protection, a bot-check page, a page built entirely by JavaScript or a meta-refresh page gets no claims based on its HTML, only a note in the **Notes** column. What can't be checked is skipped, never guessed.

Thresholds

Threshold	Default	Meaning
slowMobileScore	45	Mobile speed score (0-100) below this = Slow on mobile. A margin under Google's 50 line, because scores vary a few points between runs.
weakSeoScore	80	SEO score below this = Weak SEO basics
lowRating	4	Stars below this = Low Google rating...
minReviewsForRating	5	...but only with at least this many reviews
fewReviewsMax	25	Few Google reviews needs fewer reviews than this...
fewReviewsRatio	0.35	...and fewer than 35% of the median of the same search
minMarketForComparison	5	Few Google reviews needs at least this many businesses in the search
outdatedYears	3	Footer year this many years old or more = Outdated website
earlyCloseWeekdays	3	Closing before 6 pm on at least this many weekdays = Limited opening hours

Worked example: wedding photographers

You build portfolio sites and Instagram setups for wedding photographers. You want photographers with no real website, or no social links. These checks need the homepage, not PageSpeed, so copy **Social Media & Ads** and change these lines:

```
  "id": "wedding-photographers",
  "title": "Wedding Photographers",
  "defaultService": "portfolio websites and Instagram setup for wedding photographers",
  "defaultOffer": "a free sketch of a one-page portfolio site for your photos",
  "weights": {
    "no_website": 50,
    "placeholder_site": 45,
    "no_social": 40,
    "outdated_site": 20
  },
  "thresholds": { "outdatedYears": 2 },
  "pitchAngle": "The sender builds portfolio websites and Instagram setups for wedding
photographers. Couples look at a portfolio before they ask for a quote, so explain that
without one they cannot see the work. Keep it warm and short. Never promise bookings.",
```

No website scores 50 (Warm). No social links plus a two-year-old footer scores 60 (Hot). Put the same service and offer into ⚙️ *Settings*, adapt `fallback`, and search for `wedding photographers` in your city.

Teach the Autopilot your niche (optional)

The Autopilot does not know a new **Niche** title, so it uses the Web Design angle and offer. To fix that:

1. In your copy's *Prepare Search*, copy your pack: from the `{` after `const NICHE_PACK =` to the matching `}` before the final `;`.
2. In the Autopilot, open *Prepare Follow-ups* and scroll to the bottom. Find the list that starts with `const NICHE_PACKS = [` and ends with `];`.
3. Click just after the last `}` before `];`. Type a comma, then paste your pack.
4. Save, then publish again.

Keep it working

> **Warning:** Always duplicate first and edit only the copy. If the copy breaks, the original still works.

> **Warning:** Change the **Form Path** in the copy. Two active workflows cannot share one form address.

> **Important:** Keep valid JavaScript (the node's code language): every quote mark, comma and brace. Put text in "double quotes"; inside text, use apostrophes, never double quotes. Type check ids exactly: a misspelled id is skipped with no error. If *Prepare Search* turns red with "SyntaxError", undo with **Ctrl+Z** (**Cmd+Z** on a Mac) or duplicate the original again.

Tips for running all five

1. **One niche per week.** Learn what works before you start the next.
2. **Same city, different business types.** For example: dentists for Web Design, plumbers for Local SEO, hair salons for Reviews, gyms for Social Media & Ads, physiotherapy clinics for AI Chatbots & Booking. Service-area businesses without a storefront, such as plumbers and cleaners, are found too.
3. **Best fit first.** With a shared sheet, the first niche keeps a business, so run the best-fitting niche first.
4. **Keep your total sending low.** The 10-20 emails a day from START-HERE.pdf are for all niches together, follow-ups included.
5. **Control costs.** Set **minScoreToPitch** to `30` to pitch only Warm and Hot leads. Keep your Google budget alert on.

6. **Rate limits.** Pitches go to Claude 3 at a time, every 4 seconds. If **AI Status** shows rate-limit errors, open *Write Pitch with Claude* and lower **Options** > **Batching** > **Items per Batch** from `3` to `2` or `1` (and on *Retry Pitch with Claude* from `2` to `1`).
7. **Check Executions weekly** for red runs, and read the Autopilot's *Report*.
8. **Read every draft.** The checks are careful, but not always right. You are the sender, in every niche.

Stuck? Email support@example.com with your n8n version, the workflow, the node and the exact message. Never send your API keys.