

INT + SHORT INT

1.

```
int main(){
short int z=99;
printf("%c\n",z);
}
```

2.

```
int main(){
short int z=919;
printf("%o\n",z);
}
```

3.

```
int main(){
short int z=0777;
printf("%d\n",z);
}
```

4.

```
int main(){
short int z=511;
printf("%x\n",z);
}
```

5.

```
int main(){
short int z=0511;
printf("%x\n",z);
}
```

6.

```
int main(){
short int i='0';
printf("%x\n",i*i);
}
```

7.

```
int main(){
short int i=0x12345;
printf("%x\n",i);
}
```

8.

```
int main(){
short int i=0x12345;
printf("%d\n",i);
}
```

9.

```
int main(){
short int i=0x12345;
printf("%o\n",i);
}
```

10.

```
int main(){
short int i=204;
char c= i;
printf("%d\n",c);
}
```

11.

```
int main(){
short int i=01234;
char c= i;
printf("%d\n",c);
}
```

12.

```
int main(){
short int i=1000;
char c= i;
printf("%d\n",c);
}
```

13.

```
int main(){
short int i=1010;
unsigned char c= i;
printf("%d\n",c);
}
```

14.

```
int main(){
short int i=0xFACE;
unsigned char c= i;
printf("%d\n",c);
}
```

15.

```
int main(){
short int i=0x98765;
unsigned char c= i;
printf("%o\n",c);
}
```

16.

```
int main(){
int k=0x1234567;
short int i=k;
unsigned char c=i;
printf("%x\n",c);
}
```

17.

```
int main(){
int k=0x1234567;
short int i=k;
unsigned char c=i;
printf("%o\n",i);
}
```

20.

```
int main(){
int k=-500;
short int i=k;
char c=i;
printf("%d\n",c);
}
```

18.

```
int main(){
int k=0x6789;
short int i=k;
char c=i;
printf("%d\n",c);
}
```

21.

```
int main(){
int k=-'d';
short int i=k;
char c=i+10;
printf("%d\n",c);
}
```

19.

```
int main(){
int k=012345;
short int i=k;
char c=i;
printf("%d\n",c);
}
```

22.

```
int main(){
int k=0x111;
short int i=0111;
char c=111;
    k= k+c+i;
printf("%d\n",k);
}
```

23.

```
int main(){
int k=0x111;
short int i=0111;
char c=111;
    c= k+c+i;
printf("%d\n",c);
}
```

24.

```
int main(){
unsigned int k=400;
short int i=(char)k;
printf("%d\n",i);
}
```

25.

```
int main(){
unsigned int k=304;
short int i=(char)k;
printf("%c\n",i);
}
```

-----\$ Coding Sirji
[CDS]