

Number System

1.

```
void main(){
char ch = 'A';
printf("%d\n",ch);
}
```

2.

```
void main(){
char ch = 'd';
printf("%d\n",ch);
}
```

3.

```
void main(){
char ch = '5';
printf("%d\n",ch);
}
```

4.

```
void main(){
char ch = 51;
printf("%c\n",ch);
}
```

5.

```
void main(){
char ch = 99;
printf("%c\n",ch);
}
```

6.

```
void main(){
char ch = 85;
printf("%o \n",ch);
}
```

7.

```
void main(){
char ch = 125;
printf("%x \n",ch);
}
```

8.

```
void main(){
char ch = 0x12;
printf("%d\n",ch);
}
```

9.
void main(){
char ch = 0x48;
printf("%d\n",ch);
}

10.
void main(){
char ch = 0x2F;
printf("%d\n",ch);
}

11.
void main(){
char ch = 11;
printf("%d\n",ch);
}

12.
void main(){
char ch = 0x11;
printf("%d\n",ch);
}

13.
void main(){
char ch = 011;
printf("%d\n",ch);
}

14.
void main(){
char ch = 0111;
printf("%d\n",ch);
}

15.
void main(){
char ch = 055;
printf("%d\n",ch);
}

16.
void main(){
char ch = 029;
printf("%d\n",ch);
}

17.
void main(){
char ch = 0x29;
printf("%d\n",ch);
}

18.
void main(){
char ch = 200;
printf("%d\n",ch);
}

19.
void main(){
char ch = 300;
printf("%d\n",ch);
}

20.
void main(){
char ch = 0x123;
printf("%d\n",ch);
}

21.
void main(){
char ch = 0x101;
printf("%d\n",ch);
}

22.
void main(){
char ch = 0101;
printf("%c\n",ch);
}

23.
void main(){
char ch = 'a';
printf("%o\n",ch);
}

24.
void main(){
char ch = 'e';
printf("%x\n",ch);
}

25.
void main(){
char ch = '0';
printf("%x\n",ch);
}

26.
void main(){
char ch = A;
printf("%c\n",ch);
}

27.
void main(){
char ch = 0xA;
printf("%d\n",ch);
}

28.
void main(){
char ch = 0x1070;
printf("%d\n",ch);
}

29.
void main(){
char ch = 141;
printf("%d\n",ch);
}

30.
void main(){
char ch = 241;
printf("%d\n",ch);
}

31.
void main(){
char ch = 291;
printf("%d\n",ch);
}

32.
void main(){
char ch = 491;
printf("%d\n",ch);
}

-----\$ Pawan KY