

PumpkinRaising - Settings

- General
- System
- Display
- Storage
- Audio
- Network**
- Serial Ports
- USB
- Shared Folders
- User Interface

Network

Adapter 1 Adapter 2 Adapter 3 Adapter 4

Enable Network Adapter

Attached to: Bridged Adapter

Name: vmnet1

Advanced

Adapter Type: Intel PRO/1000 MT Desktop (S2540EM)


Promiscuous Mode: Allow All

MAC Address: 080027DA0BC6

Cable Connected


Host Driver: PulseAudio

Sun 11:35 •




Host Driver: PulseAudio

Sun 11:35 •



Host Driver: PulseAudio

Sun 11:36 •



Raising [Running] - Oracle VM VirtualBox

Devices Help

Virtual Network Editor

Name	Type	External Connection	Host Connection	DHCP	Subnet IP Address
vmnet0	bridged	wlan0	—	—	—
vmnet1	host-only	none	vmnet1	yes	192.168.10.0
vmnet8	NAT	NAT	vmnet8	yes	192.168.0.0

Add Network...

Remove Network

vmnet1

Bridged (connect VMs directly to the external network)

Bridged to: wlan0

Automatic Settings...

NAT (share host's IP address with VMs)

NAT Settings...

Host-only (connect VMs internally in a private network)

Use local DHCP service to distribute IP addresses to VMs

Connect a host virtual adapter (vmnet1) to this network

Subnet IP: 192.168.10.0

Subnet mask: 255.255.255.0

Leave blank to automatically select an unused subnet IP.

Help

Cancel

Save

Sun 11:36 •

PumpkinRaising [Running] - Oracle VM VirtualBox

Input Devices Help

Virtual Network Editor

Name	Type	External Connection	Host Connection	DHCP	Subnet IP Address
vmnet0	bridged	wlan0	—	—	—
vmnet1	host-only	none	vmnet1	yes	192.168.10.0
vmnet8	NAT	NAT	vmnet8	yes	192.168.0.0

+ Add Network... ✘ Remove Network

vmnet8

Bridged (connect VMs directly to the external network)
Bridged to: wlan0 ▾ Automatic Settings...

NAT (share host's IP address with VMs) **NAT Settings...**

Host-only (connect VMs internally in a private network)

Use local DHCP service to distribute IP addresses to VMs

Connect a host virtual adapter (vmnet8) to this network

Subnet IP: 192.168. 0 . 0 Subnet mask: 255.255.255. 0
Leave blank to automatically select an unused subnet IP.

? Help ⚙ Cancel ☰ Save