

Cucumber Report

9 Jan 2025, 10:05:00 AM

Start : Jan 09, 10:04:12.111 AM

End : Jan 09, 10:04:59.082 AM

Duration : 46.971 s

Features



Scenarios


Steps

PASSED - 0
FAILED - 3
SKIPPED - 0


PASSED - 0
FAILED - 13
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 51






#	Feature Name	T	P	F	S	Duration
1	Login page feature	3	0	3	0	46.971 s
2	Contact Us Feature	6	0	6	0	25.812 s
3	Account Page Feature	4	0	4	0	45.183 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login page feature</u>	<u>Forgot Password link</u>	2	0	0	2	35.129 s
2	<u>Login page feature</u>	<u>Login page title</u>	3	0	0	3	38.132 s
3	<u>Login page feature</u>	<u>Login with correct credentials</u>	6	0	0	6	35.304 s
4	<u>Contact Us Feature</u>	<u>Contact Us scenario with different set of data</u>	4	0	0	4	25.806 s
5	<u>Contact Us Feature</u>	<u>Contact Us scenario with different set of data</u>	4	0	0	4	11.598 s
6	<u>Contact Us Feature</u>	<u>Contact Us scenario with different set of data</u>	4	0	0	4	14.738 s
7	<u>Contact Us Feature</u>	<u>Contact Us scenario with different set of data</u>	4	0	0	4	18.495 s
8	<u>Contact Us Feature</u>	<u>Contact Us scenario with different set of data</u>	4	0	0	4	22.374 s
9	<u>Contact Us Feature</u>	<u>Contact Us scenario with different set of data</u>	4	0	0	4	16.711 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Account Page Feature</u>	<u>Accounts page title</u>	4	0	0	4	37.740 s
11	<u>Account Page Feature</u>	<u>Accounts section count</u>	4	0	0	4	30.803 s
12	<u>Account Page Feature</u>	<u>Accounts page title</u>	4	0	0	4	30.448 s
13	<u>Account Page Feature</u>	<u>Accounts section count</u>	4	0	0	4	27.931 s

(F)- Login page feature

FAILED	DURATION - 46.971 s	Scenarios		Steps	
/ 10:04:12.111 AM // 10:04:59.082 AM /		Total - 3	3	Total - 11	11
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 0	
		Skip - 0		Skip - 11	

(S)- Forgot Password link

<div>FAILED</div> <div>DURATION - 35.129 s</div>			Steps	
/ 10:04:12.119 AM // 10:04:47.248 AM /			Total - 2	
Login page feature			Pass - 0	
			Fail - 0	
			Skip - 2	

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 131.0.6778.205 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAP-IT-079', ip: '10.101.12.29', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0030A813+48355] (No symbol) [0x0029C4B1] (No symbol) [0x001A5358] (No symbol) [0x001C61AC] (No symbol) [0x001C1EF3] (No symbol) [0x001C0579] (No symbol) [0x001F0C55] (No symbol) [0x001F093C] (No symbol) [0x001EA536] (No symbol) [0x001C82DC] (No symbol) [0x001C93DD] GetHandleVerifier [0x0056AABD+2539405] GetHandleVerifier [0x005AA78F+2800735] GetHandleVerifier [0x005A456C+2775612] GetHandleVerifier [0x003951E0+616112] (No symbol) [0x002A5F8C] (No symbol) [0x002A2328] (No symbol) [0x002A240B] (No symbol) [0x00294FF7] BaseThreadInitThunk [0x76077BA9+25] RtlInitializeExceptionChain [0x7727C0CB+107] RtlClearBits [0x7727C04F+191] (No symbol) [0x00000000] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:212) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1034)	FAILED	35.015 s

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:144) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:574) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:560) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:546) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:662) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user is on login page	SKIPPED	0.001 s
2	Then - Then forgot your password link should be displayed	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		



(S)- Login page title

<div>FAILED</div> <div>DURATION - 38.132 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 10:04:12.198 AM // 10:04:50.330 AM /				
Login page feature				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - parallel.ApplicationHooks.launchBrowser()</p> <p>org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 131.0.6778.205 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAP-IT-079', ip: '10.101.12.29', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0030A813+48355] (No symbol) [0x0029C4B1] (No symbol) [0x001A5358] (No symbol) [0x001C61AC] (No symbol) [0x001C1EF3] (No symbol) [0x001C0579] (No symbol) [0x001F0C55] (No symbol) [0x001F093C] (No symbol) [0x001EA536] (No symbol) [0x001C82DC] (No symbol) [0x001C93DD] GetHandleVerifier [0x0056AABD+2539405] GetHandleVerifier [0x005AA78F+2800735] GetHandleVerifier [0x005A456C+2775612] GetHandleVerifier [0x003951E0+616112] (No symbol) [0x002A5F8C] (No symbol) [0x002A2328] (No symbol) [0x002A240B] (No symbol) [0x00294FF7] BaseThreadInitThunk [0x76077BA9+25] RtlInitializeExceptionChain [0x7727C0CB+107] RtlClearBits [0x7727C04F+191] (No symbol) [0x00000000] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:212) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1034) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:144) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:574) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:560) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:546) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:662) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)</p>	FAILED	38.107 s
1	Given - Given user is on login page	SKIPPED	0.000 s
2	When - When user gets the title of the page	SKIPPED	0.000 s
3	Then - Then page title should be "Login - My Store"	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)	FAILED	0.000 s



(S)- Login with correct credentials

FAILED		DURATION - 35.304 s			Steps Total - 6 Pass - 0 Fail - 0 Skip - 6			
/ 10:04:23.778 AM // 10:04:59.082 AM /								
Login page feature								



#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 131.0.6778.205 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAP-IT-079', ip: '10.101.12.29', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0030A813+48355] (No symbol) [0x0029C4B1] (No symbol) [0x001A5358] (No symbol) [0x001C61AC] (No symbol) [0x001C1EF3] (No symbol) [0x001C0579] (No symbol) [0x001F0C55] (No symbol) [0x001F093C] (No symbol) [0x001EA536] (No symbol) [0x001C82DC] (No symbol) [0x001C93DD] GetHandleVerifier [0x0056AABD+2539405] GetHandleVerifier [0x005AA78F+2800735] GetHandleVerifier [0x005A456C+2775612] GetHandleVerifier [0x003951E0+616112] (No symbol) [0x002A5F8C] (No symbol) [0x002A2328] (No symbol) [0x002A240B] (No symbol) [0x00294FF7] BaseThreadInitThunk [0x76077BA9+25] RtlInitializeExceptionChain [0x7727C0CB+107] RtlClearBits [0x7727C04F+191] (No symbol) [0x00000000] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:212) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1034) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:144) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:574)	FAILED	35.297 s

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:560) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:546) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:662) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user is on login page	SKIPPED	0.000 s
2	When - When user enters username "dec2020secondbatch@gmail.com"	SKIPPED	0.000 s
3	And - And user enters password "Selenium@12345"	SKIPPED	0.000 s
4	And - And user clicks on Login button	SKIPPED	0.000 s
5	Then - Then user gets the title of the page	SKIPPED	0.000 s
6	And - And page title should be "My account - My Store"	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		

(F)- Contact Us Feature

FAILED	DURATION - 25.812 s	Scenarios		Steps	
/ 10:04:12.129 AM // 10:04:37.941 AM /		Total - 6	6	Total - 24	24
		Pass - 0		Pass - 0	
		Fail - 6		Fail - 0	
		Skip - 0		Skip - 24	



(S)- Contact Us scenario with different set of data

<div>FAILED</div> <div>DURATION - 25.806 s</div>			Steps	
/ 10:04:12.135 AM // 10:04:37.941 AM /			Total - 4	
Contact Us Feature			Pass - 0	
			Fail - 0	
			Skip - 4	

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 131.0.6778.205 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAP-IT-079', ip: '10.101.12.29', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0030A813+48355] (No symbol) [0x0029C4B1] (No symbol) [0x001A5358] (No symbol) [0x001C61AC] (No symbol) [0x001C1EF3] (No symbol) [0x001C0579] (No symbol) [0x001F0C55] (No symbol) [0x001F093C] (No symbol) [0x001EA536] (No symbol) [0x001C82DC] (No symbol) [0x001C93DD] GetHandleVerifier [0x0056AABD+2539405] GetHandleVerifier [0x005AA78F+2800735] GetHandleVerifier [0x005A456C+2775612] GetHandleVerifier [0x003951E0+616112] (No symbol) [0x002A5F8C] (No symbol) [0x002A2328] (No symbol) [0x002A240B] (No symbol) [0x00294FF7] BaseThreadInitThunk [0x76077BA9+25] RtlInitializeExceptionChain [0x7727C0CB+107] RtlClearBits [0x7727C04F+191] (No symbol) [0x00000000] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:212) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1034) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:144)	FAILED	25.714 s

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:574) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:560) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:546) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:662) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user navigates to contact us page	SKIPPED	0.000 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 5	SKIPPED	0.000 s
3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)	FAILED	0.001 s
	AFTER - parallel.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)	FAILED	0.001 s



(S)- Contact Us scenario with different set of data

<div>FAILED</div> <div>DURATION - 11.598 s</div>		Steps	
/ 10:04:12.141 AM // 10:04:23.739 AM /		Total - 4	
Contact Us Feature		Pass - 0	
		Fail - 0	
		Skip - 4	

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 131.0.6778.205 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAP-IT-079', ip: '10.101.12.29', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0030A813+48355] (No symbol) [0x0029C4B1] (No symbol) [0x001A5358] (No symbol) [0x001C61AC] (No symbol) [0x001C1EF3] (No symbol) [0x001C0579] (No symbol) [0x001F0C55] (No symbol) [0x001F093C] (No symbol) [0x001EA536] (No symbol) [0x001C82DC] (No symbol) [0x001C93DD] GetHandleVerifier [0x0056AABD+2539405] GetHandleVerifier [0x005AA78F+2800735] GetHandleVerifier [0x005A456C+2775612] GetHandleVerifier [0x003951E0+616112] (No symbol) [0x002A5F8C] (No symbol) [0x002A2328] (No symbol) [0x002A240B] (No symbol) [0x00294FF7] BaseThreadInitThunk [0x76077BA9+25] RtlInitializeExceptionChain [0x7727C0CB+107] RtlClearBits [0x7727C04F+191] (No symbol) [0x00000000] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:212) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1034) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:144) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:574) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:560) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:546) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:662) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)	FAILED	11.485 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user navigates to contact us page	SKIPPED	0.001 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 3	SKIPPED	0.001 s
3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.001 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.009 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		

(S)- Contact Us scenario with different set of data



<div>FAILED</div> <div>DURATION - 14.738 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 10:04:12.143 AM // 10:04:26.881 AM /				
Contact Us Feature				

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	14.639 s
	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 131.0.6778.205 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAP-IT-079', ip: '10.101.12.29', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0030A813+48355] (No symbol) [0x0029C4B1] (No symbol) [0x001A5358] (No symbol) [0x001C61AC] (No symbol) [0x001C1EF3] (No symbol) [0x001C0579] (No symbol) [0x001F0C55] (No symbol) [0x001F093C] (No symbol) [0x001EA536]		

#	Step / Hook Details	Status	Duration
	(No symbol) [0x001C82DC] (No symbol) [0x001C93DD] GetHandleVerifier [0x0056AABD+2539405] GetHandleVerifier [0x005AA78F+2800735] GetHandleVerifier [0x005A456C+2775612] GetHandleVerifier [0x003951E0+616112] (No symbol) [0x002A5F8C] (No symbol) [0x002A2328] (No symbol) [0x002A240B] (No symbol) [0x00294FF7] BaseThreadInitThunk [0x76077BA9+25] RtlInitializeExceptionChain [0x7727C0CB+107] RtlClearBits [0x7727C04F+191] (No symbol) [0x00000000] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:212) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1034) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:144) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:574) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:560) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:546) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:662) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user navigates to contact us page	SKIPPED	0.001 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 1	SKIPPED	0.000 s
3	And - And user clicks on send button	SKIPPED	0.001 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.001 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)	FAILED	0.001 s
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		



(S)- Contact Us scenario with different set of data

<div>FAILED</div> <div>DURATION - 18.495 s</div>		Steps	
/ 10:04:12.149 AM // 10:04:30.644 AM /		Total - 4	
Contact Us Feature		Pass - 0	
		Fail - 0	
		Skip - 4	

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 131.0.6778.205 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAP-IT-079', ip: '10.101.12.29', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0030A813+48355] (No symbol) [0x0029C4B1] (No symbol) [0x001A5358] (No symbol) [0x001C61AC] (No symbol) [0x001C1EF3] (No symbol) [0x001C0579] (No symbol) [0x001F0C55] (No symbol) [0x001F093C] (No symbol) [0x001EA536] (No symbol) [0x001C82DC] (No symbol) [0x001C93DD] GetHandleVerifier [0x0056AABD+2539405] GetHandleVerifier [0x005AA78F+2800735] GetHandleVerifier [0x005A456C+2775612] GetHandleVerifier [0x003951E0+616112] (No symbol) [0x002A5F8C] (No symbol) [0x002A2328] (No symbol) [0x002A240B] (No symbol) [0x00294FF7] BaseThreadInitThunk [0x76077BA9+25] RtlInitializeExceptionChain [0x7727C0CB+107] RtlClearBits [0x7727C04F+191] (No symbol) [0x00000000] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:212) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1034) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:144) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:574) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:560) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:546) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:662)	FAILED	18.415 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user navigates to contact us page	SKIPPED	0.001 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 0	SKIPPED	0.002 s
3	And - And user clicks on send button	SKIPPED	0.001 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		

(S)- Contact Us scenario with different set of data



<div>FAILED</div> <div>DURATION - 22.374 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 10:04:12.157 AM // 10:04:34.531 AM /				
Contact Us Feature				

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	22.309 s
	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114		

#	Step / Hook Details	Status	Duration
	<p>Current browser version is 131.0.6778.205 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAP-IT-079', ip: '10.101.12.29', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0030A813+48355] (No symbol) [0x0029C4B1] (No symbol) [0x001A5358] (No symbol) [0x001C61AC] (No symbol) [0x001C1EF3] (No symbol) [0x001C0579] (No symbol) [0x001F0C55] (No symbol) [0x001F093C] (No symbol) [0x001EA536] (No symbol) [0x001C82DC] (No symbol) [0x001C93DD] GetHandleVerifier [0x0056AABD+2539405] GetHandleVerifier [0x005AA78F+2800735] GetHandleVerifier [0x005A456C+2775612] GetHandleVerifier [0x003951E0+616112] (No symbol) [0x002A5F8C] (No symbol) [0x002A2328] (No symbol) [0x002A240B] (No symbol) [0x00294FF7] BaseThreadInitThunk [0x76077BA9+25] RtlInitializeExceptionChain [0x7727C0CB+107] RtlClearBits [0x7727C04F+191] (No symbol) [0x00000000]</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:212) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1034) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:144) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:574) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:560) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:546) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:662) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)</p>		
1	Given - Given user navigates to contact us page	SKIPPED	0.000 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 2	SKIPPED	0.001 s
3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)	FAILED	0.001 s



(S)- Contact Us scenario with different set of data

FAILED		DURATION - 16.711 s			Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 10:04:12.179 AM // 10:04:28.890 AM /						
Contact Us Feature						



#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 131.0.6778.205 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAP-IT-079', ip: '10.101.12.29', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0030A813+48355] (No symbol) [0x0029C4B1] (No symbol) [0x001A5358] (No symbol) [0x001C61AC] (No symbol) [0x001C1EF3] (No symbol) [0x001C0579] (No symbol) [0x001F0C55] (No symbol) [0x001F093C] (No symbol) [0x001EA536] (No symbol) [0x001C82DC] (No symbol) [0x001C93DD] GetHandleVerifier [0x0056AABD+2539405] GetHandleVerifier [0x005AA78F+2800735] GetHandleVerifier [0x005A456C+2775612] GetHandleVerifier [0x003951E0+616112] (No symbol) [0x002A5F8C] (No symbol) [0x002A2328] (No symbol) [0x002A240B] (No symbol) [0x00294FF7] BaseThreadInitThunk [0x76077BA9+25] RtlInitializeExceptionChain [0x7727C0CB+107] RtlClearBits [0x7727C04F+191] (No symbol) [0x00000000] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:212) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1034) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:144) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:574)	FAILED	16.659 s

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:560) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:546) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:662) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user navigates to contact us page	SKIPPED	0.000 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 4	SKIPPED	0.001 s
3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		

(F)- Account Page Feature

FAILED	DURATION - 45.183 s	Scenarios		Steps	
/ 10:04:12.161 AM // 10:04:57.344 AM /		Total - 4		Total - 16	
		Pass - 0		Pass - 0	
		Fail - 4		Fail - 0	
		Skip - 0		Skip - 16	

(S)- Accounts page title

<div>FAILED</div> <div>DURATION - 37.740 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
<div>/ 10:04:12.161 AM // 10:04:49.901 AM /</div>				
<div>Account Page Feature</div>				
<div>@accounts</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 131.0.6778.205 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAP-IT-079', ip: '10.101.12.29', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0030A813+48355] (No symbol) [0x0029C4B1] (No symbol) [0x001A5358] (No symbol) [0x001C61AC] (No symbol) [0x001C1EF3] (No symbol) [0x001C0579] (No symbol) [0x001F0C55] (No symbol) [0x001F093C] (No symbol) [0x001EA536] (No symbol) [0x001C82DC] (No symbol) [0x001C93DD] GetHandleVerifier [0x0056AABD+2539405] GetHandleVerifier [0x005AA78F+2800735] GetHandleVerifier [0x005A456C+2775612] GetHandleVerifier [0x003951E0+616112] (No symbol) [0x002A5F8C] (No symbol) [0x002A2328] (No symbol) [0x002A240B] (No symbol) [0x00294FF7] BaseThreadInitThunk [0x76077BA9+25] RtlInitializeExceptionChain [0x7727C0CB+107] RtlClearBits [0x7727C04F+191] (No symbol) [0x00000000] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:212) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1034) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:144) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:574) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:560) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:546) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:662) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)	FAILED	37.676 s

#	Step / Hook Details	Status	Duration	
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)			
1	Given - Given user has already logged in to application	SKIPPED	0.000 s	
	<table><tr><td>username</td><td>password</td></tr><tr><td>dec2020secondbatch@gmail.com</td><td>Selenium@12345</td></tr></table>			username
username	password			
dec2020secondbatch@gmail.com	Selenium@12345			
2	Given - Given user is on Accounts page	SKIPPED	0.000 s	
3	When - When user gets the title of the page	SKIPPED	0.000 s	
4	Then - Then page title should be "My account - My Store"	SKIPPED	0.001 s	
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s	
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)			
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.000 s	
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)			

(S)- Accounts section count

FAILED	DURATION - 30.803 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 10:04:12.176 AM // 10:04:42.979 AM /				
Account Page Feature				
@accounts				

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	30.742 s
	<pre> org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 131.0.6778.205 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAP-IT-079', ip: '10.101.12.29', os.name: 'Windows 11', os. </pre>		

#	Step / Hook Details	Status	Duration				
	<div>arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0030A813+48355] (No symbol) [0x0029C4B1] (No symbol) [0x001A5358] (No symbol) [0x001C61AC] (No symbol) [0x001C1EF3] (No symbol) [0x001C0579] (No symbol) [0x001F0C55] (No symbol) [0x001F093C] (No symbol) [0x001EA536] (No symbol) [0x001C82DC] (No symbol) [0x001C93DD] GetHandleVerifier [0x0056AABD+2539405] GetHandleVerifier [0x005AA78F+2800735] GetHandleVerifier [0x005A456C+2775612] GetHandleVerifier [0x003951E0+616112] (No symbol) [0x002A5F8C] (No symbol) [0x002A2328] (No symbol) [0x002A240B] (No symbol) [0x00294FF7] BaseThreadInitThunk [0x76077BA9+25] RtlInitializeExceptionChain [0x7727C0CB+107] RtlClearBits [0x7727C04F+191] (No symbol) [0x00000000]</div> <div>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:212) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1034) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:144) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:574) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:560) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:546) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:662) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)</div>						
1	<div>Given - Given user has already logged in to application</div> <table><tr><td>username</td><td>password</td></tr><tr><td>dec2020secondbatch@gmail.com</td><td>Selenium@12345</td></tr></table>	username	password	dec2020secondbatch@gmail.com	Selenium@12345	SKIPPED	0.000 s
username	password						
dec2020secondbatch@gmail.com	Selenium@12345						
2	<div>Given - Given user is on Accounts page</div>	SKIPPED	0.002 s				
3	<div>Then - Then user gets accounts section</div> <table><tr><td>ORDER HISTORY AND DETAILS</td></tr><tr><td>MY CREDIT SLIPS</td></tr></table>	ORDER HISTORY AND DETAILS	MY CREDIT SLIPS	SKIPPED	0.001 s		
ORDER HISTORY AND DETAILS							
MY CREDIT SLIPS							

#	Step / Hook Details	Status	Duration
	<div>MY ADDRESSES</div> <div>MY PERSONAL INFORMATION</div> <div>MY WISHLISTS</div> <div>Home</div>		
4	And - And accounts section count should be 6	SKIPPED	0.001 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)	FAILED	0.001 s
	AFTER - parallel.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)	FAILED	0.000 s



(S)- Accounts page title

<div>FAILED</div> <div>DURATION - 30.448 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 10:04:26.896 AM // 10:04:57.344 AM /				
Account Page Feature				
@accounts				

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	30.442 s
	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 131.0.6778.205 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAP-IT-079', ip: '10.101.12.29', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0030A813+48355] (No symbol) [0x0029C4B1] (No symbol) [0x001A5358] (No symbol) [0x001C61AC] (No symbol) [0x001C1EF3] (No symbol) [0x001C0579] (No symbol) [0x001F0C55] (No symbol) [0x001F093C] (No symbol) [0x001EA536] (No symbol) [0x001C82DC] (No symbol) [0x001C93DD] GetHandleVerifier [0x0056AABD+2539405] GetHandleVerifier [0x005AA78F+2800735] GetHandleVerifier [0x005A456C+2775612] GetHandleVerifier [0x003951E0+616112] (No symbol) [0x002A5F8C] (No symbol) [0x002A2328] (No symbol) [0x002A240B] (No symbol) [0x00294FF7] BaseThreadInitThunk [0x76077BA9+25] RtlInitializeExceptionChain [0x7727C0CB+107] RtlClearBits [0x7727C04F+191] (No symbol) [0x00000000] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		

#	Step / Hook Details	Status	Duration		
	at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:212) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1034) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:144) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:574) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:560) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:546) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:662) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)				
1	Given - Given user has already logged in to application	SKIPPED	0.000 s		
	<table><tr><td>username</td><td>password</td></tr><tr><td>dec2020secondbatch@gmail.com</td><td>Selenium@12345</td></tr></table>			username	password
username	password				
dec2020secondbatch@gmail.com	Selenium@12345				
2	Given - Given user is on Accounts page	SKIPPED	0.000 s		
3	When - When user gets the title of the page	SKIPPED	0.000 s		
4	Then - Then page title should be "My account - My Store"	SKIPPED	0.000 s		
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s		
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)				
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.000 s		
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)				

(S)- Accounts section count

<div>FAILED</div> <div>DURATION - 27.931 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	<div></div>
<div>/ 10:04:28.897 AM // 10:04:56.828 AM /</div>				
<div>Account Page Feature</div>				
<div>@accounts</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 131.0.6778.205 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAP-IT-079', ip: '10.101.12.29', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0030A813+48355] (No symbol) [0x0029C4B1] (No symbol) [0x001A5358] (No symbol) [0x001C61AC] (No symbol) [0x001C1EF3] (No symbol) [0x001C0579] (No symbol) [0x001F0C55] (No symbol) [0x001F093C] (No symbol) [0x001EA536] (No symbol) [0x001C82DC] (No symbol) [0x001C93DD] GetHandleVerifier [0x0056AABD+2539405] GetHandleVerifier [0x005AA78F+2800735] GetHandleVerifier [0x005A456C+2775612] GetHandleVerifier [0x003951E0+616112] (No symbol) [0x002A5F8C] (No symbol) [0x002A2328] (No symbol) [0x002A240B] (No symbol) [0x00294FF7] BaseThreadInitThunk [0x76077BA9+25] RtlInitializeExceptionChain [0x7727C0CB+107] RtlClearBits [0x7727C04F+191] (No symbol) [0x00000000] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:212) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1034) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:144) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:574) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:560) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:546) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:662) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)	FAILED	27.922 s

#	Step / Hook Details	Status	Duration				
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)						
1	Given - Given user has already logged in to application	SKIPPED	0.000 s				
	<table><tr><td>username</td><td>password</td></tr><tr><td>dec2020secondbatch@gmail.com</td><td>Selenium@12345</td></tr></table>			username	password	dec2020secondbatch@gmail.com	Selenium@12345
username	password						
dec2020secondbatch@gmail.com	Selenium@12345						
2	Given - Given user is on Accounts page	SKIPPED	0.002 s				
3	Then - Then user gets accounts section	SKIPPED	0.000 s				
	<table><tr><td>ORDER HISTORY AND DETAILS</td></tr><tr><td>MY CREDIT SLIPS</td></tr><tr><td>MY ADDRESSES</td></tr><tr><td>MY PERSONAL INFORMATION</td></tr><tr><td>MY WISHLISTS</td></tr><tr><td>Home</td></tr></table>			ORDER HISTORY AND DETAILS	MY CREDIT SLIPS	MY ADDRESSES	MY PERSONAL INFORMATION
ORDER HISTORY AND DETAILS							
MY CREDIT SLIPS							
MY ADDRESSES							
MY PERSONAL INFORMATION							
MY WISHLISTS							
Home							
4	And - And accounts section count should be 6	SKIPPED	0.001 s				
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s				
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)						
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.001 s				
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)						