

EXPERIMENT NO:4

To Count the frequency of occurrence of a word in a body of text is often needed during text processing.

Description:

Import the word_tokenize function and gutenber.

Program:

```
import nltk
from nltk.tokenize import word_tokenize
from nltk.corpus import gutenber
nltk.download('gutenber')
nltk.download('punkt')
sample = gutenber.raw("shakespeare-hamlet.txt")
token = word_tokenize(sample)
wlist = []
for i in range(40):
    wlist.append(token[i])
wordfreq = [wlist.count(w) for w in wlist]
print("Pairs\n" + str(list(zip(wlist, wordfreq))))
```

Output:

[nltk_data] Downloading package gutenber to /root/nltk_data...

[nltk_data] Unzipping corpora/gutenber.zip.

[nltk_data] Downloading package punkt to /root/nltk_data...

[nltk_data] Unzipping tokenizers/punkt.zip.

[nltk_data] Downloading package punkt_tab to /root/nltk_data...

[nltk_data] Unzipping tokenizers/punkt_tab.zip.

Pairs

```
[('I', 1), ('The', 1), ('Tragedie', 1), ('of', 1), ('Hamlet', 1), ('by', 1), ('William', 1),
('Shakespeare', 1), ('1599', 1), ('I', 1), ('Actus', 1), ('Primus', 1), (':', 5), ('Scoena', 1),
('Prima', 1), (':', 5), ('Enter', 1), ('Barnardo', 2), ('and', 1), ('Francisco', 1), ('two', 1),
('Centinels', 1), (':', 5), ('Barnardo', 2), (':', 5), ('Who', 1), ('"s', 1), ('there', 1), ('?', 1), ('Fran',
1), (':', 5), ('Nay', 1), ('answer', 1), ('me', 1), (':', 1), ('Stand', 1), ('&', 1), ('vnfold', 1), ('your',
1), ('selfe', 1)]
```

Result:

Thus, the frequency of occurrence of words in the given text was successfully calculated and displayed using Python and NLTK.