

14 Back to Basics Quality Behavior

Revision D



NOTE:


This training package is intended for training use only. For the most recent documents and official references, please contact the package owner (Contact Information page) or the relevant functional group.

Content Overview

1. Objectives
2. Behavior Based Quality
3. 14 Back to Basics Quality Behaviors
4. Summary
5. Q&A
6. Contact Information
7. Revision History





Objectives




Cultivating a Quality Culture

Embed quality as a core value in daily work, reinforcing shared beliefs that prioritize safety, product integrity, and customer satisfaction.



Strengthen Quality Mindset

Promote behaviors that make quality a personal responsibility, ensuring everyone hears, sees, and feels quality in every process.



Ensure Zero Defects & Safety

Drive proactive actions to prevent errors and risks, supporting a workplace focused on zero defects, zero accidents, and zero breakdowns.


Drive Continuous Improvement

Encourage accountability and problem-solving to reduce defects, improve processes, and sustain performance excellence.

Behavior Based Quality

WHAT IS BEHAVIOR BASED QUALITY?

The vehicle used for cultivating the **Jabil Cultural Transformation** and consists of **FIVE STEPS**.



PURPOSE

To create a quality mindset and culture throughout the organization, built on shared **VALUES** and **BELIEFS** that foster the “**Make Everyday a Quality Day**” mentality. Ultimately, we aim to accelerate quality-minded behaviors as an integral part of our **Jabil DNA**.

Back To Basics Quality Behaviors



BACK TO BASICS
QUALITY BEHAVIORS

1.

Our Decision-Making Hierarchy: 1) SAFETY 2) QUALITY 3) DELIVERY 4) COST

2.

We have ZERO tolerance for defects. We practice PREDICT and PREVENT approaches to PROTECT Jabil and our customers from risk. We do not accept, create, pass on, or ship product with defects.

3.

JOS, LPA, FAI, QRQC, LINE STOP MATRIX and MRB serve as the FOUNDATION of our Jabil process governance, and we do not run our processes without them.

4.

I do not make unauthorized changes to the product or my process. We follow our change management procedure to IDENTIFY and ELIMINATE potential defects when implementing changes.

5.

We ensure that employees are QUALIFIED prior to performing their job functions.

6.

I follow my procedures, work instructions, visual aids, and parameter lists. When a quality problem or abnormal condition is found, we EXPECT and EMPOWER our employees to stop production, escalate, and fix it.

7.

We only use CALIBRATED measuring equipment and production equipment within its APPROVED CALIBRATION and MAINTENANCE cycle.

8.

I only use MOISTURE SENSITIVE DEVICES (MSD) within the designated exposure time and material prior to the SHELF-LIFE EXPIRATION DATE (SLED).

9.

I always HANDLE and STORE material and product with care to PREVENT risk of damage.

10.

I always IDENTIFY and SEGREGATE non-conforming product and material in a designated non-conforming area.

11.

I follow ESD requirements according to my work instructions.

12.

During product changeovers, we always clear the work area of previous product MATERIALS, INSTRUCTIONS, and TOOLING.

13.

We follow our PRODUCT LIFE CYCLE MANAGEMENT process for NEW PRODUCT INTRODUCTION.

14.

Every Jabil employee is responsible for adherence and enforcement of our QUALITY BEHAVIORS.

Back To Basics Quality Behaviors 1

OUR DECISION MAKING HIERARCHY

SAFETY → QUALITY → DELIVERY → COST

SAFETY

THINK SAFETY, ACT SAFELY

1

Ensuring the well-being of personnel and preventing accidents is the top priority to maintain a secure working environment

WHAT HAPPENED IF YOU DONT FOLLOW SAFETY RULES?



DELIVERY

3





QUALITY

MAKE EVERYDAY A QUALITY DAY

2

Maintaining high standards in the production process to meet or exceed customer expectations and regulatory requirements.



COST

4




Back To Basics Quality Behaviors 2

ZERO TOLERANCE FOR DEFECT

We practice PREDICT and PREVENT approaches to PROTECT Jabil and our customers from quality risk.



Employee are performing her work by referring the Visual Aids.



Employee found defects/ rejected parts on boards



Employee place the defect/rejected board in Rejected trolley. and put the Rejected Tag.



Predictive & Preventive Tools



Process Control Plan



FNI



OBA



Risk Assessment / RLE

Baseline Assessment



AOI

Internal & External Audit



ICT

We do not accept, create, pass on, or ship product with defects.

Why?

- ✓ Avoid customer dissatisfaction
- ✓ Making safe product for customer & end user
- ✓ Scrap Reduction
- ✓ Company Reputation Increase
- ✓ Legal and regulatory compliance

Defect-Free is the Key!



Employee are performing her work by referring the Visual Aids.



Employee found defects/ rejected parts on boards





Employee passed the defect/rejected boards to the next station



Employee continue to proceed to the next process.

Back To Basics Quality Behaviors 3

JOS, LPA, FAI, LINE STOP MATRIX, QRQC and MRB serve as the foundation of our jabil process governance, and we do not run our processes without them



What would occur if the meetings were not conducted?



Delay in Communication and Escalation



Reoccurring Issues



Delayed problem resolution



Increase Downtime, rework & scrap




Poor Decision Making



Poor Quality, Low Yield, High Scrap & Low Efficiency

Back To Basics Quality Behaviors 4

I do not make **UNAUTHORIZED CHANGES** to the product or my process.



Back To Basics Quality Behaviors 5

We ensure **ONLY QUALIFIED** employees will be performing their job functions

DL Certification Badge

JABIL
JOB CERTIFICATION CARD
INSPECTION 6 MONTHLY

EMP #: [redacted] C=Cert R=Recert
NAME: [redacted]
DUE DATE: 20 MAR 2024
CERTIFIED BY TRAINER: NADWA
VERIFY BY: [signature]

PROCESS	C/R	PROCESS	C/R
FINAL INSPECTION	R	HFNI VIP	
1STH INSPECTION		HVMI	
PMI/VM	C	ARISTA COSMETIC	
POST AOP		JAPANESE SPEC	
OQA/OBA		IQA INSPECTION	
HOQA VIP		HI-Z	
HOQA/HOBA		JABIL INTERNAL IPC-A-610	R
HFNI		JABIL INTERNAL IPC-620	


DL can only work on process that is certified with .

Before performing on the process compulsory to log into e-Vao. Only certified DL can open up the VA.


Customer: MASIMO
Family/Model: [redacted]
Station: [redacted]
FNI: [redacted]
Assembly #: 20350-K



We ensure **ONLY QUALIFIED** employees will be performing their job functions



Notification for Certification Expiry



To manage operators did not open VA for 60days

If the operator does not work or untouched (eg Maternity Leave / Long Hospitalization leave / Overseas travelling) the valid certified process for 61 days, he/she will be barred from eVAO where the operator needs to come for training department to perform the refresher for the stated process for the unlock through eVAO.


eVAO Mail
VAO - Expired Certification
7:01 AM

VAO - Expired Certification

Operator	Process	Valid Until	Status
Operator	Process	Valid Until	Status
Operator	Process	Valid Until	Status
Operator	Process	Valid Until	Status
Operator	Process	Valid Until	Status

Back To Basics Quality Behaviors 6

I follow my procedure, work instructions, visual aids, and parameter lists. When a quality problem or abnormal conditions is found, we **EXPECT** and **EMPOWER** our employees to stop production, escalate and fix it.



Back To Basics Quality Behaviors 7

We only use **CALIBRATED** measuring equipment and production equipment within its **APPROVED CALIBRATION** and **MAINTENANCE** cycle.




RIGHT: Making a Pass / Fail Decision requires a calipers with a Calibration Sticker within expiration date

OPERATOR: This machine is only ONE day outside of its expiration date, so it is OK to use, right?

SUPERVISOR: Nope! Even if it is one day, we do not know if it is going to give us good data. STOP and get another one!



WRONG: Making a Pass / Fail Decision without a Calibration Label



SUPERVISOR: Expired only ONE day? That is not a big deal. Go ahead and use it.

Back To Basics Quality Behaviors 8

I only use **MOISTURE SENSITIVE DEVICES** within the designated exposure time and material prior to the **SHELF-LIFE EXPIRATION DATE**.


MSD specifically identified Electronic Components and Printed Circuit Boards (PCBs) must be **PROTECTED** against **HUMIDITY**

SLED material outside of its designated Shelf Life may cause **FIELD FAILURES** due to changes to its stability and specifications. chemical

MSD caution label

Annotations on the label:

- MSL Rating
- Shelf Life (1 year from bag seal date)
- Floor Life
- Bake Conditions
- Bag Seal Date



Refer to 07-QE20-GEN-019_PROC,MOISTURE SENSITIVE DEVICE CONTROL
Moisture Classification Level (MSL) and Floor Life.

HUMIDITY INDICATOR CARD (HIC)

If found reject, send for baking

ACCEPT - blue

ACCEPT for MSL 2A-5A

REJECT for MSL 2

REJECT for MSL 2A-5A

MSD causes **FIELD FAILURES** due to **CORROSION, ELECTRICAL INSTABILITY, and ELECTRICAL SHORTS.**

MBB sealing condition

No or Light air evacuation

Full evacuation – overvacuum

Back To Basics Quality Behaviors 9

I always **HANDLE** and **STORE** material and product with care to **PREVENT** risk of damage.

ITEM	DO	DON'T
Stencil Storage	 Proper STENCIL Storage	 Storing Stencils HORIZONTALLY On Top of each other
Test Fixture Storage	 Test Fixtures Treated stored correctly	 Pile up Test Fixture
Golden Board	 Golden Boards treated with the RESPECT they DESERVE !	 Golden Boards stored badly
PCBA	 Handling PCBAs with RESPECT	 WRONG PCBAs handling

Back To Basics Quality Behaviors 10

I always **IDENTIFY** and **SEGREGATE** non-conforming product and material in a designated non-conforming area.

If you SEE something, SAY something! NEVER just WALK BY mixed BAD with GOOD parts



PCBA Rejects in
DEDICATED "Non-
Conforming"
Location



Non-
Conforming
parts in a
DESIGNATED
area at the
workstation



REJECTED
product MIXED 
with good
indesignated
"Good" area



Non-
Conforming
parts
HIDDEN in
DRAWERS 

Back To Basics Quality Behaviors 11

I follow ESD requirements according to my work instructions.



What is Electrostatic Discharge?

It is a sudden transfer of static electricity from one object to another object at different potential (voltage), when they are in close proximity. The static electricity is due to charge imbalance caused by contact and separation of 2 objects - tribocharging

ESDS (ESD Sensitive) items


- Integrated circuits
- Printed Circuit Board with components
- Printed Circuit Board assemblies (PCBA)
- Incomplete box build device with exposed PCBA
- **When in doubt, treat it as ESD**

- ### Implication to Jabil Penang
- Permanently damaging components or function of PCBA
 - **Increase production cost**
 - **Reduce company profit**
 - More **scraps** or **rework**
 - **Reduce** customer satisfaction
 - Customer return or product recall



ESD Control Items



ESD Do ✓		ESD Don'ts ✗	
 Place ESD sensitive devices on green ESD mat	 Must wear good condition wrist strap while handling ESDS items	 DO NOT use packaging material as work surface	 DO NOT place PCBA on carton box
 Store and transport ESD sensitive devices in ESD safe containers or shielding bags.	 Stand properly with both ESD footwear are at test plate accordingly	 DO NOT change the direction or setting of ionizers	 DO NOT place PCBA on honeycomb PVC curtain
 Setup a proper Kanban as ionization target area	 Segregate insulators as non-EPA	 DO NOT place any component on top of ESD bag	 DO NOT place any insulators on ESD work surfaces


Back To Basics Quality Behaviors 12

During product **CHANGEOVERS**, always **CLEAR** the work area of previous product **MATERIALS, INSTRUCTIONS, and TOOLING**.

RIGHT: Clean station. Only product currently in production



WRONG: Starting up a station with product from the previous build



JABIL | MADE POSSIBLE.
MADE BETTER.

5S LEAN WORKPLACE

**1. SORT (SEIRI)**
Menyimpan hanya yang perlu dan buang yang tidak berkaitan.

**2. SET IN ORDER (SEITON)**
Menyusun dan melabel barang yang diperlukan sahaja untuk memudahkan penggunaan dan pemulangan oleh sesiapa sahaja.

**3. SHINE (SEISO)**
Memastikan persekitaran disapu dan dibersihkan untuk keselamatan dan kemudahan penyelenggaraan peralatan.

**4. STANDARDIZE (SEIKETSU)**
Keadaan yang wujud apabila tiga rukun pertama 'S's diselenggara dengan baik.

**5. SUSTAIN (SHISUKE)**
Membiasakan diri mengekalkan prosedur yang betul.

NEVER start your station with product or material from the previous !

Back To Basics Quality Behaviors 13

We follow our **PRODUCT LIFE CYCLE MANAGEMENT** process for **NEW PRODUCT INTRODUCTION**

MAKE YOUR VOICE HEARD!

My Inspection
Criteria does not identify the
POLARITY for this part



PLEASE STOP AND ASK FOR HELP!

The WORK
INSTRUCTION does not have the
TORQUE TOLERANCE defined



I have a
MISSING part but the Inspection
Machine PASSED it



Back To Basics Quality Behaviors 14

EVERY Jabil employee is responsible for adherence and enforcement of our **QUALITY BEHAVIORS**.

If you SEE Something, SAY Something!


When you see someone not wearing their ESD gloves, do you just walk by? OR Does **Quality** really **START** with **YOU** and **YOU SAY** Something?



Saw someone starting production without PPE glove?



Voice out & Correct any Non-Compliance



Summary

Strengthen **Quality Culture** Build a shared mindset where quality and safety are important in every process and decision

Improve Product Reliability Ensure every process **meets customer** and **compliance standards**

Employees are encouraged to **take ownership** of quality outcomes and **say something** whenever they notice risks or issues.

Boost Customer Satisfaction Deliver consistent, high-quality products and services

Support Continuous Improvement **Drive proactive actions** for better processes and efficiency

Q&A

Contact Information



Lieya Nurlirdina
QA Officer




Karene Yeap
QA Section Manager

Revision History

Rev	Date Released	Author(s)	Approved By	Changes Details
A	28/11/2020	NurulFathiyah Jafri	SookWan Lee	Initial Release
B	4/11/2023	Nurul Nazihah	SookWan Lee	Release for Refresher
C	7/11/2024	Nurshuhada Zainuddin	SookWan Lee	• Release for Refresher • Revise from QE Back to 27- Basics Quality Behaviors to 14 Basics Quality Behaviors
D	21/11/2025	Lieya Nurlrdina	Karene Yeap	• Release for Refresher

JABIL

**MADE POSSIBLE.
MADE BETTER.**



Thank You

JABIL