

## index.html

```
<!DOCTYPE html>
<html lang="en">
<head>

  <title>Web Development Blog</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.2.3/css/bootstrap.min.css"
integrity="sha384-
MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8ERdknLPMO"
crossorigin="anonymous">
</head>

<body>
  <div class="page-header">
    <h1>Introduction to Bootstrap</h1>
    
  </div>
  <div class="container-fluid">
    <p> Get started with <mark>Bootstrap</mark>, the world's most popular
framework for building responsive, mobile-first sites, with Bootstrap <abbr
title="Content Delivery Network">CDN</abbr> and a template starter page. </p>

    <p>According to the official website, Bootstrap is the most popular HTML,
CSS, and JS framework for developing responsive, mobile first projects on the
web. Sounds great! Now how do I use it? It would be easy to send you over to
their Getting Started page and call it a day. Their setup guide is indeed a host
of useful information – links to CDNs, explanations on how to install with Bower,
npm, and Composer, information on integration with Autoprefixer and LESS, a bunch
of templates, licenses, and translations – but you could read this blog here
instead for a better and easier understanding.</p>
    <span class="glyphicon glyphicon-pencil"></span>

    <p class="text-center">The list below shows the different version of
Bootstrap so far. <span class="glyphicon glyphicon-list-alt"></span></p>

    <ul class="list-group">
      <li class="list-group-item">v1.x</li>
      <li class="list-group-item">v2.x</li>
      <li class="list-group-item">v3.x</li>
```

```
<li class="list-group-item">v4.x</li>
</ul>
```

```
<p class="text-center bg-info"> The main features of bootstrap is, it is
very simple and easy to use, huge JavaScript plugins are available, easily design
mobile friendly website.</p>
```

```
</div>
```

```
<div class="container-fluid">
  <h2></h2>
  <table class="table table-bordered table-striped">
    <thead>
      <tr >
        <th>Features of Bootstrap</th>
      </tr>
    </thead>
    <tbody>
      <tr>
        <td>Easy to Use</td>
      </tr>
      <tr>
        <td>Mobile Friendly</td>
      </tr>
      <tr>
        <td>Prestyled Components</td>
      </tr>
    </tbody>
  </table>
</div>
```

```
<div class="container-fluid"
  <p class="text-left">Lets take a look at the components of bootstrap:</p>
  <h1>CSS<span class="badge badge-secondary">Quoted</span></h1>
  <p class="text-justify">Copy-paste the stylesheet link into your head
before all other stylesheets to load our CSS.</p>
  <h2>JS <span class="badge badge-secondary">Quoted</span></h2>
  <p class="text-justify">Many of our components require the use of
JavaScript to function. Specifically, they require jQuery, Popper.js, and our own
JavaScript plugins. Place the following scripts near the end of your pages, right
before the closing bodytag, to enable them. jQuery must come first, then
Popper.js, and then our JavaScript plugins.We use jQuery's slim build, but the
full version is also supported.</p>
</div>
<div class="card">
```

```

        <div class="card-header">Author</div>
        <div class="card-body">The article was contributed by katesmith12</div>
        <a href="https://www.sitesbay.com/bootstrap/bootstrap-features-of-
bootstrap" class="card-footer btn btn-outline-primary stretched-link">View
References</a>
    </div>
    <!-- Footer -->
    <footer class="page-footer font-small indigo">

        <!-- Copyright -->
        <div class="footer-copyright text-center py-3">This is the footer section
where you can put the address and copyright details. © 2018 Copyright:
        <a href="https://simplilearn.net/"> Simplilearn</a>
        </div>
        <!-- Copyright -->

    </footer>
    <!-- Footer -->

<script src="https://code.jquery.com/jquery-3.3.2.slim.min.js" integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.2.3/js/bootstrap.min.js"
integrity="sha384-
ChfqquxuZUCnJSK3+MXmPNIyE6ZbWh2IMqE241rYiqJxyMiZ6OW/JmZQ5stwEULTy"
crossorigin="anonymous"></script>
</body>
</html>

```