

File Edit Selection View Go Run ...

frontend

frontend

EXPLORER

FRONTEND

sprint4

job_simulation

task1

task2

ex1.html

ex2.html

rask2_output.pdf

task3

sprint5

task1

JS ex1.js

task2

Welcome

JS ex1.js sprint5\...

ex2.html

JS ex1.js C:\...\js\...

JS ex10.js

sprint5 > task1 > JS ex1.js > traditional_square

```
1 var arr=[1,2,3,4,5];
2
3 function traditional_square(inputarr){
4     var arr2=[];
5     for(i=0;i<inputarr.length;i++){
6         a=inputarr[i]*inputarr[i];
7         arr2.push(a);
8     }
9     console.log(arr2)
10 }
11
12 arrow_square =(input_arrow_arr)=>{
13     var arrow_arr2=[];
14     for(i=0;i<input_arrow_arr.length;i++){
15         arrow_arr2.push(input_arrow_arr[i]*input_arrow_arr[i])
16     }
17     console.log(arrow_arr2)
18 }
19
20 traditional_square(arr);
21 arrow_square(arr);
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS


```
PS C:\Users\vijayj\Desktop\frontend\sprint5\task1> node ex1.js
[ 1, 4, 9, 16, 25 ]
[ 1, 4, 9, 16, 25 ]
PS C:\Users\vijayj\Desktop\frontend\sprint5\task1>
```

OUTLINE

powershell...

powershell...

powershell...



FileEditSelectionViewGoRun...<=>frontend

EXPLORER

FRONTEND

sprint4

job_simulation

task1

task2

ex1.html

ex2.html

rask2_output.pdf

task3

sprint5

task1

ex1.jpg

JS ex1.js

ex2.jpg

JS ex2.js

ex3.jpg

JS ex3.js

ex4.jpg

JS ex4.js

task2

OUTLINE

TIMELINE


WelcomeJS ex1.js sprint5\...JS ex2.jsJS ex3.jsJS ex4.jsJS ex1.js C:\...js\...JS ex10.js

sprint5 > task1 > JS ex3.js > ...
1const students = [
2 { name: 'Alice', score: 85 },
3 { name: 'Bob', score: 92 },
4 { name: 'Charlie', score: 78 }
5];
6function findd(students){
7 const targetName = 'Bob';
8 const result = students.find(studentttt => studentttt.name === targetName);
9 if (result) {
10 console.log(result.score);
11 } else {
12 console.log("Student not found");
13 }
14}
15findd(students);
16

PROBLEMSOUTPUTDEBUG CONSOLETERMINALPORTS

PS C:\Users\vijayj\Desktop\frontend\sprint5\task1> node ex3.js
92
PS C:\Users\vijayj\Desktop\frontend\sprint5\task1>

powershell
powershell...
powershell...
powershell



File Edit Selection View Go Run ...

frontend

frontend

EXPLORER

FRONTEND

sprint4

job_simulation

task1

task2

ex1.html

ex2.html

rask2_output.pdf

task3

sprint5

task1

ex1.jpg

JS ex1.js

ex2.jpg

JS ex2.js

ex3.jpg

JS ex3.js

ex4.jpg

JS ex4.js

ex5.jpg

JS ex5.js

ex6.jpg

JS ex6.js

JS test.js

OUTLINE

TIMELINE

JS ex3.js

JS ex5.js

JS ex6.js

ex5.jpg

JS test.js

JS ex4.js

JS ex1.js C:\...\js\...

JS ex10.js

sprint5 > task1 > JS ex5.js > fruitss

1

2 const fruitss=['apple','banana','cherry','date','elderberry','fig','grape'];

3 const result=fruitss.filter(fruit=>fruit.length>5);

4 console.log(result);

5

6

7

8

9

10

11

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

PS C:\Users\vijayj\Desktop\frontend\sprint5\task1> node ex5.js

['banana', 'cherry', 'elderberry']

PS C:\Users\vijayj\Desktop\frontend\sprint5\task1>

powershell

powershell

powershell...

Ln 2, Col 24

Spaces: 4

UTF-8

CRLF

{ } JavaScript

Go Live

Quokka

VS

File Edit Selection View Go Run ...

← →

frontend

🔍

🔍 📄 📄 📄 📄 - 📄 ✕

EXPLORER

FRONTEND

sprint4

job_simulation

task1

task2

ex1.html

ex2.html

rask2_output.pdf

task3

sprint5

task1

ex1.jpg

JS ex1.js

ex2.jpg

JS ex2.js

ex3.jpg

JS ex3.js

ex4.jpg

JS ex4.js

ex5.jpg

JS ex5.js

JS ex6.js

JS test.js

task2

OUTLINE

TIMELINE

JS ex3.js

JS ex5.js

JS ex6.js ✕

ex5.jpg

JS test.js

JS ex4.js

JS ex1.js C:\...\js\...

JS ex10.js

sprint5 > task1 > JS ex6.js > ...

1

2 let array=[1,2,3,4,5];

3 let productt=array.reduce((acc,curr) =>{

4 return acc*curr;

5 },1)

6 console.log(productt)

7

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

PS C:\Users\vijayj\Desktop\frontend\sprint5\task1> node ex6.js

120

PS C:\Users\vijayj\Desktop\frontend\sprint5\task1>

📄 powershell

📄 powershell

📄 powershell...

Ln 1, Col 1

Spaces: 4

UTF-8

CRLF

{ } JavaScript

🔍

Go Live

Quokka

🔔

VS

File Edit Selection View Go Run ...

frontend

JS ex10.js sprint5\... JS ex7.js ex8.jpg JS ex8.js ex6.jpg JS ex9.js ex5.jpg JS test.js JS ...

EXPLORER

FRONTEND

sprint5

task1

ex1.jpg JS ex1.js ex2.jpg JS ex2.js ex3.jpg JS ex3.js ex4.jpg JS ex4.js ex5.jpg JS ex5.js ex6.jpg JS ex6.js JS ex7.js ex8.jpg JS ex8.js ex9.jpg JS ex9.js ex10.jpg JS ex10.js JS test.js

task2

OUTLINE

TIMELINE

sprint5 > task1 > JS ex7.js > findfirstandlastindex


1 function findfirstandlastindex(arr,target){
2 const first=arr.indexOf(target);
3 const last=arr.lastIndexOf(target);
4 return{firstindex:first,lastindex:last};
5 }
6 const numbers=[1,2,3,2,4,2,5];
7 const result=findfirstandlastindex(numbers,2);
8 console.log(result);
9

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

PS C:\Users\vijayj\Desktop\frontend\sprint5\task1> node ex7.js
{ firstindex: 1, lastindex: 5 }
PS C:\Users\vijayj\Desktop\frontend\sprint5\task1>

powershell powershell powershell...

Ln 1 Col 36 Spaces: 4 UTF-8 CRLF {} JavaScript @ Go Live @ Quokka



FileEditSelectionViewGoRun<=>frontend

EXPLORER

FRONTEND

sprint4

> task3

sprint5

task1

ex1.jpg

JS ex1.js

ex2.jpg

JS ex2.js

ex3.jpg

JS ex3.js

ex4.jpg

JS ex4.js

ex5.jpg

JS ex5.js

ex6.jpg

JS ex6.js

ex8.jpg

JS ex8.js

ex9.jpg

JS ex9.js

ex10.jpg

JS ex10.js

test.js

OUTLINE

TIMELINE

JS ex10.js sprint5\...

ex8.jpg

JS ex8.js

ex6.jpg

JS ex9.js

ex5.jpg

JS test.js

JS ex4.js

JS ...

sprint5 > task1 > JS ex9.js > checkword

```
1 sentence='the quick brown fox jumps over the lazy dog';
2 function checkword(sentence){
3   let check=sentence.includes('fox');
4   console.log(check)
5 }
6 checkword(sentence)
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

PS C:\Users\vijayj\Desktop\frontend\sprint5\task1> node ex9.js

true

PS C:\Users\vijayj\Desktop\frontend\sprint5\task1>

powerShell

powerShell

powerShell..

Ln 2, Col 28 Spaces 4 UTF-8 CP1252 JavaScript @ Go Live @ Quokka

File Edit Selection View Go Run ...

frontend

88 v

00 [] [] [] - [] X

EXPLORER ...

FRONTEND

sprint4

task3

sprint5

task1

ex1.jpg

JS ex1.js

ex2.jpg

JS ex2.js

ex3.jpg

JS ex3.js

ex4.jpg

JS ex4.js

ex5.jpg

JS ex5.js

ex6.jpg

JS ex6.js

ex8.jpg

JS ex8.js

ex9.jpg

JS ex9.js

JS ex10.js

JS test.js

task2

OUTLINE

TIMELINE

JS ex10.js sprint5\... X

JS ex8.js

ex6.jpg

JS ex9.js

ex5.jpg

JS test.js

JS ex4.js

JS ex1.js C:\...\js\...

sprint5 > task1 > JS ex10.js > printindexes

1 function printindexes(items)

2 {

3 const keys = items.keys();

4 for (let index of keys) {

5 console.log(index);

6 }

7 }

8 printindexes(['apple','banana','cherry']);

9

PRO Focus folder in explorer (ctrl + click) TERMINAL PORTS

PS C:\Users\vijayj\Desktop\frontend\sprint5\task1> node ex10.js

0

1

2

PS C:\Users\vijayj\Desktop\frontend\sprint5\task1>

powerShell

powerShell

powerShell...

Ln 2, Col 1 Spaces: 4 UTF-8 CRLF {} JavaScript 88 Go Live Quokka

6:52 PM 4/22/2025