Week 2 – Day 2 Assignment

S01 : DOM to Selenium code




GET Get data
GenAI-March
POST S02-Gener
POST S03-Gener
POST S08-Tran
POST S01 - DO
POST S01-Gener
No environment
COLLECTIONS
GenAI-March
POST S01-Generate Selenium Code
POST S02-GenerateTestcasesfromUserStories
POST S03-GenerateAPITestcasesFromSwaggerCode
POST S04-Test Token Limit
POST S05 - Test Temparature Creativity
POST S06-Test -Controlled Creativity-Temperature
POST S07- TextFromImage-base64
POST S08-Transcriptions
POST S09 - Few shots
POST S10-Text to Audio
POST S11 - Moderation
POST S12- Weak Prompt Injection Defense Testing
POST S13 - Strong Prompt Injection Defense Testing-Not Revealing data/System Pro...
GET S14- Available Models
POST S15 - Stop
POST S16 -Top_p
GenAI-March-Home Work
POST S01 - DOM to Selenium Code-HW
POST S02 - TextFromImage-Url-HW
POST S03-WebSearch-HW
POST S05- MultiLingual-HW
My Collection
ENVIRONMENTS
SPECS
FLOWS
GenAI-March-Home Work > S01 - DOM to Selenium Code-HW
Save
Share
POST
https://api.groq.com/openai/v1/chat/completions
Send
Docs
Params
Authorization
Headers 10
Body
Scripts
Tests
Settings
none
form-data
x-www-form-urlencoded
raw
binary
GraphQL
JSON
Schema
Beautify
me the selenium java code. Instructions: Do not use ID if the value has number in it. "
},
{
"role": "system",
"content": "As an AI Assistant give me a selenium java code "
},
{
"role": "assistant",
"content": "Provide only java code and no explanations needed"
}
],
"model": "meta-llama/llama-4-scout-17b-16e-instruct",
"temperature": 0.1
}
Body
Cookies 1
Headers 20
Test Results
200 OK
576 ms
1.41 KB
Save Response
JSON
Preview
Visualize
"role": "assistant",
"content": ":\n\n```java\nimport org.openqa.selenium.By;\nimport org.openqa.selenium.WebDriver;\nimport org.openqa.selenium.WebElement;\nimport org.openqa.selenium.chrome.ChromeDriver;\nimport org.openqa.selenium.support.ui.ExpectedConditions;\nimport org.openqa.selenium.support.ui.WebDriverWait;\n\npublic class Main {\n public static void main(String[] args) throws InterruptedException {\n System.setProperty(\"webdriver.chrome.driver\", \"/path/to/chromedriver\");\n WebDriver driver = new ChromeDriver();\n driver.get(\"your_website_url\");\n\n WebDriverWait wait = new WebDriverWait(driver, 10);\n\n WebElement usernameField = driver.findElement(By.name(\"USERNAME\"));\n usernameField.sendKeys(\"your_username\");\n\n WebElement passwordField = driver.findElement(By.name(\"PASSWORD\"));\n passwordField.sendKeys(\"your_password\");\n\n WebElement loginButton = driver.findElement(By.className(\"decorativeSubmit\"));\n loginButton.click();\n\n driver.quit();\n }\n}\n```"
},
"logprobs": null,
"finish_reason": "stop"
Connect Git
Console
Terminal
Import Complete
Globals
Vault
Tools


Vijaya's Workspace
Search
Invite
Upgrade
GET Get data
GenAI-March
POST S02-Gener
POST S03-Gener
POST S08-Tran
POST S01 - DO
POST S01-Gener
No environment
COLLECTIONS
GenAI-March
POST S01-Generate Selenium Code
POST S02-GenerateTestcasesfromUserStories
POST S03-GenerateAPITestcasesFromSwaggerCode
POST S04-Test Token Limit
POST S05 - Test Temparature Creativity
POST S06-Test -Controlled Creativity-Temperature
POST S07- TextFromImage-base64
POST S08-Transcriptions
POST S09 - Few shots
POST S10-Text to Audio
POST S11 - Moderation
POST S12- Weak Prompt Injection Defense Testing
POST S13 - Strong Prompt Injection Defense Testing-Not Revealing data/System Pro...
GET S14- Available Models
POST S15 - Stop
POST S16 -Top_p
GenAI-March-Home Work
POST S01 - DOM to Selenium Code-HW
POST S02 - TextFromImage-Url-HW
POST S03-WebSearch-HW
POST S05- MultiLingual-HW
My Collection
ENVIRONMENTS
SPECS
FLOWS
GenAI-March-Home Work > S01 - DOM to Selenium Code-HW
Save
Share
POST
https://api.groq.com/openai/v1/chat/completions
Send
Docs
Params
Authorization
Headers 10
Body
Scripts
Tests
Settings
none
form-data
x-www-form-urlencoded
raw
binary
GraphQL
JSON
Schema
Beautify
me the selenium java code. Instructions: Do not use ID if the value has number in it. "
},
{
"role": "system",
"content": "As an AI Assistant give me a selenium java code "
},
{
"role": "assistant",
"content": "Provide only java code and no explanations needed"
}
],
"model": "meta-llama/llama-4-scout-17b-16e-instruct",
"temperature": 0.1
}
Body
Cookies 1
Headers 20
Test Results
200 OK
576 ms
1.41 KB
Save Response
JSON
Preview
Visualize
"queue_time": 0.043353337,
"prompt_tokens": 197,
"prompt_time": 0.005689193,
"completion_tokens": 195,
"completion_time": 0.447125943,
"total_tokens": 392,
"total_time": 0.452815136
},
"usage_breakdown": null,
"system_fingerprint": "fp_37da608fc1",
"x_groq": {
"id": "req_01knmk45cefj49e6d92v470260",
"seed": 1124730441
},
"service_tier": "on_demand"
}

Request

{

"messages": [

{

"role": "user",

"content": "Extract the below given DOM : \n\n<form id=\"login\" method=\"post\" action=\"/opentaps/control/login\">\n <p class=\"top\">\n <label for=\"username\">Username</label>\n <input class=\"inputLogin\" type=\"text\" id=\"username\" name=\"USERNAME\" size=\"50\">\n \n \n <label for=\"password\">Password</label>\n <input class=\"inputLogin\" type=\"password\" id=\"password\" name=\"PASSWORD\" size=\"50\">\n \n\n \n <input class=\"decorativeSubmit\" type=\"submit\" value=\"Login\">\n \n </form> and provide me the selenium java code. Instructions: Do not use ID if the value has number in it. "

},

{

"role": "system",

"content": "As an AI Assistant give me a selenium java code "

},

{

"role": "assistant",

"content": "Provide only java code and no explanations needed"

}

],

"model": "meta-llama/llama-4-scout-17b-16e-instruct",

"temperature": 0.1

}

Response

{

"id": "chatcmpl-2ecc0fc4-8a5f-4402-9db3-8ebdcd60d926",

"object": "chat.completion",

"created": 1775586383,

"model": "meta-llama/llama-4-scout-17b-16e-instruct",

"choices": [

{

"index": 0,

"message": {

"role": "assistant",

"content": ":\n\n```java\nimport org.openqa.selenium.By;\nimport org.openqa.selenium.WebDriver;\nimport org.openqa.selenium.WebElement;\nimport org.openqa.selenium.chrome.ChromeDriver;\nimport org.openqa.selenium.support.ui.ExpectedConditions;\nimport org.openqa.selenium.support.ui.WebDriverWait;\n\npublic class Main {\n public static void main(String[] args) throws InterruptedException {\n System.setProperty(\"webdriver.chrome.driver\", \"/path/to/chromedriver\");\n WebDriver driver = new ChromeDriver();\n driver.get(\"your_website_url\");\n\n WebDriverWait wait = new WebDriverWait(driver, 10);\n\n WebElement usernameField = driver.findElement(By.name(\"USERNAME\"));\n usernameField.sendKeys(\"your_username\");\n\n WebElement passwordField = driver.findElement(By.name(\"PASSWORD\"));\n passwordField.sendKeys(\"your_password\");\n\n WebElement loginButton = driver.findElement(By.className(\"decorativeSubmit\"));\n loginButton.click();\n\n driver.quit();\n }\n}\n```"

},

"logprobs": null,

"finish_reason": "stop"

}

```
    ],
    "usage": {
        "queue_time": 0.043353337,
        "prompt_tokens": 197,
        "prompt_time": 0.005689193,
        "completion_tokens": 195,
        "completion_time": 0.447125943,
        "total_tokens": 392,
        "total_time": 0.452815136
    },
    "usage_breakdown": null,
    "system_fingerprint": "fp_37da608fc1",
    "x_groq": {
        "id": "req_01knmk45cefj49e6d92v470260",
        "seed": 1124730441
    },
    "service_tier": "on_demand"
}
```


<u>Response Code after beautifying:</u>

```
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import org.openqa.selenium.support.ui.WebDriverWait;

import java.time.Duration;
```

```
public class LoginTest {

    private static final String URL = "your_website_url";
    private static final String USERNAME = "your_username";
    private static final String PASSWORD = "your_password";

    private static final By USERNAME_INPUT = By.name("USERNAME");
    private static final By PASSWORD_INPUT = By.name("PASSWORD");
    private static final By LOGIN_BUTTON = By.className("decorativeSubmit");

    public static void main(String[] args) {

        System.setProperty("webdriver.chrome.driver", "/path/to/chromedriver");

        WebDriver driver = new ChromeDriver();
        WebDriverWait wait = new WebDriverWait(driver, Duration.ofSeconds(10));

        try {
            // Navigate to application
            driver.get(URL);

            // Enter credentials
            enterText(driver, USERNAME_INPUT, USERNAME);
            enterText(driver, PASSWORD_INPUT, PASSWORD);
```

```
            // Click login
            clickElement(driver, LOGIN_BUTTON);

        } finally {
            // Ensure browser closes even if test fails
            driver.quit();
        }
    }

    private static void enterText(WebDriver driver, By locator, String value) {
        WebElement element = driver.findElement(locator);
        element.clear();
        element.sendKeys(value);
    }

    private static void clickElement(WebDriver driver, By locator) {
        WebElement element = driver.findElement(locator);
        element.click();
    }
}
```

S02 – Image to Text

Gave image url : https://leaftaps.com/opentaps_images/opentaps_logo.png

Response gave the text from the image : TestLeaf \ Always Ahead



Request

{

"model": "meta-llama/llama-4-scout-17b-16e-instruct",

"messages": [

{

"role": "user",

"content": [
{
"type": "text",
"text": "This is a image. Extract and return only the text exactly as shown, preserving case."
},
{
"type": "image_url",
"image_url": {
"url": "https://leaftaps.com/opentaps_images/opentaps_logo.png"
}
}
]
}
]
}

Response

{
"id": "chatcmpl-698b96a4-5aba-4bc4-b2d7-4b344f8da8bc",
"object": "chat.completion",
"created": 1775587392,
"model": "meta-llama/llama-4-scout-17b-16e-instruct",
"choices": [
{
"index": 0,

```
        "message": {
          "role": "assistant",
          "content": "Testleaf\nAlways Ahead"
        },
        "logprobs": null,
        "finish_reason": "stop"
      }
    ],
    "usage": {
      "queue_time": 0.056030145,
      "prompt_tokens": 177,
      "prompt_time": 0.004834135,
      "completion_tokens": 6,
      "completion_time": 0.013921896,
      "total_tokens": 183,
      "total_time": 0.018756031
    },
    "usage_breakdown": null,
    "system_fingerprint": "fp_79da0e0073",
    "x_groq": {
      "id": "req_01knmm2yrsetnvkvz5v3jq44rj",
      "seed": 230372657
    },
    "service_tier": "on_demand"
}
```

S03 – Web search

I face problems with this. I tried varied models also. The temperature is not coming in Response.

My understanding : since the cutoff dates of models are before Jan 11 2026 , they think this is to be predicted for future date . I tried giving INSTRUCTION to do web search, but response says they cannot do that. So I am unable to produce result for this. I have attached few trials that I did.



Request :

{

"model": "openai/gpt-oss-120b",

"temperature": 0.1,

"messages": [

{

"role": "system",

"content": "Today is after jan 12 2026. Do web search to get the response"

},
{
"role": "user",
"content": "INSTRUCTION : DO NOT GET FROM PREDICTION. GET FROM WEB SEARCH. \n\nget weather in chennai for january 12 2026 -- give ONLY the temperatue for the date asked. "
}
]
}

Response:

{
"id": "chatcmpl-cf2525f7-fa44-4af5-a067-533ae0d7652d",
"object": "chat.completion",
"created": 1775624438,
"model": "openai/gpt-oss-120b",
"choices": [
{
"index": 0,
"message": {
"role": "assistant",
"content": "I’m sorry, but I don’t have the ability to perform live web searches or retrieve real-time data, so I can’t provide the actual temperature for Chennai on January 12 2026. If you need that specific historical weather information, you might try a weather-history service such as the India Meteorological Department’s archives, Weather.com, or a site like [timeanddate.com](https://www.timeanddate.com/weather/).",

"reasoning": "The user wants weather in Chennai for Jan 12 2026, only temperature. They request web search. As ChatGPT, I cannot browse the internet. According to policy, I must be transparent: I cannot perform live web searches. I can say I don't have real-time browsing capability. I can provide that I cannot retrieve that data. I must not fabricate. So I should respond that I cannot fetch real-time data."

},

"logprobs": null,

"finish_reason": "stop"

}

],

"usage": {

"queue_time": 0.154997458,

"prompt_tokens": 133,

"prompt_time": 0.005079902,

"completion_tokens": 189,

"completion_time": 0.397069584,

"total_tokens": 322,

"total_time": 0.402149486,

"completion_tokens_details": {

"reasoning_tokens": 87

}

},

"usage_breakdown": null,

"system_fingerprint": "fp_84efe82cfb",

"x_groq": {

"id": "req_01knnqdgn9enrbbx2dff7byd2a",

"seed": 523609656

```
  },
  "service_tier": "on_demand"
}
```

Using groq/compound-mini



Using assistant for output gives me this issue:

Vijaya's Workspace

COLLECTIONS

- GenAI-March
  - POST S01-Generate Selenium Code
  - POST S02-GenerateTestcasesfromUserStories
  - POST S03-GenerateAPITestcasesFromSwaggerCode
  - POST S04-Test Token Limit
  - POST S05 - Test Temparature Creativity
  - POST S06-Test -Controlled Creativity-Temperature
  - POST S07- TextFromImage-base64
  - POST S08-Transcriptions
  - POST S09 - Few shots
  - POST S10-Text to Audio
  - POST S11 - Moderation
  - POST S12- Weak Prompt Injection Defense Testing
  - POST S13 - Strong Prompt Injection Defense Testing-Not Revealing data/System Pro...
  - GET S14- Available Models
  - POST S15 - Stop
  - POST S16 -Top_p
- GenAI-March-Home Work
  - POST S01 - DOM to Selenium Code-HW
  - POST S02 - TextFromImage-Url-HW
  - POST S03-WebSearch-HW
  - POST S05- MultiLingual-HW
- My Collection

ENVIRONMENTS

SPECS

FLOWS

GenAI-March-Home Work > S03-WebSearch-HW

POST https://api.groq.com/openai/v1/chat/completions

Send

Add to favorites

Authorization Headers 10 Body Scripts Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Schema Beautify

```
{
    "role": "system",
    "content": "Today is after jan 12 2026. Do web search to get the response"
  },
  {
    "role": "user",
    "content": "INSTRUCTION :  GET FROM WEB SEARCH. \n\nget weather in chennai for january 12 2026 -- give ONLY
      the temperatue for the date asked. "
  },
  {
    "role": "assistant",
    "content": "give ONLY the temperatue for the date asked. "
  }
]
}
```

Body Cookies 1 Headers 20 Test Results

400 Bad Request · 36 ms · 763 B · Save Response

JSON Preview Debug with AI

```
{
  "error": {
    "message": "last message role must be 'user'",
    "type": "invalid_request_error",
    "code": "400"
  }
}
```

S04 – Multilingual



Request

{

"model": "llama-3.3-70b-versatile",

"messages": [

{"role": "system", "content": "You are an API Specialist. Always respond in the same language as the user."},

{"role": "user", "content": "மிகவும் நன்றி! இந்த API-ஐ எப்படி பயன்படுத்துவது என்று சொல்லுங்கள்."}

]

}

Response

{

"id": "chatcmpl-5bd69c55-64bc-443c-b18f-841041195a37",

"object": "chat.completion",

"created": 1775624735,

"model": "llama-3.3-70b-versatile",

"choices": [

{

"index": 0,

"message": {

"role": "assistant",

"content": "வணக்கம்! நன்றி உங்களுக்கு அப்பிஐ பற்றிய விளக்கம் தேவை என்று தெரிந்தது. அப்பிஐ (அப்ளிகேஷன் புரோகிராமிங் இண்டர்ஃபேஸ்) என்பது இரண்டு சாதனங்களுக்கு இடையே தரவு பரிமாற்றத்தை எளிதாக்கும் ஒரு தொழில்நுட்பம்.\n\nஅப்பிஐயைப் பயன்படுத்த பின்வரும் படிகளைப் பின்பற்றவும்:\n\n1. **அப்பிஐ ஆவணங்களைப் படிக்கவும்**: முதலில், நீங்கள் பயன்படுத்த விரும்பும் அப்பிஐயின் ஆவணங்களைப் படிக்கவும். அப்பிஐ என்ன செய்யும், எந்த முறைகள் உள்ளன, மற்றும் எப்படி அதைப் பயன்படுத்துவது என்பதைப் பற்றி அறிந்து கொள்ளுங்கள்.\n\n2. **அப்பிஐ கீ பெறுக**: பெரும்பாலான அப்பிஐகளுக்கு ஒரு அப்பிஐ கீ தேவைப்படுகிறது. இந்த கீ உங்கள் அப்பிஐ அழைப்புகளுக்கு அடையாளம் காண்பார்.\n\n3. **அப்பிஐ முறையைத் தேர்ந்தெடுக்க**: அப்பிஐகள் பெரும்பாலும் எச்டிடிபி (HTTP) முறைகளைப் பயன்படுத்துகின்றன. உங்கள் தேவைக்கேற்ப சரியான முறையைத் தேர்ந்தெடுங்கள். உதாரணமாக, GET, POST, PUT, DELETE போன்றவை.\n\n4. **அப்பிஐ அழைப்பை உருவாக்க**: அப்பிஐ ஆவணங்களில் குறிப்பிடப்பட்டுள்ள அனுப்புதல் முகவரியைப் பயன்படுத்தி அப்பிஐ அழைப்பை உருவாக்குங்கள். இது உங்கள் தேவைக்கேற்ப தரவுகளை அனுப்பவும் பெறவும் உதவும்.\n\n5. **அப்பிஐ பதிலைப் பகுப்பாய்வு செய்ய**: அப்பிஐ அழைப்பிற்கு பதிலாக ஒரு பதில் வரும். இந்த பதிலை உங்கள் நிரலில் பகுப்பாய்வு செய்யவும்.\n\nசில பொதுவான அப்பிஐ வகைகள்:\n\n- **REST (ரிப்ரசண்டேஷனல் ஸ்டேட் டிரான்ஸ்ஃபர்)**: இது ஒரு மிகவும் பொதுவான அப்பிஐ வகை ஆகும். இது எச்டிடிபி முறைகளைப் பயன்படுத்துகிறது.\n\n- **GraphQL**: இது ஒரு குறிப்பிட்ட வகை அப்பிஐ ஆகும், இது பயனர்கள் தங்களுக்குத் தேவையான தரவுகளை கேட்க அனுமதிக்கிறது.\n\nஇந்த படிகளைப் பின்பற்றுவதன் மூலம், நீங்கள் அப்பிஐயை வெற்றிகரமாக பயன்படுத்தலாம். எந்த வகையான

அப்பிஐயை நீங்கள் பயன்படுத்த விரும்புகிறீர்கள் என்பதை அறிய உதவ நான் இங்கே."


```
        },
        "logprobs": null,
        "finish_reason": "stop"
      }
  ],
  "usage": {
      "queue_time": 1.223471218,
      "prompt_tokens": 133,
      "prompt_time": 0.014452242,
      "completion_tokens": 2033,
      "completion_time": 5.231285487,
      "total_tokens": 2166,
      "total_time": 5.245737729
  },
  "usage_breakdown": null,
  "system_fingerprint": "fp_45180df409",
  "x_groq": {
      "id": "req_01knnqpcwxf8yacbzgyntcvt1r",
      "seed": 269317306
  },
  "service_tier": "on_demand"
}
```