

Project Report: Script-Controlled ACL

Script-Controlled ACL | ServiceNow Micro Project

1. Abstract

This project implements a script-controlled Access Control List in ServiceNow that restricts record access based on a field value. Priority 1 incidents are limited to the assigned user, incident managers, and admins.

2. Introduction

ServiceNow ACLs normally grant access by role. Advanced ACLs add a server-side script so the decision can also depend on the record's data and the user's relationship to it.

3. Problem statement

Role-only access exposes sensitive critical incidents to every fulfiller. A field-aware rule is needed.

4. Objectives

- Restrict Priority 1 incident access using an ACL script.
- Keep normal incidents accessible as before.
- Verify behavior with impersonated test users.

5. Methodology

- Requirement analysis and design of the decision matrix.
- Creation of the incident_manager role and test users.
- ACL configuration with an Advanced script.
- Testing with eight test cases.

6. Implementation

A read ACL on Incident [incident] evaluates current.priority. For priority 1 it allows admin, incident_manager, or the assigned user. Otherwise it allows itil users, the assignee, or the caller. See ACL Script.pdf for the code.

7. Testing

Eight test cases cover managers, assignees, unrelated users, callers, admins, and a live priority change. Results are recorded in Testing Report.pdf.

8. Conclusion

Script-controlled ACLs give precise, record-level protection with a small amount of code and no impact on other records.

9. Future scope

- Add field-level ACLs to mask work notes.
- Extend the rule to other tables such as Problem or Change.
- Drive the rule from a system property instead of a hard-coded priority.