

Top Private University in Bang...My Semester Courses | REVA...Activity_4_LeetCode_Portfolio...Search - LeetCodeBinary Search - LeetCodeAsk Gemini

leetcode.com/problems/binary-search/

All Bookmarks

Problem List<>Submit

DescriptionAcceptedEditorialSolutionsSubmissions


All Submissions

Accepted 47 / 47 testcases passed
Gummalla_vijayalakshmi submitted at Sep 21, 2026 18:22

AnalysisSolution

₹583.25/mo
Save over 58%
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime
0 ms | Beats 100.00%
Memory
10.02 MB | Beats 44.24%



Code | C

```
1 int search(int* nums, int numsSize, int target) {
2     int left = 0;
3     int right = numsSize - 1;
```

Code
C Auto

```
1 int search(int* nums, int numsSize, int target) {
2     int left = 0;
3     int right = numsSize - 1;
4
5     while (left <= right) {
6         int mid = left + (right - left) / 2;
7         if (nums[mid] == target) {
8             return mid;
9         } else if (nums[mid] < target) {
10            left = mid + 1;
11        } else {
12            right = mid - 1;
13        }
14    }
15 }
```

Testcase Test Result

Case 1 Case 2

Input

nums =
[-1,0,3,5,9,12]

target =
9

Output

4

Top Private University in Bang...My Semester Courses | REVA...Activity_4_LeetCode_Portfolio...Search - LeetCode...Move Zeroes - LeetCode...Ask Gemini

leetcode.com/problems/move-zeroes/submissions/2148665186/

All Bookmarks

Problem List<>Submit

DescriptionAccepted xEditorialSolutionsSubmissions

All Submissions

Accepted75 / 75 testcases passed

Gummalla_vijayalakshmi submitted at Sep 21, 2026 18:51

AnalysisSolution

School's in. Leet's on.

Get LeetCode Annual Premium for \$99!

Runtime

0 msBeats 100.00%

Memory

20.40 MBBeats 9.29%

0.08% of solutions used 80 ms of runtime

Code | C

1 void moveZeroes(int* nums, int numsSize) {
2 int lastNonZeroFoundAt = 0;
3

Code

C vAuto

1 void moveZeroes(int* nums, int numsSize) {
2 int lastNonZeroFoundAt = 0;
3
4 // Traverse the array and move non-zero elements forward
5 for (int i = 0; i < numsSize; i++) {
6 if (nums[i] != 0) {
7 // Swap non-zero element with the element at lastNonZeroFoundAt index
8 int temp = nums[lastNonZeroFoundAt];
9 nums[lastNonZeroFoundAt] = nums[i];
10 nums[i] = temp;
11
12 lastNonZeroFoundAt++;
13 }
14 }

SavedLn 15, Col 2

Testcase>_Test Result

AcceptedRuntime: 0 ms

Case 1Case 2

Input

nums =
[0, 1, 0, 3, 12]

Output

[1, 3, 12, 0, 0]

Expected