Introduction:

Project Title: Auto Ticket Classification using Flow Designer

Team ID: SWTID-2026-4377

Team Lead and e-mail ID: P.Vijaya (vijayapanchamoorthi@gmail.com)

Team Members and e-mail ID: M.Priya (panjumuniyandi6@gmail.com)

A.Haripriya (aravamuthanharipriya@gmail.com)

P.Sowmiya (psakthipandiyan2002@gmail.com)

Description:

This lab demonstrates how to implement a **Auto Ticket Classification using Flow Designer** to restrict users from viewing records unless they specific conditions. In the scenario, only users belonging to the **EEE branch** are allowed to view records where the **Branch field is set to EEE,** while administrators retain full access.

Milestone-1 Creation of Users and Roles

User Creation:

1. Login to the ServiceNow instance with **admin access.**

2. Create a test user:

- Navigate to **User Administration – Users**
- **User ID:** EEE User
- **First name:** EEE
- **Last name:** User
- **Email:** eeeuser@gmail.com
- Save the record

Auto Ticket Classification using Flow Designer

Problem Statement

The school IT helpdesk receives multiple incident requests daily from students and teachers, such as Wi-Fi issues, projector failures, password problems, and slow computers.
Currently, IT staff manually reviews each request and assigns a category, which is time-consuming and inefficient.

This project automates ticket classification using ServiceNow Flow Designer by analyzing keywords in the incident's short description and description fields.

Objective

- Automatically classify incidents at the time of creation.
- Reduce manual effort for IT agents.
- Improve ticket routing efficiency.
- Implement a no-code, easily maintainable solution.

PHASE 1: Requirement Analysis & Planning

The school IT helpdesk receives multiple support requests daily from students and teachers related to common issues such as network connectivity, hardware failures, account access problems, and system performance issues.

Currently, IT staff manually review each ticket to:

- Identify the issue type.
- Select the correct category and subcategory.
- Inform the caller about ticket creation.

This manual process is time-consuming, error-prone, and not scalable as the number of requests increases.

Activity : 1 Business Use Case.

Business Requirements

The system must:


1. Automatically classify IT tickets based on the issue description.
2. Assign both Category and Subcategory without manual intervention.
3. Support dependent choice logic between Category and Subcategory.
4. Send an automated email notification to the caller upon ticket creation.
5. Store ticket information in a structured and standardized format.
6. Ensure easy maintenance and future scalability.


Activity : 2 Creation of New Update Set.

Navigation Steps :

- Go to All menus → Search for Update set.
- Under System Update Sets → Select Local Update Sets.
- Click the New button on the top right corner of the page.
- Name : **Project Update Set.**
- State : **In progress.**
- Application : **Global.**
- Then **Save** the **Form**.
- Under Related links Click on the **Make This My Current Set**.
- Then the Created Update Set will appear as Current.

Activity : 3 Navigation steps in Picture View.







Phase :- 2 Backend Development & Configuration


Activity 1 : Creation of Custom Table to Store Ticket Records.


Steps to Create Custom Table

- Open All menus → Search for Tables.
- Under **System Definition** → Click **Tables**.
- On the top right corner Click **New** button.
- Label : **Incident WorkFlow.**
- Uncheck the **Create module**.
- Now **Save** the Form.
- Then Click the **Controls** Suction and Enable the Check box **true Auto Number.**
- Now again **save** the Form.





Tables
Updated
Search
Actions on selected rows...
New
All > Update name is not empty
Label
Name
Extends table
Extensible
Updated
Search
Logged in User v_user_session (empty) false 2007-07-13 16:15:23
System Plugin v_plugin (empty) false 2007-10-09 12:10:05
Active Transactions v_transaction (empty) false 2008-05-23 17:30:17
Node Log v_logfiles (empty) false 2009-05-14 17:05:41
Customer Uploads v_customer_uploads (empty) false 2009-05-14 18:38:13
MySQL Process List v_mysql_proclist (empty) false 2012-02-25 19:47:02
MySQL Status v_mysql_status (empty) false 2012-02-25 19:47:08
MySQL Variables v_mysql_variables (empty) false 2012-02-25 19:47:12
IOStats v_iostats (empty) false 2012-02-27 17:13:51
Cluster Nodes v_cluster_nodes (empty) false 2012-02-27 23:48:26
SQL Debug v_sql_debug (empty) false 2012-02-28 16:40:55
Workflow Validation Report v_wf_validation_report (empty) false 2012-10-01 10:43:05
Hyper-V Resource Pool Component cmdb_ci_hyper_v_rpool_comp Hyper-V Object false 2012-10-30 08:07:25
Application Menu sys_app_application Application File false 2012-10-30 13:59:18
Menu Category sys_app_category Application File false 2012-10-30 13:59:44
Scriptable Object v_scriptable_object (empty) false 2012-11-09 15:15:23
1 to 20 of 5,827





- Then Save the Form and Under Related Links Click **Show Form**.
- Now Open the Configure On clicking the Context Menu and then Open the **Form Designer**.
- Then Create Fields as Required.





Activity 2: Field Creation and Data Type Configuration

The objective of this milestone is to create all required fields in the School IT Ticket table with correct data types, choices, and dependencies, ensuring structured and consistent data capture.

Field Label	Type	Reference/Choice
Number	Auto Number	—
Caller	Reference	sys_user
Category	Choice	[Network,Hardware,Access, Performance]
Subcategory	Choice	[Wi-Fi,Projector,Forgot Password,Slow Compter]
Short Description	String	–
Description	String	–
State	Choice	[New,In progress,On hold,Resolved,Closed]
Assigned Group	Reference	sys_user_group
Assigned to	Reference	sys_user

- After Creating Fields with their appropriate Type, then add the Choice from the Form design.
- To all the Choice list Fields.
- They are Category,Subcategory and State.






- Same like that, add Choice to the State field.
- Then Click the save button on the top right corner.
- Open the Form and reload it.


Activity 3 : Implementing Dependency Between Category and Subcategory Choice Fields

The objective of this milestone is to implement a **dependency relationship** between the **Category** and **Subcategory** fields so that the available Subcategory options dynamically change based on the selected Category.


Navigation Steps :

- Open the Created Table Form and Right click on the **Subcategory** Field.
- Click on the **Configure Dictionary.**
- Under **Related links** Click on the **Advanced view**,
- Then select the Dependent **Field** Section.
- Enable the checkbox **Use dependent field true.**
- Then select the Field **Category** on the **Dependent on field.**
- Then **save** the Form.








- Now scroll down to the choice section.
- Then add the dependent fields for which option dependent on the category gives the category choice backend name to the subcategory choice values.
- Wi-Fi → Network.
- Projector → Hardware.
- Forgot password → Access.
- Slow computer → Performance.




- Then save the Form.
- Then it will display each choice to each one separately based on the category subcategory displays.




Incident WorkFlow
New record
Submit
Number
INC00509
Caller
Category
Hardware
Subcategory
-- None --
Short description
-- None --
Projector
Description
State
-- None --
Assigned group
Assigned to
Submit


Incident WorkFlow
New record
Submit
Number
INC00509
Caller
Category
Access
Subcategory
-- None --
Short description
-- None --
Forgot Password
Description
State
-- None --
Assigned group
Assigned to
Submit


Incident WorkFlow
New record
Submit
Number
INC00509
Caller
Category
Performance
Subcategory
-- None --
Short description
-- None --
Slow Computer
Description
State
-- None --
Assigned group
Assigned to
Submit

Milestone 3 : Automation using Flow Designer & Email Notification.

When a student creates a new IT support ticket, they only need to enter the Caller Name and Short Description of the issue. The student does not need to manually select the Category or Subcategory. Once the ticket is submitted, a Flow Designer automation is triggered and evaluates the Short Description for predefined keywords such as WiFi, Projector, Password, or Slow. Based on the identified keyword, the flow automatically assigns the appropriate Category and Subcategory to the ticket.

- If the short description contains the word *WiFi*, the flow assigns **Category = Network** and **Subcategory = WiFi**.
- If the description contains *Projector*, the flow assigns **Category = Hardware** and **Subcategory = Projector**.
- If the description includes *Password* or *Login*, the flow assigns **Category = Access** and **Subcategory = Forgot Password**.
- If the description mentions *Slow* or *Hanging*, the flow assigns **Category = Performance** and **Subcategory = Slow Computer**.


This automation ensures consistent classification, eliminates human error, and significantly reduces the manual effort required by IT staff.


The entire process is implemented using **Flow Designer**, making the solution easy to maintain, scalable, and completely no-code.


Activity : 1 Auto Classification using Flow design.

- Go to **All menus** → Search **Flow designer.**
- Under **Process Automation** Open the **Flow designer.**
- On the top right corner Click **New** and Select **Flow** Option.
- Name : **Auto Classify School IT Tickets.**
- Application : **Global**.

- Now Click the **Build Flow** button**.**








Activity : 2 Trigger Configuration.


- Trigger : **Record Created.**
- Table : **Incident Workflow.**
- Condition : **Category is Empty.**
- Then Click **Done.**




- Now Under **Actions** Select **Flow Logic** Option.

Activity : 3 Wi-Fi Issue Classification.

- Select **If** condition.
- Condition label : SD is **Wifi or Network** (Give as ur wish).
- Condition 1 : Using data pill picker Select **Short description** as Field , and operator **Contains** , Value is **Wi-Fi**.
- Condition 2 : Using data pill picker Select **Short description** as Field, and Operator is **Contains**, Value is **Network.**
- Then Click **Done** Button.




- Now Click **Action** to **Update record.**
- Action Inputs.
- In Record Field drag and drop data from the right side.
- Table : Auto updates as Incident Workflow.
- Fields Set **Category = Network**.
- Set **Subcategory = Wi-Fi.**
- Then Click the **Done** button.




Activity : 4 Projector Issue Classification.

- Now Select the **Else If** Condition.
- Condition label : SD is **Projector or Hardware**.
- Condition : **Short description Contains Prajector**.
- Then Click the **Done** button.
- Now Action is an **Update record.**
- Set **Category = Hardware**.




- Set **Subcategory = Projector.**




- Then Click the **Done** button.

Activity : 5 Password Issue Classification.


- Now again select **Else If** condition.
- Condition label : SD is **Forgot password.**
- Condition : **Short description contains Forgot password.**
- Then Click the **Done** button.
- Now Action is an **Update Record.**
- Set **Category = Access**.
- Set **Subcategory = Forgot Password.**
- Then Click the **Done** button.






Activity : 6 Slow Computer Classification.


- Now Again Click the **Else If** Condition.
- Condition label : SD is **Performance.**
- Condition : **Short description contains Slow Computer.**
- Then Click the **Done** button.
- Now Action is an **Update Record.**
- Set **Category = Performance**.
- Set **Subcategory = Slow computer.**
- Then Click the **Done** button.






Activity : 7 Email Action Setup.

- After classification, an email notification is sent using Flow Designer.
- Set Action **Send Email.**
- To : **Caller → Email**.
- Subject : **Your Request for the issue has been submitted.**
- Body : **Ticket confirmation message.**
- Then Click the **Done** button.





- Now Click the **Activate** button from the top right corner.

PHASE 6 : Testing, Validation & Security.

- The objective of Phase 4 is to ensure that the developed solution works as expected, meets all functional requirements, and follows basic security and access control best practices.
- This phase validates the end-to-end automation, confirms data accuracy, and ensures that only authorized users can access or modify ticket data.

Data Validation Checks


- Mandatory fields captured correctly.
- Auto-number generated without duplication.
- Category and Subcategory values stored accurately.
- Reference fields resolve correctly to user and group tables.

Activity : 1 Testing & Validation.

Test Scenario 1


- Enter one Caller Name.
- Short Description: WiFi not working in library
- Then Save the Form.
- And Reload the Form.


- Then it fills auto as :
- Category → **Network.**
- Subcategory → **WiFi.**
- Email sent to caller Email Id.




Activity : 2 Check Email Notification.

- Open All menus → Search Emails.
- Under System logs → Select Emails.
- Search with the Given Subject Name.
- Open that Record and Under Related Links Click Preview mail Option.








Activity : 3 Test Scenario 2

- Enter one Caller Name.
- Short Description: Projector not turning on.
- Then Save the Form.
- And Reload the Form.
- Then it fills auto as :
- Category → **Hardware.**
- Subcategory → **Projector.**
- Then Email sent to caller Mail id.





PHASE 5: Deployment & Final Documentation.


- The objective of Phase 4 is to deploy the developed solution to the target environment and finalize all project documentation.
- This phase ensures that the solution is stable, reusable, and ready for demonstration or production use, along with complete and clear documentation for future reference.


Activity : 1 Make Update set to Complete State.

- Go to All menus → Search For **Local Update Sets.**
- Under **System Update sets** Select → **Local Update sets.**
- Open the **Project Update set**.
- Make the State From **In progress** to **Complete**.
- Then **Save** the Form.
- Under Related links Click **Export to XML** Option.
- Then the Xml Format the Update set data will be **downloaded** to your system.
- We can share through WhatsApp or Mail that downloaded file.
- Then the Created Update set will transform to others in this way.


servicenow
All
Favorites
History
Workspaces
Admin
ServiceNow
Application scope: Global
Update set: Default [Global]
update
FAVORITES
No Results
ALL RESULTS
System Data Management
Update Jobs
System Update Sets
Update Sources
Retrieved Update Sets
Update log
Local Update Sets
GO FURTHER
Power your workflow applications


Update Set
Project Update Set
Update
Name
Project Update Set
State
In progress
Parent
Release date
Install date
Installed from
Description
In progress
Complete
Ignore
Update Set can be retrieved from this instance
Application
Global
Created
2026-02-06 20:55:31
Created by
admin
Merged to
Update
Related Links
Merge With Another Update Set
Scan Update Set
[SN Utils] Versions (0)


Update Set
Project Update Set
Update
Back Out
Name
Project Update Set
State
Complete
Parent
Release date
Install date
Installed from
Description
Application
Global
Created
2026-02-06 20:55:31
Created by
admin
Merged to
Update
Back Out
Related Links
Export to XML
Merge With Another Update Set
Scan Update Set
[SN Utils] Versions (0)


d8%26sysparm_view%3D%26sysparm_domain%3Dnull...
tGPT
Candidate Home
Recent download history
sys_remote_update_set_a7b4
0de6fc590ceaad36c.xml
182 KB • Done
Full download history
Application
Update set:
ication
Global
reated
2026-02-06 20:55:31
ted by
admin

Conclusion

- The **Auto Ticket Classification using Flow Designer** project successfully delivers a complete, end-to-end automation solution for a school IT helpdesk. The primary objective of reducing manual effort in ticket categorization and improving response efficiency has been fully achieved.
- Through structured requirement analysis, careful backend configuration, and no-code automation using Flow Designer, the system now automatically classifies IT tickets based on the short description provided by students. The implementation of dependent choice fields ensures data accuracy, while automated email notifications improve communication by instantly acknowledging ticket creation to the caller.
- The solution was developed using a phased approach, ensuring clarity, stability, and ease of maintenance. Comprehensive testing and security validation confirmed that the system functions reliably, maintains data integrity, and enforces appropriate access controls.
- Overall, this project demonstrates how ServiceNow can be effectively used to build scalable, maintainable, and user-friendly automation solutions without relying on complex scripting or machine learning. The design is well-suited for small to medium environments such as educational institutions and can be easily extended in the future to include advanced features like assignment automation, SLA tracking, or predictive intelligence.