



Vijayaragavan S 251801381-2025-AIDS ▾

V2

|              |                                  |
|--------------|----------------------------------|
| Started on   | Monday, 24 August 2026, 10:55 PM |
| State        | Finished                         |
| Completed on | Monday, 24 August 2026, 10:56 PM |
| Time taken   | 1 min                            |
| Marks        | 1.00/1.00                        |
| Grade        | 10.00 out of 10.00 (100%)        |

**Question 1** | Correct | Mark 1.00 out of 1.00

Write a program to take value V and we want to make change for V Rs, and we have infinite supply of each of the denominations in Indian currency, i.e., we have infinite supply of { 1, 2, 5, 10, 20, 50, 100, 500, 1000} valued coins/notes, what is the minimum number of coins and/or notes needed to make the change.

Input Format:

Take an integer from stdin.

Output Format:

print the integer which is change of the number.

Example Input :

64

Output:

4

Explanaton:

We need a 50 Rs note and a 10 Rs note and two 2 rupee coins.

**Answer:** (penalty regime: 0 %)

```

1  #include <stdio.h>
2
3  int main() {
4      int v, count = 0;
5      int a[] = {1000, 500, 100, 50, 20, 10, 5, 2, 1};
6
7      scanf("%d", &v);
8
9      for (int i = 0; i < 9; i++) {
10         count += v / a[i];
11         v %= a[i];
12     }
13
14     printf("%d", count);
15     return 0;
16 }
```

|   | Input | Expected | Got |   |
|---|-------|----------|-----|---|
| ✓ | 49    | 5        | 5   | ✓ |

Passed all tests! ✓

**Correct**

Marks for this submission: 1.00/1.00.

[Back to Course](#)

