



Started on	Thursday, 17 September 2026, 8:30 AM
State	Finished
Completed on	Thursday, 17 September 2026, 8:35 AM
Time taken	5 mins 17 secs
Marks	1.00/1.00
Grade	10.00 out of 10.00 (100%)

Question 1 | Correct | Mark 1.00 out of 1.00

Given two strings find the length of the common longest subsequence(need not be contiguous) between the two.

Example:

s1: ggtabe

s2: tgatasb

s1		a		g		g		t		a		b
s2		g		x		t		x		a		y
										b		

The length is 4

Solveing it using Dynamic Programming

For example:

Input	Result
aab	2
azb	

Answer: (penalty regime: 0 %)

```

1  #include <stdio.h>
2  #include <string.h>
3  int max(int a, int b) {
4      return (a > b) ? a : b;
5  }
6  int main() {
7      char s1[1001], s2[1001];
8      if (scanf("%s %s", s1, s2) != 2) return 0;
9      int m = strlen(s1);
10     int n = strlen(s2);
11     int dp[1002][1002] = {0};
12     for (int i = 1; i <= m; i++) {
13         for (int j = 1; j <= n; j++) {
14             if (s1[i-1] == s2[j-1]) {
15                 dp[i][j] = 1 + dp[i-1][j-1];
16             } else {
17                 dp[i][j] = max(dp[i-1][j], dp[i][j-1]);
18             }
19         }
20     }
21     printf("%d\n", dp[m][n]);
22     return 0;
23 }
```

	Input	Expected	Got	
✓	aab azb	2	2	✓
✓	ABCD ABCD	4	4	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)