| | |
|---|---|
| **Status** | Finished |
| **Started** | Thursday, 29 October 2026, 7:48 PM |
| **Completed** | Thursday, 29 October 2026, 7:54 PM |
| **Duration** | 6 mins 13 secs |
| **Grade** | **10.00** out of 10.00 (**100**%) |

Question **1**

Correct

Mark 1.00 out of 1.00

Develop a Python program to read a text file and count the total number of words in the file.

**Description:**

1. **Input:**
   - A text file containing several lines of text.
   - File name you should get as input.
2. **Output:**
   - The total number of words in the file.

**For example:**

| Input | Result |
|---|---|
| input2.txt | Total words: 14 |
| input3.txt | Total words: 15 |

**Answer:** (penalty regime: 0 %)

```
filename = input()
with open(filename, 'r') as file:
    text = file.read()
    words = text.split()
    print("Total words:", len(words))

```

| | Input | Expected | Got | |
|---|---|---|---|---|
| ✓ | input1.txt | Total words: 6 | Total words: 6 | ✓ |
| ✓ | input2.txt | Total words: 14 | Total words: 14 | ✓ |
| ✓ | input3.txt | Total words: 15 | Total words: 15 | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **2**

Correct

Mark 1.00 out of 1.00

Develop a Python program to read a specific line from a text file based on a given line number.

**Description:**

1. **Input:**
   - A text file with multiple lines.
   - A line number to read.
2. **Output:**
   - The content of the specified line.

input1.txt:

Line one.
Line two.
Line three.
Line four.

**For example:**

| Input | Result |
|---|---|
| input1.txt<br>3 | Line three. |

**Answer:** (penalty regime: 0 %)

```
filename = input()
n = int(input())

with open(filename, 'r') as file:
    lines = file.readlines()

if 1 <= n <= len(lines):
    print(lines[n - 1].strip())

```

| | Input | Expected | Got | |
|---|---|---|---|---|
| ✓ | input1.txt<br>3 | Line three. | Line three. | ✓ |
| ✓ | input2.txt<br>3 | Line C. | Line C. | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **3**

Correct

Mark 1.00 out of 1.00

Write a Python program to append a new line at a specific position in a text file, shifting existing lines down.

**Description:**

1. **Input:**
   - A text file with multiple lines.
   - A line number to insert the new line at.
   - New content for the new line.
2. **Output:**
   - The updated file with the new line inserted at the specified position, shifting the existing lines down in file "output.txt".

**Example:**

- **Input File Content:**

  **"Line one.**
  **Line two.**
  **Line three.**
  **Line four."**
  **3**

  **Inserted line..**

**Output:**

Line one.
Line two.
Inserted line.
Line three.
Line four.

**For example:**

| Test | Input | Result |
|---|---|---|
| `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `input1.txt`<br>`3`<br>`Inserted line.` | `Line one.`<br>`Line two.`<br>`Inserted line.`<br>`Line three.`<br>`Line four.` |

**Answer:** (penalty regime: 0 %)

```
filename = input()
n = int(input())
new_line = input()

with open(filename, 'r') as file:
    lines = file.read().splitlines()

lines.insert(n - 1, new_line)

with open('output.txt', 'w') as file:
    file.write('\n'.join(lines))
```

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✓ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt<br>3<br>Inserted line. | Line one.<br>Line two.<br>Inserted line.<br>Line three.<br>Line four. | Line one.<br>Line two.<br>Inserted line.<br>Line three.<br>Line four. | ✓ |
| ✓ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input2.txt<br>4<br>Inserted line D. | Line A.<br>Line B.<br>Line C.<br>Inserted line D. | Line A.<br>Line B.<br>Line C.<br>Inserted line D. | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **4**

Correct

Mark 1.00 out of 1.00

Write a Python program to reverse the contents of a specific line in a text file based on a given line number.

**Description:**

1. **Input:**
   - A text file with multiple lines.
   - A line number to reverse.
2. **Output:**
   - The updated file with the specified line's contents reversed in file "output.txt".

**Example:**

- **Input File Content:**

  **"Line one.**
  **Line two.**
  **Line three.**
  **Line four."**
  **3**

**Output:**

Line one.
Line two.
eerht eniL.
Line four.

**For example:**

| Test | Input | Result |
|---|---|---|
| `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt<br>3 | Line one.<br>Line two.<br>eerht eniL.<br>Line four. |

**Answer:** (penalty regime: 0 %)

```
filename = input()
n = int(input())

with open(filename, 'r') as file:
    lines = file.read().splitlines()

if 1 <= n <= len(lines):
    line = lines[n - 1]
    if line.endswith('.'):
        lines[n - 1] = line[:-1][::-1] + '.'
    else:
        lines[n - 1] = line[::-1]

with open('output.txt', 'w') as file:
    file.write('\n'.join(lines))

```

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✓ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt<br>3 | Line one.<br>Line two.<br>eerht eniL.<br>Line four. | Line one.<br>Line two.<br>eerht eniL.<br>Line four. | ✓ |
| ✓ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input2.txt<br>2 | Line A.<br>B eniL.<br>Line C. | Line A.<br>B eniL.<br>Line C. | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **5**

Correct

Mark 1.00 out of 1.00

Write a Python program to count the frequency of each word in a given text file.

**Description:**

1. **Input:**
   - String as input.
2. **Output:**
   - A list of words with their corresponding frequency count to be write in a file "output.txt"

**Example:**

- **Input File Content:**

  apple orange apple banana apple orange

**Output:**

apple: 3
orange: 2
banana: 1

**For example:**

| Test | Input | Result |
|---|---|---|
| `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `apple orange apple banana apple orange` | `apple: 3`<br>`banana: 1`<br>`orange: 2` |

**Answer:** (penalty regime: 0 %)

```
from collections import Counter
import re

text = input().lower()
words = re.findall(r'\b\w+\b', text)
freq = Counter(words)

with open("output.txt", "w") as file:
    for word in sorted(freq):
        file.write(f"{word}: {freq[word]}\n")
```

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✓ | `with open('output.txt', 'r')`<br>`as file:`<br>`  text = file.read()`<br>`  print(text)` | `apple orange apple banana apple orange` | `apple: 3`<br>`banana: 1`<br>`orange: 2` | `apple: 3`<br>`banana: 1`<br>`orange: 2` | ✓ |

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✓ | `with open('output.txt', 'r')`<br>`as file:`<br>`  text = file.read()`<br>`  print(text)` | `Hello world! Hello everyone. Welcome to the world of programming.` | `everyone: 1`<br>`hello: 2`<br>`of: 1`<br>`programming: 1`<br>`the: 1`<br>`to: 1`<br>`welcome: 1`<br>`world: 2` | `everyone: 1`<br>`hello: 2`<br>`of: 1`<br>`programming: 1`<br>`the: 1`<br>`to: 1`<br>`welcome: 1`<br>`world: 2` | ✓ |
| ✓ | `with open('output.txt', 'r')`<br>`as file:`<br>`  text = file.read()`<br>`  print(text)` | `One fish two fish Red fish blue fish` | `blue: 1`<br>`fish: 4`<br>`one: 1`<br>`red: 1`<br>`two: 1` | `blue: 1`<br>`fish: 4`<br>`one: 1`<br>`red: 1`<br>`two: 1` | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **6**

Correct

Mark 1.00 out of 1.00

Develop a Python program to copy the contents of one file to another file.

**Description:**

1. **Input:**
   - Source file and destination file names.
2. **Output:**
   - The content of the source file copied to the destination file.

**For example:**

| Test | Input | Result |
|---|---|---|
| `with open('output1.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `input1.txt`<br>`output1.txt` | `This is the source file.`<br>`It contains multiple lines of text.`<br>`Here is another line.` |

**Answer:** (penalty regime: 0 %)

```
source = input()
destination = input()

with open(source, 'r') as src:
    content = src.read()

with open(destination, 'w') as dest:
    dest.write(content)
```

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✓ | `with open('output1.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `input1.txt`<br>`output1.txt` | `This is the source file.`<br>`It contains multiple lines of text.`<br>`Here is another line.` | `This is the source file.`<br>`It contains multiple lines of text.`<br>`Here is another line.` | ✓ |
| ✓ | `with open('output2.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `input2.txt`<br>`output2.txt` | `Hello, world!`<br>`Python programming is amazing.`<br>`Let's copy this text to another file.` | `Hello, world!`<br>`Python programming is amazing.`<br>`Let's copy this text to another file.` | ✓ |
| ✓ | `with open('output3.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `input3.txt`<br>`output3.txt` | `Single line.` | `Single line.` | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **7**

Correct

Mark 1.00 out of 1.00

Create a Python program to find the longest word in a text file.

- **Input:**
  - A text file containing multiple lines of text.
- **Output:**
  - The longest word in the file.

**For example:**

| Input | Result |
|---|---|
| input1.txt | Longest word: containing |

**Answer:** (penalty regime: 0 %)

```
filename = input()

with open(filename, 'r') as file:
    text = file.read()

words = text.split()
longest = max(words, key=len)

print("Longest word:", longest)
```

| | Input | Expected | Got | |
|---|---|---|---|---|
| ✓ | input1.txt | Longest word: containing | Longest word: containing | ✓ |
| ✓ | input2.txt | Longest word: thousand | Longest word: thousand | ✓ |
| ✓ | input3.txt | Longest word: supercalifragilisticexpialidocious | Longest word: supercalifragilisticexpialidocious | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **8**

Correct

Mark 1.00 out of 1.00

Create a Python program to write to a specific line in a text file, replacing the existing content of that line.

**Description:**

1. **Input:**
   - A text file with multiple lines.
   - A line number to write to.
   - New content for the specified line.
2. **Output:**
   - The updated file with the specified line replaced by the new content in file "output.txt".

**Example:**

- **Input File Content:**

  **"Line one.**
  **Line two.**
  **Line three.**
  **Line four."**
  **2**

  **Updated line two.**

**Output:**

Line one.
Updated line two.
Line three.
Line four.

**For example:**

| Test | Input | Result |
|---|---|---|
| `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `input1.txt`<br>`2`<br>`Updated line two.` | `Line one.`<br>`Updated line two.`<br>`Line three.`<br>`Line four.` |

**Answer:** (penalty regime: 0 %)

```
filename = input()
n = int(input())
new_content = input()

with open(filename, 'r') as file:
    lines = file.read().splitlines()

if 1 <= n <= len(lines):
    lines[n - 1] = new_content

with open('output.txt', 'w') as file:
    file.write('\n'.join(lines))

```

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✓ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `input1.txt`<br>`2`<br>`Updated line two.` | `Line one.`<br>`Updated line two.`<br>`Line three.`<br>`Line four.` | `Line one.`<br>`Updated line two.`<br>`Line three.`<br>`Line four.` | ✓ |
| ✓ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `input2.txt`<br>`2`<br>`Line B Updated.` | `Line A.`<br>`Line B Updated.`<br>`Line C.` | `Line A.`<br>`Line B Updated.`<br>`Line C.` | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **9**

Correct

Mark 1.00 out of 1.00

Create a Python program to delete a specific line from a text file based on a given line number.

**Description:**

1. **Input:**
   - A text file with multiple lines.
   - A line number to delete.
2. **Output:**
   - The updated file with the specified line removed in file "output.txt".

**Example:**

- **Input File Content:**

  **"Line one.**
  **Line two.**
  **Line three.**
  **Line four."**
  **2**

  **Updated line two.**

**Output:**

Line one.
Line three.
Line four.

**For example:**

| Test | Input | Result |
|---|---|---|
| `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt<br>2 | Line one.<br>Line three.<br>Line four. |

**Answer:** (penalty regime: 0 %)

```
filename = input()
n = int(input())

with open(filename, 'r') as file:
    lines = file.read().splitlines()

if 1 <= n <= len(lines):
    del lines[n - 1]

with open('output.txt', 'w') as file:
    file.write('\n'.join(lines))
    if lines:
        file.write('\n')

```

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✓ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt<br>2 | Line one.<br>Line three.<br>Line four. | Line one.<br>Line three.<br>Line four. | ✓ |

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✓ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input2.txt<br>3 | Line A.<br>Line B. | Line A.<br>Line B. | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **10**

Correct

Mark 1.00 out of 1.00

Develop a Python program to identify and print all palindrome words from a given text file.

**Description:**

1. **Input:**
   - A text file containing multiple words.
2. **Output:**
   - A list of palindrome words found in the file name as 'output.txt'.

**For example:**

| Test | Input | Result |
|---|---|---|
| `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt | madam<br>arora<br>malayalam |

**Answer:** (penalty regime: 0 %)

```
filename = input()

with open(filename, 'r') as file:
    words = file.read().split()

palindromes = [word for word in words if word.lower() == word.lower()[::-1]]

with open('output.txt', 'w') as file:
    file.write('\n'.join(palindromes))
    if palindromes:
        file.write('\n')
```

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✓ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt | madam<br>arora<br>malayalam | madam<br>arora<br>malayalam | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.