# StatisticsPassedSkippedFailedPercent36033.33%

# Passed

Test	Case	Time(ms)
CartTestcases	adding Gaming Product To Cart With Buy Product	119326
CartTestcases	addingGamingProductToCart	137889
CartTestcases	addingGamingProductToCartWithRentProduct	132110

# Failed

Test	Case	Time(ms)	Exception
CartTestcases	applyRentBuyPromoForBelowPromoValueProduct	163818	Click for Details
CartTestcases	deleteProductAfterApplyingPro	227543	Click for Details
CartTestcases	removePromo	260151	Click for Details
CartTestcases	applyRentBuyPromoForGreate	224311	Click for Details
CartTestcases	increaseQuantityForBuyProduct	179173	Click for Details
CartTestcases	increaseQuantityHavingOnlyOı	241628	Click for Details

#### **Exception Summary**

#### CartTestcases(increaseQuantityHavingOnlyOneQuantityForRentalProduct)

```
org.openga.selenium.NoSuchElementException: Unable to locate a node using //div[contains(@class, entry number-plus')]
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version:
'2.53.1', revision: 'a36b8b1cd5757287168e54b817830adce9b0158d', time: '2016-06-30 19:26:09' System info: host: 'Cyril-
Hiflame14', ip: '192.168.1.4', os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '1.7.0 71' Driver info:
driver.version: HtmlUnitDriver at org.openga.selenium.htmlunit.HtmlUnitDriver.findElementByXPath(HtmlUnitDriver.java:1155)
at org.openga.selenium.By$ByXPath.findElement(By.java:361) at org.openga.selenium.htmlunit.HtmlUnitDriver
$5.call(HtmlUnitDriver.java:1707) at org.openga.selenium.htmlunit.HtmlUnitDriver$5.call(HtmlUnitDriver.java:1703)
at org.openga.selenium.htmlunit.HtmlUnitDriver.implicitlyWaitFor(HtmlUnitDriver.java:1357)
at org.openqa.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:1703)
at org.openga.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:595)
at com.luxepick.testing.pageObjects.CartPage.increaseQuantity(CartPage.java:231) at
com.luxepick.testing.tests.CartTestcases.increaseQuantityHavingOnlyOneQuantityForRentalProduct(CartTestcases.java:152) at
sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at
sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57) at
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at
java.lang.reflect.Method.invoke(Method.java:606) at
org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at
org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at
org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at
org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at
org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at
org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at
org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at
org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at
org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
```

at org.testng.TestNG.runSuitesSequentially(TestNG.java:1240) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:281) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:121) at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderlnSameClassLoader(ForkedBooter.java:290) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:242) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:121)

#### CartTestcases(removePromo)

org.openqa.selenium.NoSuchElementException: Unable to locate a node using //input[@id='promoCode'] For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html Build info: version: '2.53.1', revision: 'a36b8b1cd5757287168e54b817830adce9b0158d', time: '2016-06-30 19:26:09' System info: host: 'Cyril-Hiflame14', ip: '192.168.1.4', os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '1.7.0\_71' Driver info: driver.version: HtmlUnitDriver at org.openga.selenium.htmlunit.HtmlUnitDriver.findElementByXPath(HtmlUnitDriver.java:1155) at org.openga.selenium.By\$ByXPath.findElement(By.java:361) at org.openga.selenium.htmlunit.HtmlUnitDriver \$5.call(HtmlUnitDriver.java:1707) at org.openga.selenium.htmlunit.HtmlUnitDriver\$5.call(HtmlUnitDriver.java:1703) at org.openga.selenium.htmlunit.HtmlUnitDriver.implicitlyWaitFor(HtmlUnitDriver.java:1357) at org.openqa.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:1703) at org.openqa.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:595) at com.luxepick.testing.pageObjects.CartPage.applyPromoValue(CartPage.java:260) at com.luxepick.testing.tests.CartTestcases.removePromo(CartTestcases.java:460) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:606) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at

org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:36) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1240) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:281) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:121) at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:290) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:242) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:121)

#### CartTestcases(increaseQuantityHavingOnlyOneQuantityForRentalProduct)

org.openqa.selenium.NoSuchElementException: Unable to locate a node using //div[contains(@class,'entry number-plus')]
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html Build info: version:
'2.53.1', revision: 'a36b8b1cd5757287168e54b817830adce9b0158d', time: '2016-06-30 19:26:09' System info: host: 'Cyril-Hiflame14', ip: '192.168.1.4', os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '1.7.0\_71' Driver info: driver.version: HtmlUnitDriver at org.openqa.selenium.htmlunit.HtmlUnitDriver.findElementByXPath(HtmlUnitDriver.java:1155) at org.openqa.selenium.By\$ByXPath.findElement(By.java:361) at org.openqa.selenium.htmlunit.HtmlUnitDriver.java:1703) at org.openqa.selenium.htmlunit.HtmlUnitDriver.implicitlyWaitFor(HtmlUnitDriver.java:1357) at org.openqa.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:1703) at org.openqa.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:595) at com.luxepick.testing.pageObjects.CartPage.increaseQuantity(CartPage.java:231) at com.luxepick.testing.tests.CartTestcases.increaseQuantityHavingOnlyOneQuantityForRentalProduct(CartTestcases.java:152) at

sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:606) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1240) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:281) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:121) at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:290) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:242) at

#### CartTestcases(applyRentBuyPromoForBelowPromoValueProduct)

org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:121)

org.openqa.selenium.NoSuchElementException: Unable to locate a node using //input[@id='promoCode'] For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html Build info: version: '2.53.1', revision: 'a36b8b1cd5757287168e54b817830adce9b0158d', time: '2016-06-30 19:26:09' System info: host: 'Cyril-Hiflame14', ip: '192.168.1.4', os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '1.7.0\_71' Driver info: driver.version: HtmlUnitDriver at org.openqa.selenium.htmlunit.HtmlUnitDriver.findElementByXPath(HtmlUnitDriver.java:1155)

```
at org.openqa.selenium.By$ByXPath.findElement(By.java:361) at org.openqa.selenium.htmlunit.HtmlUnitDriver
$5.call(HtmlUnitDriver.java:1707) at org.openga.selenium.htmlunit.HtmlUnitDriver$5.call(HtmlUnitDriver.java:1703)
at org.openga.selenium.htmlunit.HtmlUnitDriver.implicitlyWaitFor(HtmlUnitDriver.java:1357)
at org.openga.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:1703)
at org.openqa.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:595)
at com.luxepick.testing.pageObjects.CartPage.applyPromoValue(CartPage.java:260) at
com.luxepick.testing.tests.CartTestcases.applyRentBuyPromoForBelowPromoValueProduct(CartTestcases.java:72) at
sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at
sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57) at
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at
java.lang.reflect.Method.invoke(Method.java:606) at
org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at
org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at
org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at
org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at
org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at
org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at
org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at
org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at
org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1240) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at
org.testng.TestNG.run(TestNG.java:1064) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:281)
at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75)
at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:121) at
org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:290)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:242) at
org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:121)
```

### CartTestcases(increaseQuantityForBuyProduct)

org.openga.selenium.NoSuchElementException: Unable to locate a node using //div[contains(@class,'entry number-plus')] For documentation on this error, please visit: http://seleniumhq.org/exceptions/no such element.html Build info: version: '2.53.1', revision: 'a36b8b1cd5757287168e54b817830adce9b0158d', time: '2016-06-30 19:26:09' System info: host: 'Cyril-Hiflame14', ip: '192.168.1.4', os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '1.7.0 71' Driver info: driver.version: HtmlUnitDriver at org.openga.selenium.htmlunit.HtmlUnitDriver.findElementByXPath(HtmlUnitDriver.java:1155) at org.openga.selenium.By\$ByXPath.findElement(By.java:361) at org.openga.selenium.htmlunit.HtmlUnitDriver \$5.call(HtmlUnitDriver.java:1707) at org.openqa.selenium.htmlunit.HtmlUnitDriver\$5.call(HtmlUnitDriver.java:1703) at org.openga.selenium.htmlunit.HtmlUnitDriver.implicitlyWaitFor(HtmlUnitDriver.java:1357) at org.openga.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:1703) at org.openga.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:595) at com.luxepick.testing.pageObjects.CartPage.increaseQuantity(CartPage.java:231) at com.luxepick.testing.tests.CartTestcases.increaseQuantityForBuyProduct(CartTestcases.java:192) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:606) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.iava:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSeguentially(TestNG.java:1244) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1240) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:281)

at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:121) at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:290) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:242) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:121)

### CartTestcases(applyRentBuyPromoForGreaterThanPromoValueProduct)

org.openga.selenium.NoSuchElementException: Unable to locate a node using //input[@id='promoCode'] For documentation on this error, please visit: http://seleniumhq.org/exceptions/no such element.html Build info: version: '2.53.1', revision: 'a36b8b1cd5757287168e54b817830adce9b0158d', time: '2016-06-30 19:26:09' System info: host: 'Cyril-Hiflame14', ip: '192.168.1.4', os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '1.7.0\_71' Driver info: driver.version: HtmlUnitDriver at org.openga.selenium.htmlunit.HtmlUnitDriver.findElementByXPath(HtmlUnitDriver.java:1155) at org.openga.selenium.By\$ByXPath.findElement(By.java:361) at org.openga.selenium.htmlunit.HtmlUnitDriver \$5.call(HtmlUnitDriver.java:1707) at org.openga.selenium.htmlunit.HtmlUnitDriver\$5.call(HtmlUnitDriver.java:1703) at org.openga.selenium.htmlunit.HtmlUnitDriver.implicitlyWaitFor(HtmlUnitDriver.java:1357) at org.openga.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:1703) at org.openga.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:595) at com.luxepick.testing.pageObjects.CartPage.applyPromoValue(CartPage.java:260) at com.luxepick.testing.tests.CartTestcases.applyRentBuyPromoForGreaterThanPromoValueProduct(CartTestcases.java:113) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:606) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at

org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1240) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:281) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:121) at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:290) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:242) at

# CartTestcases(removePromo)

org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:121)

org.openqa.selenium.NoSuchElementException: Unable to locate a node using //input[@id='promoCode'] For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html Build info: version: '2.53.1', revision: 'a36b8b1cd5757287168e54b817830adce9b0158d', time: '2016-06-30 19:26:09' System info: host: 'Cyril-Hiflame14', ip: '192.168.1.4', os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '1.7.0\_71' Driver info: driver.version: HtmlUnitDriver at org.openqa.selenium.htmlunit.HtmlUnitDriver.findElementByXPath(HtmlUnitDriver.java:1155) at org.openqa.selenium.By\$ByXPath.findElement(By.java:361) at org.openqa.selenium.htmlunit.HtmlUnitDriver \$5.call(HtmlUnitDriver.java:1703) at org.openqa.selenium.htmlunit.HtmlUnitDriver.implicitlyWaitFor(HtmlUnitDriver.java:1357) at org.openqa.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:1703) at org.openqa.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:595) at com.luxepick.testing.pageObjects.CartPage.applyPromoValue(CartPage.java:260) at com.luxepick.testing.tests.CartTestcases.removePromo(CartTestcases.java:460) at sun.reflect.NativeMethodAccessorImpl.invoke(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57) at

sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:606) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1240) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:281) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:121) at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:290) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:242) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:121)

# CartTestcases(deleteProductAfterApplyingPromo)

org.openqa.selenium.NoSuchElementException: Unable to locate a node using //input[@id='promoCode'] For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html Build info: version: '2.53.1', revision: 'a36b8b1cd5757287168e54b817830adce9b0158d', time: '2016-06-30 19:26:09' System info: host: 'Cyril-Hiflame14', ip: '192.168.1.4', os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '1.7.0\_71' Driver info: driver.version: HtmlUnitDriver at org.openqa.selenium.htmlunit.HtmlUnitDriver.findElementByXPath(HtmlUnitDriver.java:1155) at org.openqa.selenium.By\$ByXPath.findElement(By.java:361) at org.openqa.selenium.htmlunit.HtmlUnitDriver.java:1707) at org.openqa.selenium.htmlunit.HtmlUnitDriver\$5.call(HtmlUnitDriver.java:1703)

```
at org.openga.selenium.htmlunit.HtmlUnitDriver.implicitlyWaitFor(HtmlUnitDriver.java:1357)
at org.openga.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:1703)
at org.openga.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:595)
at com.luxepick.testing.pageObjects.CartPage.applyPromoValue(CartPage.java:260) at
com.luxepick.testing.tests.CartTestcases.deleteProductAfterApplyingPromo(CartTestcases.java:502) at
sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at
sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57) at
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at
java.lang.reflect.Method.invoke(Method.java:606) at
org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at
org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at
org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at
org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at
org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at
org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at
org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at
org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at
org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1240) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at
org.testng.TestNG.run(TestNG.java:1064) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:281)
at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75)
at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:121) at
org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:290)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:242) at
org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:121)
```

# <u>CartTestcases(deleteProductAfterApplyingPromo)</u>

org.openga.selenium.NoSuchElementException: Unable to locate a node using //input[@id='promoCode'] For documentation on this error, please visit: http://seleniumhq.org/exceptions/no such element.html Build info: version: '2.53.1', revision: 'a36b8b1cd5757287168e54b817830adce9b0158d', time: '2016-06-30 19:26:09' System info: host: 'Cyril-Hiflame14', ip: '192.168.1.4', os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '1.7.0\_71' Driver info: driver.version: HtmlUnitDriver at org.openga.selenium.htmlunit.HtmlUnitDriver.findElementByXPath(HtmlUnitDriver.java:1155) at org.openga.selenium.By\$ByXPath.findElement(By.java:361) at org.openga.selenium.htmlunit.HtmlUnitDriver \$5.call(HtmlUnitDriver.java:1707) at org.openga.selenium.htmlunit.HtmlUnitDriver\$5.call(HtmlUnitDriver.java:1703) at org.openga.selenium.htmlunit.HtmlUnitDriver.implicitlyWaitFor(HtmlUnitDriver.java:1357) at org.openga.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:1703) at org.openga.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:595) at com.luxepick.testing.pageObjects.CartPage.applyPromoValue(CartPage.java:260) at com.luxepick.testing.tests.CartTestcases.deleteProductAfterApplyingPromo(CartTestcases.java:502) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:606) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1240) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:281) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:121) at

org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:290) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:242) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:121)

#### CartTestcases(increaseQuantityForBuyProduct)

org.openga.selenium.NoSuchElementException: Unable to locate a node using //div[contains(@class, entry number-plus')] For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html Build info: version: '2.53.1', revision: 'a36b8b1cd5757287168e54b817830adce9b0158d', time: '2016-06-30 19:26:09' System info: host: 'Cyril-Hiflame14', ip: '192.168.1.4', os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '1.7.0 71' Driver info: driver.version: HtmlUnitDriver at org.openga.selenium.htmlunit.HtmlUnitDriver.findElementByXPath(HtmlUnitDriver.java:1155) at org.openga.selenium.By\$ByXPath.findElement(By.java:361) at org.openga.selenium.htmlunit.HtmlUnitDriver \$5.call(HtmlUnitDriver.java:1707) at org.openga.selenium.htmlunit.HtmlUnitDriver\$5.call(HtmlUnitDriver.java:1703) at org.openga.selenium.htmlunit.HtmlUnitDriver.implicitlyWaitFor(HtmlUnitDriver.java:1357) at org.openga.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:1703) at org.openga.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:595) at com.luxepick.testing.pageObjects.CartPage.increaseQuantity(CartPage.java:231) at com.luxepick.testing.tests.CartTestcases.increaseQuantityForBuyProduct(CartTestcases.java:192) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:606) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at

org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)

at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1240) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:281) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:121) at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderlnSameClassLoader(ForkedBooter.java:290) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:121)

# CartTestcases(applyRentBuyPromoForGreaterThanPromoValueProduct)

org.openqa.selenium.NoSuchElementException: Unable to locate a node using //input[@id='promoCode'] For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html Build info: version: '2.53.1', revision: 'a36b8b1cd5757287168e54b817830adce9b0158d', time: '2016-06-30 19:26:09' System info: host: 'Cyril-Hiflame14', ip: '192.168.1.4', os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '1.7.0 71' Driver info: driver.version: HtmlUnitDriver at org.openga.selenium.htmlunit.HtmlUnitDriver.findElementByXPath(HtmlUnitDriver.java:1155) at org.openga.selenium.By\$ByXPath.findElement(By.java:361) at org.openga.selenium.htmlunit.HtmlUnitDriver \$5.call(HtmlUnitDriver.java:1707) at org.openga.selenium.htmlunit.HtmlUnitDriver\$5.call(HtmlUnitDriver.java:1703) at org.openga.selenium.htmlunit.HtmlUnitDriver.implicitlyWaitFor(HtmlUnitDriver.java:1357) at org.openga.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:1703) at org.openga.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:595) at com.luxepick.testing.pageObjects.CartPage.applyPromoValue(CartPage.java:260) at com.luxepick.testing.tests.CartTestcases.applyRentBuyPromoForGreaterThanPromoValueProduct(CartTestcases.java:113) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:606) at

org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1240) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:281) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:121) at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:290) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:242) at

# CartTestcases(applyRentBuyPromoForBelowPromoValueProduct)

org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:121)

org.openqa.selenium.NoSuchElementException: Unable to locate a node using //input[@id='promoCode'] For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html Build info: version: '2.53.1', revision: 'a36b8b1cd5757287168e54b817830adce9b0158d', time: '2016-06-30 19:26:09' System info: host: 'Cyril-Hiflame14', ip: '192.168.1.4', os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '1.7.0\_71' Driver info: driver.version: HtmlUnitDriver at org.openqa.selenium.htmlunit.HtmlUnitDriver.findElementByXPath(HtmlUnitDriver.java:1155) at org.openqa.selenium.By\$ByXPath.findElement(By.java:361) at org.openqa.selenium.htmlunit.HtmlUnitDriver \$5.call(HtmlUnitDriver.java:1707) at org.openqa.selenium.htmlunit.HtmlUnitDriver.implicitlyWaitFor(HtmlUnitDriver.java:1357) at org.openqa.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:1703)

at org.openga.selenium.htmlunit.HtmlUnitDriver.findElement(HtmlUnitDriver.java:595) at com.luxepick.testing.pageObjects.CartPage.applyPromoValue(CartPage.java:260) at com.luxepick.testing.tests.CartTestcases.applyRentBuyPromoForBelowPromoValueProduct(CartTestcases.java:72) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:606) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSeguentially(TestNG.java:1244) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1240) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:281) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:121) at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:290) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:242) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:121)