Status	Finished
Started	Wednesday, 19 August 2026, 4:27 PM
Completed	Wednesday, 19 August 2026, 4:36 PM
Duration	9 mins 29 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Given the nested `if-else` below, what will be the value `x` when the code executed successfully

```
x = 0
a = 5
b = 5
if a > 0:
    if b < 0:
        x = x + 5
    elif a > 5:
        x = x + 4
    else:
        x = x + 3
else:
    x = x + 2
print(x)
```

a. 2

b. 0

c. 3 ✓

d. 4

Question **2**

Correct

Mark 1.00 out of 1.00

What will be the output for the following code?

```
if False:
    print("1001")
else:
    print("2002")
```

a. 2002 ✓

b. syntax error

c. 1001

Question **3**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
x=3
if x>2 or x<5 and x==6:
    print("ok")
else:
    print("no output")
```

a. None of the given option

b. error

c. no output

d. ok ✓

Question **4**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
a = 25
if a > 15:
    print("Hi")
if a <= 30:
    print("Hello")
else:
    print("Know Program")
```

a. Hello

b. Hi
Know Program

c. Hello
Know Program

d. Hi ✓
Hello

Question **5**

Correct

Mark 1.00 out of 1.00

Which among the following codes have equivalent logic?

Code 1:

```
if(value3>1000 and value3<1006):
  if(value1=="ABC"):
    if(value2=="A"):
      value4=10
    else:
      value4=8
  elif(value1=="XYZ"):
    if(value2=="A"):
      value4=8
    else:
      value4=6
print(value4)
```

Code 2:

```
if(value3>=1001 and value3<=1005 and value1=="ABC"):
    if(value2=="A"):
        value4=10
    else:
        value4=8
elif(value3>1000 and value3<1006 and value1=="XYZ"):
     if(value2=="A"):
        value4=8
     else:
        value4=6
print(value4)
```

Code 3:

```
if(value3>1000 and value3<1006 or value1=="ABC"):
   if(value2=="A"):
      value4=10
   else:
      value4=8
elif(value3>1000 and value3<1006 or  value1=="XYZ"):
   if(value2=="A"):
      value4=8
   else:
      value4=6
print(value4)
```

- a. Code 1, Code 2 ✓
- b. Code 1, Code 3
- c. Code 2, Code 3

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following statements in Python is used when no operation is to be performed?

- a. pass ✓
- b. None
- c. Jump
- d. Empty

Question **7**

Correct

Mark 1.00 out of 1.00

What is the output of the following snippet?

```
s1 = "IIT "  # Remember there is a space after T in IIT
s2 = "Punjab"
s1 = s1 * 2
s2 = "Ropar"
print(s1, s2)
```

a. IIT Ropar

b. IIT Punjab

c. IIT IIT Punjab

d. IIT IIT Ropar ✓

Question **8**

Correct

Mark 1.00 out of 1.00

Which of the following statements correctly represents taking input from user in python?

a. a=input("Enter the value") ✓

b. a=inp("Enter the value")

c. None of the mentioned

d. a=get("Enter the value")

Question **9**

Correct

Mark 1.00 out of 1.00

Can we write if/else into one line in python?

- a. No
- b. Yes ✓

Question **10**

Correct

Mark 1.00 out of 1.00

what will be the output for the following question?

```
a, b = 12, 5
if a + b:
    print('True')
else:
  print('False')
```

- a. False
- b. True ✓
- c. Error

Question **11**

Correct

Mark 1.00 out of 1.00

choose a valid Python if statement :

- a. if (a => 22)
- b. if a>=2 : ✓
- c. if (a >= 2)

Question **12**

Correct

Mark 1.00 out of 1.00

What is the output of the following snippet if 5 is given as the input?

```
c = input("Enter a number: ")
print(c * 3)
```

- a. 15
- b. 8
- c. 555 ✓
- d. 2

Question **13**

Correct

Mark 1.00 out of 1.00

What does the arithmetic operator % do?

a. **Finds the quotient on dividing two numbers**

b. **Finds the remainder on dividing two numbers** ✓

c. **Finds the sum of two numbers**

d. **Finds the product of two numbers**

Question **14**

Correct

Mark 1.00 out of 1.00

What will be output for the following code?

```
if 3 == 3:
    print("Python is easy!")
```

a. Error

b. NO OUTPUT

c. Python is easy! ✓

Question **15**

Correct

Mark 1.00 out of 1.00

What is the output of the following code.

```
a="REC"
if a in ("rec"):
    print(a)
print(a)
```

a. REC
REC

b. REC ✓

c. No output
REC

d. false
REC