| | |
|---|---|
| **Status** | Finished |
| **Started** | Thursday, 29 October 2026, 8:28 PM |
| **Completed** | Thursday, 29 October 2026, 8:38 PM |
| **Duration** | 10 mins 17 secs |
| **Grade** | **14.00** out of 15.00 (**93.33**%) |

Question **1**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

t = (11, 3)

x = 3 * t

print(x)

- a. (11, 3, 11, 3, 11, 3) ✓
- b. (11,3,11,11,3,11,11,11,3)
- c. (11,3)(11,3)(11,3)
- d. [11,11,11,3,3,3]

Question **2**

Incorrect

Mark 0.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

- a. ['30', '8', '3', '2'] ✗
- b. ['2', '3', '8', '30']
- c. ['8', '30', '3', '2']
- d. ['2', '3', '30', '8']

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

- a. i,ii ✓
- b. iii
- c. All of the above
- d. ii

Question **4**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

- a. {0,0,9}
- b. {0,9} ✓
- c. It will throw an error as there are two 0 while creating the set.
- d. {9}

Question **5**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

- a. Error
- b. {'rec', 1, ('cse', 'ece')} ✓
- c. {'rec', 1, ('cse', 'ece'),True}
- d. {'rec', True, ('cse', 'ece')}

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

- a. tupl1=tupl+tupl ✓
- b. tupl[1]=2
- c. tupl.sort()
- d. tupl.append(2)

Question **7**

Correct

Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

```

```

- a. <class 'tuple'>
- b. <class 'str'> ✓
- c. str
- d. <class 'int'>

Question **8**

Correct

Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

- a. False
- b. True ✓

Question **9**

Correct

Mark 1.00 out of 1.00

Select all the correct options to remove “ECE” from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

- a. del.sampleSet("ECE")
- b. sampleSet.discard("ECE") ✓
- c. sampleSet.delete("ECE")
- d. remove.sampleSet("ECE")

Question **10**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

- a. {3} ✓
- b. {2,5,1}
- c. {}
- d. {2,5,3,1}

Question **11**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
my_t1 = (1, 2, 3, 4)
my_t1.append( (5, 6, 7) )
print(len(my_t1))
```

- a. 1
- b. 5
- c. Error ✓
- d. 2

Question **12**

Correct

Mark 1.00 out of 1.00

Select which is true for Python tuple?

- a. A tuple maintains the order of items ✓
- b. A tuple is unordered
- c. We can change the tuple once created
- d. None of these

Question **13**

Correct

Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

- a. Name Error
- b. TypeError: update() doesn't allow list as a argument.
- c. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓
- d. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}

Question **14**

Correct

Mark 1.00 out of 1.00

What will the below Python code do?

```
set1={2,3}

set2={3,2}

set3={2,1}

if(set1==set2):

    print("yes")

else:

    print("no")

if(set1==set3):

    print("yes")

else:

    print("no")
```

a. No, No

b. Yes, No ✓

c. Yes, Yes

d. "==" is not supported for set in Python

Question **15**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

a. Error

b. (16,17,18,19) ✓

c. (25,19,18,17)

d. (16,17,18)