| | |
|---|---|
| **Status** | Finished |
| **Started** | Thursday, 8 October 2026, 11:36 AM |
| **Completed** | Thursday, 8 October 2026, 11:44 AM |
| **Duration** | 7 mins 54 secs |
| **Grade** | **15.00** out of 15.00 (**100**%) |

Question **1**

Correct

Mark 1.00 out of 1.00

**Which of the following function headers is correct?**

a. def fun(a, b, c = 3, d)

b. def fun(a, b = 2, c = 3) ✓

c. def fun(a = 2, b, c = 3)

d. def fun(a = 2, b = 3, c)

Question **2**

Correct

Mark 1.00 out of 1.00

Write the output of : print(max([1, 2, 3, 4], [4, 5, 6], [7]))

a. [1, 2, 3, 4]

b. [7] ✓

c. [4, 5, 6]

d. 7

Question **3**

Correct

Mark 1.00 out of 1.00

cal(n1) : What is n1?

a. Parameter

b. Argument ✓

c. Keyword

d. None of the mentioned

Question **4**

Correct

Mark 1.00 out of 1.00

Which of the following are advantages of using function in program?

- a. It makes debugging easier.
- b. It increases reusability.
- c. All of the mentioned ✓
- d. It increases readability of program.

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following is not the type of function argument?

- a. Required argument
- b. default argument
- c. Keyword argument
- d. initial argument ✓

Question **6**

Correct

Mark 1.00 out of 1.00

6. Which of the following is not the built-in function?

- a. dictionary( ) ✓
- b. input( )
- c. print( )
- d. tuple( )

Question **7**

Correct

Mark 1.00 out of 1.00

**What is the output of the following function call?**

```
def fun1(num):
    return num + 25
fun1(5)
print(num)
```

- a. num
- b. 25
- c. 5
- d. NameError ✓

Question **8**

Correct

Mark 1.00 out of 1.00

The process of dividing a computer program into separate independent blocks of code with specific functionalities is known as _____.

- a. Modular Programming ✓
- b. Step Programming
- c. More Programming
- d. Programming

Question **9**

Correct

Mark 1.00 out of 1.00

**Fill in the line of the following Python code for calculating the factorial of a number?**

```
def factorial🤔 :
    if (n==1 or n==0):
        return 1
    else:
        return ——
num = 5;
print("number : ",num)
print("Factorial : ",factorial(num))
```

- a. (n-1)*(n-2)
- b. (n * factorial(n - 1)) ✓
- c. fact( n )*fact(n-1)
- d. n*(n-1)

Question **10**

Correct

Mark 1.00 out of 1.00

**What will be the output of the following Python code?**

```
def maximum(x, y):
    if x > y:
        return x
    elif x == y:
        return 'The numbers are equal'
    else:
        return y
print(maximum(2, 3))
```

- a. 2
- b. 3 ✓
- c. The numbers are equal
- d. None of the mentioned

Question **11**

Correct

Mark 1.00 out of 1.00

Choose the incorrect statement.

- a. print(pow(2, 3, 2))
- b. print(pow(2.3, 3.2))
- c. print(pow(2, 3))
- d. None of the mentioned ✓

Question **12**

Correct

Mark 1.00 out of 1.00

A function may return multiple values using _____.

- a. Tuple ✓
- b. List
- c. String
- d. Dictionary

Question **13**

Correct

Mark 1.00 out of 1.00

**Which one of the following is the correct way of calling a function?**

- a. ret function_name()
- b. call function_name()
- c. function_name() ✓
- d. function function_name()

Question **14**

Correct

Mark 1.00 out of 1.00

The return statement in function is used to _____.

- a. None of the mentioned
- b. return value
- c. returns the control to the calling function
- d. Both return value and returns the control to the calling function ✓

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following function definition header is wrong?

- a. def div(p1=4, p2, p3): ✓
- b. def sum(n1, n2, n = 3):
- c. def mul(p1, n1, m1):
- d. def scan(p1, p2 = 4, p3 = 5):