Status	Finished
Started	Saturday, 31 October 2026, 8:46 PM
Completed	Saturday, 31 October 2026, 8:50 PM
Duration	4 mins 26 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following is a conventional searching technique?

- a. Binary search
- b. Hashing
- c. Dynamic search
- d. Linear search ✓

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following is a type of searching method?

- a. Merge search
- b. Quick search
- c. Linear search ✓
- d. Bubble search

Question **3**

Correct

Mark 1.00 out of 1.00

During a binary search, what happens if the target element matches the middle element?

- a. The search continues in the left sublist
- b. The list is sorted
- c. The search continues in the right sublist
- d. The search ends successfully ✓

Question **4**

Correct

Mark 1.00 out of 1.00

_____ search takes a sorted/ordered list and divides it in the middle.

- a. Linear
- b. Hash
- c. Binary ✓
- d. Both (1) & (3)

Question **5**

Correct

Mark 1.00 out of 1.00

What is the advantage of binary search over linear search?

- a. Binary search has a lower time complexity on large, sorted lists ✓
- b. Binary search does not require dividing the list
- c. Binary search can find multiple instances of the target element
- d. Binary search works on unsorted lists

Question **6**

Correct

Mark 1.00 out of 1.00

In a linear search, how many comparisons are made in the worst-case scenario to find an element in a list of size n?

- a. n ✓
- b. n/2
- c. log n
- d. 1

Question **7**

Incorrect

Mark 0.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 99; what are the mid values(corresponding array elements) in the first and second levels of recursion?

- a. 89 and 99 ✗
- b. 89 and 94
- c. 90 and 94
- d. 90 and 99

Question **8**

Correct

Mark 1.00 out of 1.00

Which of the following statements about linear search is true?

- a. Linear search can be applied to both sorted and unsorted lists. ✓
- b. Linear search requires the list to be sorted.
- c. Linear search divides the list into halves.
- d. Linear search is more efficient than binary search on large lists.

Question **9**

Correct

Mark 1.00 out of 1.00

In which situation is linear search more efficient than binary search?

- a. When the list is small and sorted
- b. When the list is large and unsorted
- c. When the list is small and unsorted ✓
- d. When the list is large and sorted

Question **10**

Correct

Mark 1.00 out of 1.00

In linear search, if the target element is not found in the list, what is the result?

- a. The first element is returned
- b. The last element is returned
- c. The search is considered unsuccessful ✓
- d. An error is raised

Question **11**

Correct

Mark 1.00 out of 1.00

If the target element is greater than the middle element in binary search, where does the search continue?

- a. In the middle of the list
- b. In the left sublist
- c. At the beginning of the list
- d. In the right sublist ✓

Question **12**

Correct

Mark 1.00 out of 1.00

What is searching in the context of computer science?

- a. Determining whether an element is present in a list ✓
- b. Inserting elements into a list
- c. Deleting elements from a list
- d. Sorting elements in a list

Question **13**

Correct

Mark 1.00 out of 1.00

Finding the location of a given item in a collection of items is called

- a. Discovering
- b. Searching ✓
- c. Mining
- d. Finding

Question **14**

Correct

Mark 1.00 out of 1.00

In the context of searching, what is a successful search?

- a. When the element is found in the list ✓
- b. When the list contains duplicate elements
- c. When the list is sorted
- d. When the search algorithm finishes

Question **15**

Correct

Mark 1.00 out of 1.00

_____sort is the simplest sorting algorithm that works by repeatedly swapping the adjacent elements in case they are unordered in n-1 passes.

a. Insertion

b. Bubble ✓

c. Complexity

d. Selection