


Shipping Calculator API Testing Request and Response

List All Test Countries:

Method: **GET**

URL: <https://www-api.pos.com.my/api/countries>

Response:



The screenshot shows a REST client interface with a GET request to `https://www-api.pos.com.my/api/countries`. The response is a JSON array of country objects. The status is 200 OK, time is 148 ms, and size is 3.83 KB.

```
372  {
373  },
374  {
375    "CountryCode": "HU",
376    "CountryName": "Hungary"
377  },
378  {
379    "CountryCode": "IS",
380    "CountryName": "Iceland"
381  },
382  {
383    "CountryCode": "IN",
384    "CountryName": "India"
385  },
386  {
387    "CountryCode": "ID",
388    "CountryName": "Indonesia"
389  },
390  {
391    "CountryCode": "IR",
392    "CountryName": "Iran"
393  },
394  {
395    "CountryCode": "IQ",
396    "CountryName": "Iraq"
397  }
398  ]
```

Retrieve State Info by Postal Code:

Method: **POST**


URL: <https://www-api.pos.com.my/api/getStateByPostcode>

Request:

Body:

- `postCode: 70594`

Response:



Calculate Shipping Rate:

Method: **POST**

URL: <https://www-api.pos.com.my/api/price>

Request:

Body:

- country: Malaysia
- postcodeFrom: 35600
- postcodeTo: 70594
- weight: 1

Response:

workspace New Import POST CalculateShippingRate GET Retrieve Destination Countries POST Retrieve State Info By F + No environment

Shipping Rate API Testing / CalculateShippingRate Save Share

POST → https://www-api.pos.com.my/api/price Send

Params Authorization Headers (9) Body Scripts Settings Cookies

☐ none ☐ form-data ☒ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

	Key	Value	Description	...	Bulk Edit
☒	country	Malaysia			
☒	postcodeFrom	70594			
☒	postcodeTo	35600			
☒	weight	1			

Body Cookies Headers (24) Test Results Status: 200 OK Time: 255 ms Size: 1.65 KB Save as example

Pretty Raw Preview Visualize JSON

```
4  "next": "0.8",
5  "amount": "7.2",
6  "maxWeight": "2",
7  "totalAmount": "10.03",
8  "zone": "2",
9  "fuelCharge": "1.08",
10 "handlingCharge": "1.08",
11 "SST": "0.57",
12 "PosCoverage": "0.1",
13 "stateFrom": "Negeri Sembilan",
14 "stateTo": "Perak",
15 "Town": "Sungkai",
16 "ODA": "1PM",
17 "ODAPrice": "0",
18 "SLA": "Within two working days",
19 "isDomestic": true,
20 "name": "POS LAJU",
21 "estimateDelivery": "1 - 5 working days"
```

Note: I have shared the postman collection.