Status	Finished
Started	Wednesday, 28 October 2026, 7:48 PM
Completed	Wednesday, 28 October 2026, 7:54 PM
Duration	5 mins 46 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

In a linear search, how many comparisons are made in the worst-case scenario to find an element in a list of size n?

a. n/2
b. log n
c. 1
d. n ✓

Question **2**

Correct

Mark 1.00 out of 1.00

In binary search, if the target element is less than the middle element, where does the search continue?

a. In the left sublist ✓
b. At the beginning of the list
c. In the entire list
d. In the right sublist

Question **3**

Correct

Mark 1.00 out of 1.00

In binary search, how is the middle element determined?

a. By using a hash function
b. By comparing each element sequentially
c. By dividing the list length by two ✓
d. By starting from the first element

Question **4**

Correct

Mark 1.00 out of 1.00

_____ search takes a sorted/ordered list and divides it in the middle.

a. Both (1) & (3)
b. Hash
c. Linear
d. Binary ✓

Question **5**

Correct

Mark 1.00 out of 1.00

In which type of search is the list divided into smaller sublists during the search process?

a. Binary search ✓
b. Linear search
c. Hash search
d. Sequential search

Question **6**

Correct

Mark 1.00 out of 1.00

Finding the location of a given item in a collection of items is called

a. Searching ✓
b. Mining
c. Finding
d. Discovering

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following statements about linear search is true?

a. Linear search can be applied to both sorted and unsorted lists. ✓
b. Linear search divides the list into halves.
c. Linear search is more efficient than binary search on large lists.
d. Linear search requires the list to be sorted.

Question **8**

Correct

Mark 1.00 out of 1.00

Which method of searching involves sequentially comparing each element until a match is found?

a. Binary search
b. Hashing
c. Linear search ✓
d. Jump search

Question **9**

Correct

Mark 1.00 out of 1.00

_____sort is the simplest sorting algorithm that works by repeatedly swapping the adjacent elements in case they are unordered in n-1 passes.

a. Selection
b. Insertion
c. Bubble ✓
d. Complexity

Question **10**

Incorrect

Mark 0.00 out of 1.00

What happens in a binary search if the list has an even number of elements?

a. The lower middle element is chosen as the middle element ✗
b. The higher middle element is chosen as the middle element
c. The search stops
d. The middle element is chosen randomly

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following best describes the process of a linear search?

a. Sorting the list before searching
b. Dividing the list in half repeatedly
c. Skipping every second element
d. Checking each element sequentially ✓

Question **12**

Correct

Mark 1.00 out of 1.00

If the target element is greater than the middle element in binary search, where does the search continue?

- a. In the right sublist ✓
- b. In the left sublist
- c. In the middle of the list
- d. At the beginning of the list

Question **13**

Correct

Mark 1.00 out of 1.00

What happens when the element is found in linear search?

- a. The search starts over from the beginning
- b. The search continues until the end of the list
- c. The search backtracks to find duplicate elements
- d. The search stops immediately ✓

Question **14**

Correct

Mark 1.00 out of 1.00

Which of the following scenarios is best suited for applying binary search?

- a. When the list contains duplicate elements
- b. When the list is very small
- c. When the list is unsorted
- d. When the list is sorted ✓

Question **15**

Correct

Mark 1.00 out of 1.00

What is searching in the context of computer science?

- a. Inserting elements into a list
- b. Deleting elements from a list
- c. Sorting elements in a list
- d. Determining whether an element is present in a list ✓