SIMATS ENGINEERING
CSA0508 - Database Management System

NAME: B vijay karthikkayan
REG.NO:192511348

QUESTION 1:

Questions:

1) Create a table name STUDENT with following structure.

#	Column Name	Description	Data Type
1	RegNo	Registration Number	NUMBER(3)
2	Name	Student Name	VARCHAR(15)
3	Gender	Gender of the student	CHAR(1)
4	DOB	Date of Birth	DATE
5	MobileNo	Mobile Number	NUMBER(10)
6	City	Location of stay	VARCHAR(15)

OUTPUT:

```
Database changed
mysql> CREATE TABLE STUDENT (REGNO INT,NAME VARCHAR(15),GENDER CHAR(1),DOB DATE,MOBILENO VARCHAR(10),CITY VARCHAR(15));
Query OK, 0 rows affected (0.03 sec)


mysql> DESC STUDENT;
+----------+-------------+------+-----+---------+-------+
| Field    | Type        | Null | Key | Default | Extra |
+----------+-------------+------+-----+---------+-------+
| REGNO    | int         | YES  |     | NULL    |       |
| NAME     | varchar(15) | YES  |     | NULL    |       |
| GENDER   | char(1)     | YES  |     | NULL    |       |
| DOB      | date        | YES  |     | NULL    |       |
| MOBILENO | varchar(10) | YES  |     | NULL    |       |
| CITY     | varchar(15) | YES  |     | NULL    |       |
+----------+-------------+------+-----+---------+-------+
6 rows in set (0.04 sec)
```

QUESTION 2:

2) Create a table name FACULTY with following structure.

#	Column Name	Description	Data Type
1	FacNo	Faculty Identifier	VARCHAR(4)
2	FacName	Faculty Name	VARCHAR(15)
3	Gender	Gender of faculty	CHAR(1)
4	DOB	Date of Birth	DATE
5	DOJ	Date of Join	DATE
6	MobileNo	Mobile Number	NUMBER(10)

OUTPUT:



```
mysql> CREATE TABLE FACULTY (FACNO VARCHAR(4),FACNAME VARCHAR(4),GENDER CHAR(1),DOB DATE,DOJ DATE,MOBILENO VARCHAR(10));
Query OK, 0 rows affected (0.05 sec)

mysql> DESC FACULTY;
+----------+------------+------+-----+---------+-------+
| Field    | Type       | Null | Key | Default | Extra |
+----------+------------+------+-----+---------+-------+
| FACNO    | varchar(4) | YES  |     | NULL    |       |
| FACNAME  | varchar(4) | YES  |     | NULL    |       |
| GENDER   | char(1)    | YES  |     | NULL    |       |
| DOB      | date       | YES  |     | NULL    |       |
| DOJ      | date       | YES  |     | NULL    |       |
| MOBILENO | varchar(10)| YES  |     | NULL    |       |
+----------+------------+------+-----+---------+-------+
6 rows in set (0.01 sec)
```

QUESTION 3:

3) Create a table name DEPARTMENT with following structure.

#	Column Name	Description	Data Type
1	DeptNo	Department Identifier	VARCHAR(4)
2	DeptName	Department Name	VARCHAR(15)
3	DeptHead	Department Head	VARCHAR(4)

OUTPUT:

```
mysql> CREATE TABLE DEPARTMENT (DEPTNO VARCHAR(4),DEPTNAME VARCHAR(15),DEPTHEAD VARCHAR(4));
Query OK, 0 rows affected (0.03 sec)

mysql> DESC DEPARTMENT;
+----------+-------------+------+-----+---------+-------+
| Field    | Type        | Null | Key | Default | Extra |
+----------+-------------+------+-----+---------+-------+
| DEPTNO   | varchar(4)  | YES  |     | NULL    |       |
| DEPTNAME | varchar(15) | YES  |     | NULL    |       |
| DEPTHEAD | varchar(4)  | YES  |     | NULL    |       |
+----------+-------------+------+-----+---------+-------+
3 rows in set (0.01 sec)
```

QUESTION 4:

4) Create a table name COURSE with following structure.

#	Column Name	Description	Data Type
1	CourseNo	Course Identifier	VARCHAR(3)
2	CourseDesc	Course Description	VARCHAR(14)
3	CourseType	Course Type	CHAR(1)
4	SemNo	Semester Number	CHAR(1)
5	HallNo	Hall Number	VARCHAR(4)
6	FacNo	Faculty Identifier	VARCHAR(4)

OUTPUT:

```
mysql> CREATE TABLE COURSE (COURSENO VARCHAR(3),COURSEDESC VARCHAR(14),COURSETYPE CHAR(1),SEMNO CHAR(1),HALLNO VARCHAR(4
),FACNO VARCHAR(4));
Query OK, 0 rows affected (0.06 sec)

mysql> DESC COURSE;
+------------+------------+------+-----+---------+-------+
| Field      | Type       | Null | Key | Default | Extra |
+------------+------------+------+-----+---------+-------+
| COURSENO   | varchar(3)  | YES  |     | NULL    |       |
| COURSEDESC | varchar(14) | YES  |     | NULL    |       |
| COURSETYPE | char(1)     | YES  |     | NULL    |       |
| SEMNO      | char(1)     | YES  |     | NULL    |       |
| HALLNO     | varchar(4)  | YES  |     | NULL    |       |
| FACNO      | varchar(4)  | YES  |     | NULL    |       |
+------------+------------+------+-----+---------+-------+
6 rows in set (0.01 sec)
```

QUESTION 5:

6	FacNo	Faculty Identifier	VARCHAR(4)

5) Modify the table FACULTY by adding a column name Dept of datatype VARCHAR(10)

OUTPUT:

```
mysql> ALTER TABLE FACULTY ADD DEPT VARCHAR(10);
Query OK, 0 rows affected (0.15 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql> DESC FACULTY;
+----------+-------------+------+-----+---------+-------+
| Field    | Type        | Null | Key | Default | Extra |
+----------+-------------+------+-----+---------+-------+
| FACNO    | varchar(4)  | YES  |     | NULL    |       |
| FACNAME  | varchar(4)  | YES  |     | NULL    |       |
| GENDER   | char(1)     | YES  |     | NULL    |       |
| DOB      | date        | YES  |     | NULL    |       |
| DOJ      | date        | YES  |     | NULL    |       |
| MOBILENO | varchar(10) | YES  |     | NULL    |       |
| DEPT     | varchar(10) | YES  |     | NULL    |       |
+----------+-------------+------+-----+---------+-------+
7 rows in set (0.01 sec)
```