

References

Vancouver-numbered to match the in-text citation numbers in the accompanying article (*Fortifying human milk for preterm babies: what the evidence supports, and what to tell parents*). Every entry was re-verified live against PubMed this session. Click any link, or the underlined PMID, to open the source directly for independent manual verification.

1. Brown et al. Multi-nutrient fortification of human milk for preterm infants. Cochrane Database Syst Rev. 2020;6(6):CD000343. PMID: 35658821. Available from: <https://pubmed.ncbi.nlm.nih.gov/35658821/>
2. Rallis et al. Fortified Human Milk Compared with Unfortified Human Milk in Preterm Low Birth Weight Neonates: A Systematic Review and Meta-Analysis. Nutrients. 2026;18(13). PMID: 42451102. Available from: <https://pubmed.ncbi.nlm.nih.gov/42451102/>
3. Campbell-Yeo et al. Effect of Multi-Nutrient Milk Fortification on Preterm Neonate Outcomes: A Network Meta-Analysis. Nutrients. 2025;17(10). PMID: 40431391. Available from: <https://pubmed.ncbi.nlm.nih.gov/40431391/>
4. Thanigainathan et al. Early fortification of human milk versus late fortification to promote growth in preterm infants. Cochrane Database Syst Rev. 2020;7(7):CD013392. PMID: 32726863. Available from: <https://pubmed.ncbi.nlm.nih.gov/32726863/>
5. Alyahya et al. Early versus Delayed Fortification of Human Milk in Preterm Infants: A Systematic Review. Neonatology. 2019;117(1):24-32. PMID: 31326969. Available from: <https://pubmed.ncbi.nlm.nih.gov/31326969/>
6. Basu et al. Early versus late fortification of breast milk in preterm infants: a systematic review and meta-analysis. Eur J Pediatr. 2020;179(7):1057-1068. PMID: 32458060. Available from: <https://pubmed.ncbi.nlm.nih.gov/32458060/>
7. Shah et al. Early versus Delayed Human Milk Fortification in Very Low Birth Weight Infants-A Randomized Controlled Trial. J Pediatr. 2016;174:126-131.e1. PMID: 27112041. Available from: <https://pubmed.ncbi.nlm.nih.gov/27112041/>
8. Salas et al. Early Human Milk Fortification in Infants Born Extremely Preterm: A Randomized Trial. Pediatrics. 2023;152(3). PMID: 37551512. Available from: <https://pubmed.ncbi.nlm.nih.gov/37551512/>
9. Salas et al. Early full enteral nutrition with fortified milk in very preterm infants: a randomized clinical trial. Am J Clin Nutr. 2025;121(5):1117-1123. PMID: 39986385. Available from: <https://pubmed.ncbi.nlm.nih.gov/39986385/>
10. Leaf et al. Early or delayed enteral feeding for preterm growth-restricted infants: a randomized trial. Pediatrics. 2012;129(5):e1260-8. PMID: 22492770. Available from: <https://pubmed.ncbi.nlm.nih.gov/22492770/>
11. Kempley et al. Feeding infants below 29 weeks' gestation with abnormal antenatal Doppler: analysis from a randomised trial. Arch Dis Child Fetal Neonatal Ed. 2013;99(1):F6-F11. PMID: 23973795. Available from: <https://pubmed.ncbi.nlm.nih.gov/23973795/>
12. Martini et al. Association between Abnormal Antenatal Doppler Characteristics and Gastrointestinal Outcomes in Preterm Infants. Nutrients. 2022;14(23). PMID: 36501150. Available from: <https://pubmed.ncbi.nlm.nih.gov/36501150/>
13. Malcolm et al. Absent or reversed end diastolic flow velocity in the umbilical artery and necrotising enterocolitis. Arch Dis Child. 1991;66(7 Spec No):805-7. PMID: 1863128. Available from: <https://pubmed.ncbi.nlm.nih.gov/1863128/>
14. Wilson et al. Absent or reversed end diastolic flow velocity in the umbilical artery and necrotizing enterocolitis. Arch Dis Child. 1991;66(12):1467. PMID: 1776906. Available from: <https://pubmed.ncbi.nlm.nih.gov/1776906/>

15. Bohnhorst et al. Early feeding after necrotizing enterocolitis in preterm infants. *J Pediatr*. 2003;143(4):484-7. PMID: 14571225. Available from: <https://pubmed.ncbi.nlm.nih.gov/14571225/>
16. Olaloye et al. Role of Nutrition in Prevention of Neonatal Spontaneous Intestinal Perforation and Its Complications: A Systematic Review. *Nutrients*. 2020;12(5). PMID: 32397283. Available from: <https://pubmed.ncbi.nlm.nih.gov/32397283/>
17. Hulscher et al. European Reference Network for Inherited and Congenital Anomalies Evidence-Based Guideline on Surgical Aspects of Necrotizing Enterocolitis in Premature Neonates. *Neonatology*. 2024;122(3):376-384. PMID: 39925108. Available from: <https://pubmed.ncbi.nlm.nih.gov/39925108/>
18. De Rose et al. Nutritional management of neonates who undergo major surgery for gastrointestinal disorders: a joint position paper of the Italian Society of Neonatology (SIN), the Italian Society of Pediatric Surgery (SICP), and the Italian Society of Pediatric Nutrition (SINUPE). *Ital J Pediatr*. 2026;52(1):29. PMID: 41519795. Available from: <https://pubmed.ncbi.nlm.nih.gov/41519795/>
19. Ananthan et al. Human Milk-Derived Fortifiers Compared with Bovine Milk-Derived Fortifiers in Preterm Infants: A Systematic Review and Meta-Analysis. *Adv Nutr*. 2020;11(5):1325-1333. PMID: 32277813. Available from: <https://pubmed.ncbi.nlm.nih.gov/32277813/>
20. Grace et al. Safety and efficacy of human milk-based fortifier in enterally fed preterm and/or low birthweight infants: a systematic review and meta-analysis. *Arch Dis Child Fetal Neonatal Ed*. 2020;106(2):137-142. PMID: 32943531. Available from: <https://pubmed.ncbi.nlm.nih.gov/32943531/>
21. Galis et al. Association of Fortification with Human Milk versus Bovine Milk-Based Fortifiers on Short-Term Outcomes in Preterm Infants-A Meta-Analysis. *Nutrients*. 2024;16(6). PMID: 38542821. Available from: <https://pubmed.ncbi.nlm.nih.gov/38542821/>
22. Jensen et al. Effect of human milk-based fortification in extremely preterm infants fed exclusively with breast milk: a randomised controlled trial. *EClinicalMedicine*. 2024;68:102375. PMID: 38545091. Available from: <https://pubmed.ncbi.nlm.nih.gov/38545091/>
23. Hopperton et al. Nutrient Enrichment of Human Milk with Human and Bovine Milk-Based Fortifiers for Infants Born <1250 g: 18-Month Neurodevelopment Follow-Up of a Randomized Clinical Trial. *Curr Dev Nutr*. 2019;3(12):nzz129. PMID: 32154499. Available from: <https://pubmed.ncbi.nlm.nih.gov/32154499/>
24. O'Connor et al. Nutrient enrichment of human milk with human and bovine milk-based fortifiers for infants born weighing <1250 g: a randomized clinical trial. *Am J Clin Nutr*. 2018;108(1):108-116. PMID: 29878061. Available from: <https://pubmed.ncbi.nlm.nih.gov/29878061/>
25. Schanler et al. Improved Outcomes in Preterm Infants Fed a Nonacidified Liquid Human Milk Fortifier: A Prospective Randomized Clinical Trial. *J Pediatr*. 2018;202:31-37.e2. PMID: 30195561. Available from: <https://pubmed.ncbi.nlm.nih.gov/30195561/>
26. Moya et al. A new liquid human milk fortifier and linear growth in preterm infants. *Pediatrics*. 2012;130(4):e928-35. PMID: 22987877. Available from: <https://pubmed.ncbi.nlm.nih.gov/22987877/>
27. Lin et al. Concentrated Preterm Formula as a Liquid Human Milk Fortifier at Initiation Stage in Extremely Low Birth Weight Preterm Infants: Short Term and 2-year Follow-up Outcomes. *Nutrients*. 2020;12(8). PMID: 32722642. Available from: <https://pubmed.ncbi.nlm.nih.gov/32722642/>
28. Chinnappan et al. Fortification of Breast Milk With Preterm Formula Powder vs Human Milk Fortifier in Preterm Neonates: A Randomized Noninferiority Trial. *JAMA Pediatr*. 2021;175(8):790-796. PMID: 33970187. Available from: <https://pubmed.ncbi.nlm.nih.gov/33970187/>
29. Bell et al. Standardised versus Individualised Fortification of Expressed Breastmilk for Preterm Outcomes: A Systematic Review and Meta-Analysis. *Neonatology*. 2026;1-19. PMID: 42391159. Available from: <https://pubmed.ncbi.nlm.nih.gov/42391159/>

30. Seliga-Siwecka et al. Effect of Targeted vs. Standard Fortification of Breast Milk on Growth and Development of Preterm Infants (≤ 32 Weeks): Results from an Interrupted Randomized Controlled Trial. *Nutrients*. 2023;15(3). PMID: 36771325. Available from: <https://pubmed.ncbi.nlm.nih.gov/36771325/>
31. Kappel et al. A Randomized, Controlled Study to Investigate How Bovine Colostrum Fortification of Human Milk Affects Bowel Habits in Preterm Infants (FortiColos Study). *Nutrients*. 2022;14(22). PMID: 36432444. Available from: <https://pubmed.ncbi.nlm.nih.gov/36432444/>
32. Zhang et al. Association of Human Milk Fortifier and Feeding Intolerance in Preterm Infants: A Cohort Study about Fortification Strategies in Southwest China. *Nutrients*. 2022;14(21). PMID: 36364872. Available from: <https://pubmed.ncbi.nlm.nih.gov/36364872/>
33. Chandran et al. Medications That Increase Osmolality and Compromise the Safety of Enteral Feeding in Preterm Infants. *Neonatology*. 2016;111(4):309-316. PMID: 28030867. Available from: <https://pubmed.ncbi.nlm.nih.gov/28030867/>
34. Herranz Barbero et al. Fortifier selection and dosage enables control of breast milk osmolality. *PLoS One*. 2020;15(6):e0233924. PMID: 32479524. Available from: <https://pubmed.ncbi.nlm.nih.gov/32479524/>
35. Choi et al. Target Fortification of Breast Milk: Predicting the Final Osmolality of the Feeds. *PLoS One*. 2016;11(2):e0148941. PMID: 26863130. Available from: <https://pubmed.ncbi.nlm.nih.gov/26863130/>
36. Klamer et al. IQ Was Not Improved by Post-Discharge Fortification of Breastmilk in Very Preterm Infants. *Nutrients*. 2022;14(13). PMID: 35807888. Available from: <https://pubmed.ncbi.nlm.nih.gov/35807888/>
37. Rochow et al. Individualized Target Fortification of Breast Milk with Protein, Carbohydrates, and Fat for Preterm Infants: Effect on Neurodevelopment. *Nutrients*. 2025;17(11):1764. PMID: 40507033. Available from: <https://pubmed.ncbi.nlm.nih.gov/40507033/>
38. Jensen et al. Nordic study on human milk fortification in extremely preterm infants: a randomised controlled trial-the N-forte trial. *BMJ Open*. 2021;11(11):e053400. PMID: 34815288. Available from: <https://pubmed.ncbi.nlm.nih.gov/34815288/>
39. Zachariassen et al. Nutrient enrichment of mother's milk and growth of very preterm infants after hospital discharge. *Pediatrics*. 2011;127(4):e995-e1003. PMID: 21402642. Available from: <https://pubmed.ncbi.nlm.nih.gov/21402642/>
40. Marino et al. Home use of breast milk fortifier to promote postdischarge growth and breast feeding in preterm infants: a quality improvement project. *Arch Dis Child*. 2018;104(10):1007-1012. PMID: 30552093. Available from: <https://pubmed.ncbi.nlm.nih.gov/30552093/>
41. Lampion et al. Human Milk Fortifier After Neonatal Intensive Care Unit Discharge Improves Human Milk Usage Rates for Preterm Infants. *J Nutr*. 2023;154(2):610-616. PMID: 38072151. Available from: <https://pubmed.ncbi.nlm.nih.gov/38072151/>
42. Young et al. Nutrient-enriched formula versus standard formula for preterm infants following hospital discharge. *Cochrane Database Syst Rev*. 2016;12(12):CD004696. PMID: 27958643. Available from: <https://pubmed.ncbi.nlm.nih.gov/27958643/>
43. Beggs et al. MaxiMoM InForM: individualised fortification of human milk for very low birthweight infants-protocol of a three-arm randomised clinical trial. *BMJ Open*. 2025;15(10):e105609. PMID: 41047263. Available from: <https://pubmed.ncbi.nlm.nih.gov/41047263/>