

SPRING BOOT

↳ production ready application.

- * It is advanced version of Spring.
- * Additional features of Spring Boot.
 - 1. Auto Configuration
 - Opinionated Configuration.
 - 2. Embedded Server (has inbuilt server)
 - (internally it has Tomcat Server)
 - JAR - Java Archive File
 - 3. Boiler Plate Code reduced.
 - 4. Spring Boot starter
 - It handles versions of all dependencies.
 - 5. Metrics, health (health up/down)
 - (JVM metrics)
 - Spring doesn't support metrics, but Spring Boot supports.
 - Actuator gives metrics/show metrics.
 - 6. Faster Development
 - 7. Also called Production Ready code.
 - 8. More suitable for Microservices architecture.
 - 9. No XMLs

* @SpringBootApplication - combination of 3 annotations.

1. @Component Scan

2. @Configuration

3. @EnableAutoConfiguration

[ways to create SPRING BOOT PROJECT]
IDE (STS/Eclipse/IntelliJ)
Spring Initializer
Maven CLI]

package com.example.demo;

Project: SpringBoot JDBC

@RestController

@SpringBootApplication(scanBasePackages = {"com"})
public class DemoApplication {

public static void main(String[] args) {

SpringApplication.run(DemoApplication.class, args);

}

SpringApplication.run(DemoApplication.class, args);

}

(args) is not a method

}

package com.example.demo;

@RestController

public class HiController {

@GetMapping("/hi")

public String hi() {

return "hi";

}

process:

File → New → Spring starter project → Service URL, Name = MyFirstProject,

Type - Maven, Packaging - jar, Java version - 17/21, language - Java,

Group - com.example, artifactId = MyFirstProject, Version = 0.0.1-SNAPSHOT

package = com.flm → Next → SpringBoot Version - 3.5.4, Available →

(jar name = Group:artifactId:Version) → Spring web

Spring Data JDBC

MySQL Driver

Spring Boot Actuator

↓

Finish

Project : SpringBoot JDBC

package com.flm; // package name
import org.springframework.boot.SpringApplication;
import org.springframework.boot.autoconfigure.SpringBootApplication;

@SpringBootApplication

public class SpringBootJDBCApplication {

public static void main (String[] args) {

SpringApplication.run(SpringBootJDBCApplication.class, args);

}

(* Configure Lombok in Eclipse)

(Dependency) Lombok - to avoid

some boiler plate code in java class

Employee class

package com.flm.model;

// @Getter // @Setter // @NoArgsConstructor // @ToString // @AllArgsConstructor

public class Employee {

@Data (it has @Getter, @Setter & @ToString)

private int empId;

private String email;

private double salary;

// public Employee() {

empId = 1, email = "test@gmail.com", salary = 10000; }

* @RequiredArgsConstructor - creates constructor for final variables.

[To add dependencies:

=> Right click on project -> Spring -> Add starter.]

Spring Boot

Spring Boot

↓

Spring