```
<style>
   a{
       background-color:lightblue;
       text-decoration: none;
   body {
       background-image: url("onl1.jpg");
       background-color: #204363;
       background-size: contain;
   div h1 {
       display: inline-table;
       background-color: lightblue;
       color: lightskyblue;
   .dropbtn {
       background-color: #1c9166;
       color: white;
       padding: 16px;
       font-size: 16px;
       border: none;
   .dropbtn2 {
       background-color: #4750ce;
       color: white;
       padding: 16px;
       font-size: 16px;
       border: none;
   .dropdown {
       position: relative;
       display: inline-block;
   .dropdown-content {
       display: none;
```

```
position: absolute;
        background-color: #6a7794;
        min-width: 160px;
        box-shadow: 0px 8px 16px 0px rgba(0, 0, 0, 0.2);
        z-index: 1;
    .dropdown-content a {
        color: black;
        padding: 12px 16px;
        text-decoration: none;
        display: block;
    .dropdown-content a:hover {
        background-color: #ddd;
    }
    .dropdown:hover .dropdown-content {
        display: block;
    .dropdown:hover .dropbtn {
        background-color: #3e8e41;
</style>
<script src="jquerymin.js">
</script>
<script>
    $("div").mouseenter(function () {
                $("div").css("background-color", "purple");
            });
</script>
<body>
    <div>
```

```
<div class="dropdown">
    <button class="dropbtn2">More</button>
    <div class="dropdown-content">
        <a href="sign-up.html">Sign Up</a>
        <a href="about.html">About the app</a>
    </div>
</div><br>
<div class="dropdown">
    <button class="dropbtn">Sportz</button>
    <div class="dropdown-content">
        <a href="cv2.html">Crciket</a>
        <a href="">FootBall</a>
        <a href="">Badminton</a>
        <a href="">Rugby</a>
    </div>
</div>&nbsp&nbsp&nbsp;
<div class="dropdown">
    <button class="dropbtn">Furnitures
    <div class="dropdown-content">
        <a href="">Tables and Chairs</a>
        <a href="">Kitchen and Furnitures</a>
        <a href="">Hindwares</a>
        <a href="">Footdoors and Wallmats</a>
    </div>
</div>&nbsp&nbsp&nbsp;
<div class="dropdown">
    <button class="dropbtn">Mobiles</button>
    <div class="dropdown-content">
        <a href="">Apple</a>
        <a href="">Samsung</a>
        <a href="">Xiaomi</a>
        <a href="">Oneplus</a>
   </div>
</div>&nbsp&nbsp&nbsp;
<div class="dropdown">
    <button class="dropbtn">laptops</button>
    <div class="dropdown-content">
        <a href="">Apple</a>
       <a href="">Dell</a>
```

```
<a href="">Asus</a>
              <a href="">HP</a>
          </div>
       </div>&nbsp&nbsp&nbsp;
       <div class="dropdown">
          <button class="dropbtn">Furnitures
          <div class="dropdown-content">
              <a href="">Wardrobe</a>
              <a href="">Chairs</a>
              <a href="">Sofa</a>
              <a href="">Dining Sets</a>
          </div>
       </div>&nbsp&nbsp&nbsp;
       <div class="dropdown">
          <button class="dropbtn">Machineries
          <div class="dropdown-content">
              <a href="">Motors</a>
              <a href="">Coils</a>
              <a href="">batteries</a>
              <a href="">Wires</a>
          </div>
       </div>&nbsp&nbsp&nbsp;
       <div class="dropdown">
          <button class="dropbtn">Dressing</button>
          <div class="dropdown-content">
              <a href="">Tops</a>
             <a href="">Bottoms</a>
              <a href="">Inners</a>
          </div>
       bsp&nbsp&nbsp&nbsp&nbsp&nbsp&nbsp
       <input type="text" placeholder="Search for products...." width="70" size=</pre>
<h2>
       <a href="sale.html">Deals of the day </a><br><br><br><br>
       <a href="sale.html">Hot Offers</a><br><br><br><br><br></a></a></a></pr>
       </h2>
   </div>
```

Sign-up.html

```
function myFunc()
   var a,b,c,d,e,f,o,p;
    a=myform.firstname.value;
   b=myform.lastname.value;
    c=myform.DOB.value;
    d=myform.email.value;
    e=myform.gender.value;
   f=myform.city.value;
   o=myform.telephone1.value;
    p=myform.telephone2.value;
   document.write("<br>>FirstName:"+a);
    document.write("<br>>LastName:"+b);
   document.write("<br>DOB:"+c);
   document.write("<br>Email:"+d);
    document.write("<br>>Gender:"+e);
   document.write("<br>City :"+f);
    document.write("<br>Number:"+o);
   document.write("<br>Number:"+p);
</script>
<body>
        <div>
            <h2>Account Creation</h2>
            <form name=myform "get" autocomplete="off">
                <font color = "darkred">
                <label>Enter The First Name</label><br><br><br><br>
                <input type ="text"name="firstname"><br><br><br>
                <label>Enter The Last Name</label><br>
                <input type ="text"name="lastname"><br><br><br><br>
                <label>Enter Your Date Of Birth</label><br><br><br><br>
```

```
<input type ="date" id="DOB" name="DOB"><br><br><br>
               <label>Enter Your Email Id</label><br><br><br><br><br>
               <input type ="email" name="email"><br><br><br><<br>
               <label>GENDER</label><br><<br/>
               <input type="radio"name ="gender" value="MALE">MALE &nbsp&nbsp&nb
sp
               <input type="radio"name ="gender" value="FEMALE">FEMALE &nbsp&nbs
p&nbsp
               <input type="radio"name ="gender" value="TRANSGENDER">TRANSGENDER
<label>Enter your city </label><br><br>
               <input list="City"name="city" id="city">
               <datalist id="City">
                 <option value="COIMBATORE">
                 <option value="CHENNAI">
                 <option value="ERODE">
                 <option value="SALEM">
                 <option value="THIRCHY">
                 <option value="MADURAI">
                 <option value="THENI">
               <label>Enter Your Mobile Number 1:</label><br><br>
               <input type="tel"name="telephone1" min="10" max="20"><br><br><br><br><br>
               <label>Enter Your Mobile Number 2:</label><br><br>
               <input type="button"value="Create" onClick=myFunc()><br><br>
               <input type="reset"value="Clear Details">
               </form>
               </div>
</body>
</html>
```

Sale.html

```
<body>
</body>
</html>
```

Report.html

```
<html>
<style>
  body {
      background-image: url(onl2.jpg);
      background-size: cover;
</style>
<script>
  function myFunc() {
      var a,b,s;
      a=myform.i.value;
      b=myform.j.value;
      s=myform.k.value;
      document.write("<center>Your Response has been recorded</center");</pre>
</script>
<body>
    <form name="myform">
       Enter you mail Id:</h1>
       Enter the field of issue :
       Enter the problems you faced :
       <input type="button"value="Submit" onClick=myFunc()>
    </form>
   </i>
   </center>
</body>
</html>
```

Feedback.html


```
<html>
```

```
<style>
   body {
      background-image: url(onl2.jpg);
      background-size: cover;
</style>
<script>
   function myFunc() {
      var a,b,s;
      a=myform.i.value;
      s=myform.k.value;
      document.write("<center>Your Response has been recorded<br>Thank You</cen</pre>
ter");
</script>
<body>
     <form name="myform">
        Enter you mail Id:</h1>
        Enter your thoughts:
        <input type="button"value="Submit" onClick=myFunc()>
     </form>
   </i>
   </center>
</body>
</html>
```

Cv2.html

Images files used:

Onl1.jpg



Onl2.jpg



Onl3.jpg



Onl4.jpg



cv.jiff



OUTPUT SCREENSHOTS:

