

## XpressBees AWB Number Generation API Service Implementation Documentation

The purpose of this document is to describe our approach to POST service allow you to AWB number generation series to help us refine it to better serve you.

Below are the required API for AWB number generation and get generated AWB number:

1. **AWB Number Generation Request:** This API will allow user to raise request to generate AWB number based on combination of business unit, service type and delivery type. The system will accept request for generating one Lakh AWB number and provide unique batch id per request in the response
2. **Get Generated AWB Number:** This API will allow user to get the generated one Lakh AWB number against the requested batch id

### 1. AWB Number Generation Request:

#### 1. URL:

<http://114.143.206.69:803/StandardForwardStagingService.svc/AWBNumberSeriesGeneration>

#### 2. Method Type: POST

#### 3. Header:

##### 1. Content Type: application/json

##### 2. XBKey: {XBKey}

1. XBKey: The XB Access Key ID of the owner of the service who will be granting Anonymous access for a request that satisfies the set of constraints in the Policy.

#### 4. Request JSON:

##### 1. Sample: { "BusinessUnit": "ECOM", "ServiceType": "FORWARD", "DeliveryType": "COD" }

##### 2. Field Description:

| Sr. No. | Field        | DataType | Mandatory | Description               |
|---------|--------------|----------|-----------|---------------------------|
| 1       | BusinessUnit | String   | Y         | It must be ECOM           |
| 2       | ServiceType  | String   | Y         | It must be FORWARD        |
| 3       | DeliveryType | String   | Y         | It must be COD or PREPAID |

### 5. Response JSON:

#### 1. Sample JSON in case of Successful:

```
{
  "ReturnMessage": "Successful",
  "ReturnCode": 100,
  "BatchID": "JOzigzA1"
}
```

#### 2. Sample JSON in case of Error:

```
{
  "ReturnMessage": "Delivery type should be COD/PREPAID",
  "ReturnCode": 103,
  "BatchID": ""
}
```

#### 3. Return Code and Message Details:

| Return Code | Return Message | Description |
|-------------|----------------|-------------|
| 100         | Successful     |             |

| Return Code | Return Message                                                                                               | Description                                                           |
|-------------|--------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| 101         | Invalid xbAccessKey                                                                                          | In case of wrong xbkey                                                |
| 102         | Invalid IP Address                                                                                           | if IP address is not white listed at Xpressbees end                   |
| 103         | Provide business unit                                                                                        | If business unit is null/empty                                        |
| 103         | Business unit should be ECOM                                                                                 | Business unit must be EOM                                             |
| 103         | Provide service type                                                                                         | If service type is null/empty                                         |
| 103         | Service type should be FORWARD                                                                               | Service type must be FORWARD                                          |
| 103         | Provide delivery type                                                                                        | If delivery type is null/empty                                        |
| 103         | Delivery type should be COD/PREPAID                                                                          | Delivery type must be either COD or PREPAID                           |
| 103         | You have already processed allocated AWBs limit for the day                                                  | Max three lakh generation allowed per day                             |
| 103         | You have already processed request from client portal for the day. Please raise the new request on next day. | You can not raise request simultaneously from Web and API on same day |
| 104         | Operation Failed                                                                                             | If any other issue/exception, Retry in case of failed                 |

## 2. Get Generated AWB Number:

### 1. URL:

<http://114.143.206.69:803/StandardForwardStagingService.svc/GetAWBNumberGeneratedSeries>

### 2. Method Type: POST

### 3. Header:

1. **Content-Type:** application/json

2. **XBKey:** {XBkey}

1. XBKey: The XB Access Key ID of the owner of the service who will be granting Anonymous access for a request that satisfies the set of constraints in the Policy.

### 4. Request JSON:

#### 1. Sample:

```
{ "BusinessUnit":"ECOM", "ServiceType":"FORWARD", "BatchID":"234234234" }
```

#### 2. Field Description:

| Sr. No. | Field        | DataType | Mandatory | Description         |
|---------|--------------|----------|-----------|---------------------|
| 1       | BusinessUnit | String   | Y         | It must be ECOM     |
| 2       | ServiceType  | String   | Y         | It must be FORWARD  |
| 3       | BatchID      | String   | Y         | Return from API (1) |

## 5. Response JSON:

### 1. Successful:

```
{
  "ReturnMessage": "Successful",
  "ReturnCode": 100,
  "AWBNoGenRequestedDateTime": "21-07-2017 16:52:39",
  "BatchID": "WCLIFEk1",
  "AWBNoSeries": [
    "111171900000",
    "111171900001",
    "111171900001"
  ]
}
```

### 2. Error:

```
{
  "ReturnMessage": "Details not found",
  "ReturnCode": 102,
  "AWBNoGenRequestedDateTime": null,
  "BatchID": "234234234",
  "AWBNoSeries": null
}
```

### 3. Date Time format: dd-MM-yyyy HH:mm:ss example: 19-07-2017 14:05:27

### 4. Return Code and Message Details:

| Return Code | Return Message                 | Description                                           |
|-------------|--------------------------------|-------------------------------------------------------|
| 100         | Successful                     |                                                       |
| 101         | Invalid xbAccessKey            | In case of wrong xbkey                                |
| 105         | Details not found              | If details is not found against respective batch id   |
| 103         | Provide business unit          | If business unit is null/empty                        |
| 103         | Business unit should be ECOM   | Business unit must be EOM                             |
| 103         | Provide service type           | If service type is null/empty                         |
| 103         | Service type should be FORWARD | Service type must be FORWARD                          |
| 103         | Provide BatchID                | Batch id should not be null/empty                     |
| 104         | Operation Failed               | If any other issue/exception, Retry in case of failed |