



VIT[®]
B H O P A L
www.vitbhopal.ac.in

VIT BHOPAL UNIVERSITY

School of Computing Science and Engineering

Bhopal-Indore Highway, Kothrikalan, Sehore

Madhya Pradesh - 466114

CSE3016 – AWS SOLUTION ARCHITECT

REG.NO : 23BAI10917

NAME : Vijay Rajesh R

BRANCH : AIML

SEMESTER: INTERIM SEMESTER 2025-26

INDEX

Ex.No	DATE	EXPERIMENT NAME	PAGE NO.
1.	10-11-25	Launch an EC2 instance using the AWS Management Console and deploy a website using Apache middle ware.	03
2.	11-11-25	Deploy a static website in S3 and manage the website using S3 life cycle management.	10
3.		Creating DNS records, configuring routing policies, implementing health checks, and monitoring DNS health using Route 53.	
4.		Create and configure Amazon Elastic File System (EFS) to create scalable and shared file storage for AWS resources and EFS file system, mount it to EC2 instances, and configure access permissions.	
5.		Create and configure CloudFront distributions to accelerate the delivery of their web content, improve website performance, and enhance user experience.	
6.		Create AWS Certificate Manager (ACM) for managing SSL/TLS certificates for secure communication in AWS.	
7.		Create and manage customer master keys (CMKs), encrypt data using KMS, and integrate KMS with AWS services for encryption.	
8.		Set up CloudWatch monitoring for AWS resources, create custom metrics and alarms, analyze logs, and troubleshoot performance issues using CloudWatch.	

EXP.NO: 01	Launch an EC2 instance using the AWS Management Console and deploy a website using Apache middle ware
DATE: 10-11-25	



AIM

To Launch an EC2 instance using the AWS Management Console and to successfully deploy a website using Apache middle ware

PROCEDURE

1. Launch EC2 Instance: Use the AWS Console to launch a t2.micro instance with Amazon Linux 2023 and an appropriate Key Pair.
2. Configure Security Group: Ensure the instance's Security Group allows inbound traffic on Port 22 (SSH) and Port 80 (HTTP).
3. Connect via SSH: Use your downloaded .pem key file to SSH into the instance using the public IP address.
4. Install Apache: Run `sudo dnf update -y` then `sudo dnf install httpd -y` on the instance.
5. Start and Enable Service: Run `sudo systemctl start httpd` and `sudo systemctl enable httpd`.
6. Deploy Website: Navigate to `/var/www/html/` and create or upload your website files (e.g., `sudo nano index.html`).
7. Test: Open the instance's Public IPv4 Address in a web browser to view the deployed website.

IMPLEMENTATION SCREENSHOT




```

[root@ip-172-31-31-177 ec2-user]# yum install -y httpd.x86_64
Amazon Linux 2023 Kernel Livepatch repo 273 kB/s | 29 kB    00:00
Dependencies resolved.
=====
Package                Arch    Version                               Repository    Size
=====
Installing:
httpd                  x86_64  2.4.65-1.amzn2023.0.2                amazonlinux   47 k
Installing dependencies:
apr                    x86_64  1.7.5-1.amzn2023.0.4                amazonlinux   129 k
apr-util              x86_64  1.6.3-1.amzn2023.0.2                amazonlinux   97 k
apr-util-ldb          x86_64  1.6.3-1.amzn2023.0.2                amazonlinux   13 k
generic-logos-httpd  noarch  18.0.0-12.amzn2023.0.3              amazonlinux   19 k
httpd-core            x86_64  2.4.65-1.amzn2023.0.2                amazonlinux  1.4 M
httpd-filesystem      noarch  2.4.65-1.amzn2023.0.2                amazonlinux   13 k
httpd-tools           x86_64  2.4.65-1.amzn2023.0.2                amazonlinux   81 k
libbrotli             x86_64  1.0.9-4.amzn2023.0.2                amazonlinux  315 k
mailcap               noarch  2.1.49-3.amzn2023.0.3              amazonlinux   33 k
Installing weak dependencies:
apr-util-openssl      x86_64  1.6.3-1.amzn2023.0.2                amazonlinux   15 k
mod_http2             x86_64  2.0.27-1.amzn2023.0.3              amazonlinux  166 k
mod_lua               x86_64  2.4.65-1.amzn2023.0.2                amazonlinux   60 k

Transaction Summary
=====
Install 13 Packages

Total download size: 2.4 M
Installed size: 6.9 M
Downloading Packages:
(1/13): apr-util-ldb-1.6.3-1.amzn2023. 369 kB/s | 13 kB    00:00
(2/13): apr-1.7.5-1.amzn2023.0.4.x86_64 3.0 MB/s | 129 kB    00:00
(3/13): apr-util-1.6.3-1.amzn2023.0.2.x 2.1 MB/s | 97 kB     00:00
(4/13): apr-util-openssl-1.6.3-1.amzn20 737 kB/s | 15 kB     00:00
(5/13): httpd-2.4.65-1.amzn2023.0.2.x86 2.5 MB/s | 47 kB     00:00
(6/13): generic-logos-httpd-18.0.0-12.a 786 kB/s | 19 kB     00:00
(7/13): httpd-filesystem-2.4.65-1.amzn2 578 kB/s | 13 kB     00:00
(8/13): httpd-tools-2.4.65-1.amzn2023.0 2.9 MB/s | 81 kB     00:00
(9/13): httpd-core-2.4.65-1.amzn2023.0. 28 MB/s | 1.4 MB    00:00
(10/13): libbrotli-1.0.9-4.amzn2023.0.2 9.9 MB/s | 315 kB    00:00
(11/13): mailcap-2.1.49-3.amzn2023.0.3. 1.3 MB/s | 33 kB     00:00
(12/13): mod_http2-2.0.27-1.amzn2023.0. 6.4 MB/s | 166 kB    00:00
(13/13): mod_lua-2.4.65-1.amzn2023.0.2. 2.8 MB/s | 60 kB     00:00
-----
Total                                14 MB/s | 2.4 MB    00:00
Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
  Preparing      :                                1/1
  Installing     : apr-1.7.5-1.amzn2023.0.4.x86_64 1/13
  Installing     : apr-util-ldb-1.6.3-1.amzn2023.0.2.x86_64 2/13
  Installing     : apr-util-openssl-1.6.3-1.amzn2023.0.2.x86_ 3/13
  Installing     : apr-util-1.6.3-1.amzn2023.0.2.x86_64 4/13
  Installing     : mailcap-2.1.49-3.amzn2023.0.3.noarch 5/13

```

```

(13/13): mod_lua-2.4.65-1.amzn2023.0.2. 2.8 MB/s | 60 kB      00:00
-----
Total                               14 MB/s | 2.4 MB      00:00
Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
  Preparing      :                                1/1
  Installing     : apr-1.7.5-1.amzn2023.0.4.x86_64 1/13
  Installing     : apr-util-lmdb-1.6.3-1.amzn2023.0.2.x86_64 2/13
  Installing     : apr-util-openssl-1.6.3-1.amzn2023.0.2.x86_64 3/13
  Installing     : apr-util-1.6.3-1.amzn2023.0.2.x86_64 4/13
  Installing     : mailcap-2.1.49-3.amzn2023.0.3.noarch 5/13
  Installing     : httpd-tools-2.4.65-1.amzn2023.0.2.x86_64 6/13
  Installing     : libbrotli-1.0.9-4.amzn2023.0.2.x86_64 7/13
  Running scriptlet: httpd-filesystem-2.4.65-1.amzn2023.0.2.noa 8/13
  Installing     : httpd-filesystem-2.4.65-1.amzn2023.0.2.noa 8/13
  Installing     : httpd-core-2.4.65-1.amzn2023.0.2.x86_64 9/13
  Installing     : mod_http2-2.0.27-1.amzn2023.0.3.x86_64 10/13
  Installing     : mod_lua-2.4.65-1.amzn2023.0.2.x86_64 11/13
  Installing     : generic-logos-httpd-18.0.0-12.amzn2023.0.3 12/13
  Installing     : httpd-2.4.65-1.amzn2023.0.2.x86_64 13/13
  Running scriptlet: httpd-2.4.65-1.amzn2023.0.2.x86_64 13/13
  Verifying      : apr-1.7.5-1.amzn2023.0.4.x86_64 1/13
  Verifying      : apr-util-1.6.3-1.amzn2023.0.2.x86_64 2/13
  Verifying      : apr-util-lmdb-1.6.3-1.amzn2023.0.2.x86_64 3/13
  Verifying      : apr-util-openssl-1.6.3-1.amzn2023.0.2.x86_64 4/13
  Verifying      : generic-logos-httpd-18.0.0-12.amzn2023.0.3 5/13
  Verifying      : httpd-2.4.65-1.amzn2023.0.2.x86_64 6/13
  Verifying      : httpd-core-2.4.65-1.amzn2023.0.2.x86_64 7/13
  Verifying      : httpd-filesystem-2.4.65-1.amzn2023.0.2.noa 8/13
  Verifying      : httpd-tools-2.4.65-1.amzn2023.0.2.x86_64 9/13
  Verifying      : libbrotli-1.0.9-4.amzn2023.0.2.x86_64 10/13
  Verifying      : mailcap-2.1.49-3.amzn2023.0.3.noarch 11/13
  Verifying      : mod_http2-2.0.27-1.amzn2023.0.3.x86_64 12/13
  Verifying      : mod_lua-2.4.65-1.amzn2023.0.2.x86_64 13/13

Installed:
apr-1.7.5-1.amzn2023.0.4.x86_64
apr-util-1.6.3-1.amzn2023.0.2.x86_64
apr-util-lmdb-1.6.3-1.amzn2023.0.2.x86_64
apr-util-openssl-1.6.3-1.amzn2023.0.2.x86_64
generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch
httpd-2.4.65-1.amzn2023.0.2.x86_64
httpd-core-2.4.65-1.amzn2023.0.2.x86_64
httpd-filesystem-2.4.65-1.amzn2023.0.2.noarch
httpd-tools-2.4.65-1.amzn2023.0.2.x86_64
libbrotli-1.0.9-4.amzn2023.0.2.x86_64
mailcap-2.1.49-3.amzn2023.0.3.noarch
mod_http2-2.0.27-1.amzn2023.0.3.x86_64
mod_lua-2.4.65-1.amzn2023.0.2.x86_64

Complete!
[root@ip-172-31-31-177 ec2-user]# |

```

```
Complete!
[root@ip-172-31-31-177 ec2-user]# systemctl start httpd.service
[root@ip-172-31-31-177 ec2-user]# systemctl enable start httpd.service
Failed to enable unit: Unit file start.service does not exist.
[root@ip-172-31-31-177 ec2-user]# systemctl enable httpd.service
Created symlink /etc/systemd/system/multi-user.target.wants/httpd.service → /usr/lib/systemd/system/httpd.service.
[root@ip-172-31-31-177 ec2-user]#
```

The screenshot displays the AWS Management Console interface for the 'Instances' page. The top navigation bar shows the AWS logo, a search bar, and the account name 'Vijay' with the account ID '2482-6826-5329'. The left sidebar contains navigation links for 'EC2', 'Dashboard', 'AWS Global View', 'Events', 'Instances', 'Instance Types', 'Launch Templates', 'Spot Requests', 'Savings Plans', 'Reserved Instances', 'Dedicated Hosts', 'Capacity Reservations', 'Capacity Manager', 'Images', 'AMIs', 'AMI Catalog', 'Elastic Block Store', 'Volumes', 'Snapshots', and 'Lifecycle Manager'. The main content area is titled 'Instances (1/1) Info' and features a table with columns: Name, Instance ID, Instance state, Instance type, Status check, Alarm status, Availability Zone, and Public IPv4. A single instance is listed with the name 'vijay-23BAI10...', Instance ID 'i-08d63e62cd459b8fc', state 'Running', type 't3.micro', and availability zone 'eu-north-1a'. Below the table, the 'Details' tab is selected for the instance 'i-08d63e62cd459b8fc (vijay-23BAI10917-apache-ec2-project)'. The 'Instance summary' section shows the Instance ID, IP address, and Hostname type. A tooltip indicates that the 'Public IPv4 address' has been copied. Other sections include 'Private IPv4 addresses', 'Public DNS', and 'Private IP DNS name (IPv4 only)'. The bottom of the console shows the footer with 'CloudShell', 'Feedback', 'Console Mobile App', and copyright information for Amazon Web Services, Inc.

Test Page

This page is used to test the proper operation of the Apache HTTP server after it has been installed. If you can read this page, it means that the Apache HTTP server installed at this site is working properly.

If you are a member of the general public:

The fact that you are seeing this page indicates that the website you just visited is either experiencing problems, or is undergoing routine maintenance.

If you would like to let the administrators of this website know that you've seen this page instead of the page you expected, you should send them e-mail. In general, mail sent to the name "webmaster" and directed to the website's domain should reach the appropriate person.

For example, if you experienced problems while visiting `www.example.com`, you should send e-mail to `"webmaster@example.com"`.

If you are the website administrator:

You may now add content to the directory `/var/www/html/`. Note that until you do so, people visiting your website will see this page, and not your content. To prevent this page from ever being used, follow the instructions in the file `/etc/httpd/conf.d/welcome.conf`.

You are free to use the image below on web sites powered by the Apache HTTP Server:



RESULT

Thus, EC2 instance has been launched using the AWS Management Console and a website is deployed using the Apache Middle ware

EXP.NO: 02	Deploy a static website in S3 and manage the website using S3 life cycle management
DATE: 11-11-25	

AIM

To deploy a static website in S3 and manage the website using S3 Life Cycle Management, in the AWS Management Console

PROCEDURE

Step 1: Create and Configure the S3 Bucket


- **Create Bucket:** In the AWS S3 Console, click "Create bucket". Give it a globally unique name (e.g., my-static-site).
- **Public Access:** Uncheck "Block all public access" during creation (you'll set permissions next).
- **Enable Website Hosting:** Go to the bucket's Properties tab, find Static website hosting, click "Edit", select "Enable", and specify your Index document (e.g., index.html) and Error document (e.g., error.html). Save changes.

Step 2: Upload Files and Set Permissions

- **Upload Content:** Go to the Objects tab and Upload all your website files (HTML, CSS, images).
- **Apply Bucket Policy:** Go to the Permissions tab and click "Edit" under Bucket Policy. Paste a policy granting public s3:GetObject access to all resources in your bucket, replacing YOUR_BUCKET_NAME. Save changes.
- **Test Access:** Paste the Bucket website endpoint (found under Properties) into a browser to confirm the site is live.
- **Step 3: Implement Lifecycle Management**
- **Create Rule:** Go to the Management tab, find Lifecycle rules, and click "Create lifecycle rule".

- Define Scope: Give the rule a name (e.g., Archive-and-Expire) and choose "Apply to all objects" or use a prefix (e.g., backups/) to target specific folders.
- Configure Transitions (Cost Optimization): Check "Transition current versions of objects...".
- Click "Add transition": Move objects to Standard-IA after 30 days.
- Click "Add transition": Move objects to Glacier Instant Retrieval after 90 days.
- Configure Expiration (Cleanup): Check "Expire current versions of objects" and set the number of days after creation (e.g., 365 days) to permanently delete the objects.
- Finalize: Click "Create rule". The lifecycle rule will now automatically manage the storage class and eventual deletion of your objects based on their age.

IMPLEMENTATION SCREENSHOT



Create Lifecycle rule - S3 bucket

us-east-1.console.aws.amazon.com/s3/management/vijay-s3-buck/lifecycle/create?region=us-east-1

Search [Alt+S] United States (N. Virginia) Account ID: 2482-6826-5329 Vijay

Amazon S3 > Buckets > vijay-s3-buck > Lifecycle configuration > Create lifecycle rule

Create lifecycle rule Info

Lifecycle rule configuration

Lifecycle rule name

vijay-lifecycle-rule-1

Up to 255 characters

Choose a rule scope

☐ Limit the scope of this rule using one or more filters

☒ Apply to all objects in the bucket

⚠️ Apply to all objects in the bucket

If you want the rule to apply to specific objects, you must use a filter to identify those objects. Choose "Limit the scope of this rule using one or more filters". [Learn more](#)

☒ I acknowledge that this rule will apply to all objects in the bucket.

Lifecycle rule actions

Choose the actions you want this rule to perform.

☒ Transition current versions of objects between storage classes

This action will move current versions.

☐ Transition noncurrent versions of objects between storage classes

CloudShell

Feedback

Console Mobile App

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Create Lifecycle rule - S3 bucket

us-east-1.console.aws.amazon.com/s3/management/vijay-s3-buck/lifecycle/create?region=us-east-1

Search [Alt+S] United States (N. Virginia) Account ID: 2482-6826-5329 Vijay

Amazon S3 > Buckets > vijay-s3-buck > Lifecycle configuration > Create lifecycle rule

Day 0

• Objects uploaded

↓

Day 30

• Objects move to Standard-IA

↓

Day 60

• Objects move to Intelligent-Tiering

↓

Day 90

• Objects move to One Zone-IA

↓

Day 240

• Objects move to Glacier Flexible Retrieval (formerly Glacier)

↓

Day 365

• Objects move to Glacier Deep Archive

Day 0

No actions defined.

Cancel

Create rule

CloudShell

Feedback

Console Mobile App

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Transition current versions of objects between storage classes

Choose transitions to move current versions of objects between storage classes based on your use case scenario and performance access requirements. These transitions start from when the objects are created and are consecutively applied. [Learn more](#)

Choose storage class transitions

Standard-IA	30	Remove
Intelligent-Tiering	60	Remove
One Zone-IA	90	Remove
Glacier Flexible Retrieval (formerly Glacier)	240	Remove
Glacier Deep Archive	365	Remove
Add transition		

Lifecycle configuration

To manage your objects so that they are stored cost effectively throughout their lifecycle, configure their lifecycle. A lifecycle configuration is a set of rules that define actions that Amazon S3 applies to a group of objects. Lifecycle rules run once per day.

Default minimum object size for transitions
All storage classes 128K

Lifecycle rules (1)

Use lifecycle rules to define actions you want Amazon S3 to take during an object's lifetime such as transitioning objects to another storage class, archiving them, or deleting them after a specified period of time. [Learn more](#)

Find lifecycle rules by name

	Lifecycle rule name	Status	Scope	Current version actions	Noncurrent versions ac...	Expired object delete ...
	vijay-lifecycle-rule-1	Enabled	Entire bucket	Transition to Standard-IA, then I	-	-

RESULT

Thus, a static website is deployed in S3 and it is managed using S3 life cycle management.