

AgentOps AI — Enterprise Service Operations Copilot

Project Overview

AgentOps AI is an Agentforce-powered Service Cloud copilot built in Salesforce. It helps support agents retrieve open cases, create follow-up tasks with confirmation, generate grounded case-resolution summaries, and answer support questions using approved Salesforce Knowledge articles.

The project demonstrates Agentforce orchestration, subagents, Flow actions, Prompt Builder, Salesforce Knowledge, Data Cloud/Agentforce Data Libraries, and enterprise auditability.

Business Problem

Service agents often spend significant time navigating records, reading case history, creating repetitive follow-up tasks, and searching internal documentation. AgentOps AI enables them to use natural-language requests to complete these tasks more efficiently while maintaining confirmation controls and action logging.

Key Features

1. Show My Open Cases

The agent retrieves the current user's open Cases and presents the Case Number, Subject, Status, and Priority in a readable

format.

2. Create Follow-up Task

The agent creates a Task linked to a specified Case. It asks the user for confirmation before creating the record.

3. Generate Case Resolution Summary


The agent uses Prompt Builder and live Case data to produce a structured summary with:

- Issue
- Current State
- Recommended Next Action
- Escalation Risk

4. Knowledge-Grounded Support Answers

The agent searches an Agentforce Data Library containing Salesforce Knowledge articles and responds using approved content with a source citation.

Architecture



Data Model

Standard Objects

Case

Used to store customer support requests.

Key fields used:

- Case Number
- Subject
- Description
- Status
- Priority
- Type
- Reason
- Contact
- Owner
- IsClosed

Optional custom Case fields planned for future enhancement:

- Escalation_Requested__c
- Escalation_Reason__c
- Copilot_Summary__c

Task

Used to create follow-up work for service agents.

Key fields used:

- Subject

- WhatId — links the Task to the Case
- OwnerId
- ActivityDate
- Status
- Priority

Knowledge

Used to store approved internal support procedures. The MFA article created for this project is titled:

Reset Multi-Factor Authentication

The article includes a custom long text area field:

- Article_Content__c

This field contains the approved MFA reset instructions used by the Knowledge Assistant.

Custom Object: AI Action Log

Custom object API name:

AI_Action_Log__c

Purpose: Maintain an audit trail of actions initiated by the Agentforce copilot.

Fields:

Field	Purpose
Case__c	Lookup to the related Case
Action_Name__c	Restricted picklist identifying the action
Status__c	Restricted picklist tracking result status
Conversation_Id__c	Optional Agentforce conversation reference

Request_Summary__c	Summary of the user request
Result_Summary__c	Summary of the completed action
Executed_By__c	User who initiated the action
Executed_At__c	Date and time of execution

Restricted picklist values configured for `Action_Name__c`:

- Create Follow-up Task
- Escalate Case
- Generate Case Summary
- Knowledge Search

Restricted picklist values configured for `Status__c`:

- Awaiting Confirmation
- Completed
- Failed

Agent and Subagent Design

Main Agent

Agent name:

AgentOps AI

The main agent receives the user’s request and routes it to the appropriate specialized subagent.

Case Operations Subagent

Responsibilities:

- Retrieve the current user’s open Cases
- Create a follow-up Task for a specific Case

- Require user confirmation before write actions
- Return clear, agent-friendly responses

Example requests:

- “Show my open cases”
- “Create a follow-up task for Case 00001028 tomorrow”
- “Create a task to review the invoice discrepancy”

Case Resolution Subagent

Responsibilities:

- Accept a Case Number
- Retrieve the Case
- Invoke the Prompt Builder template
- Return a structured case resolution summary

Example request:

- “Summarize Case 00001027”

Knowledge Assistant Subagent

Responsibilities:

- Answer support questions using approved Salesforce Knowledge content
- Cite the retrieved Knowledge article
- Avoid inventing procedures when no approved article is available

Example request:

- “How do I reset MFA?”

Flow 1: Get My Open Cases

Flow label:

Get My Open Cases

Flow type:

Autolaunched Flow

Purpose

Retrieves all open Cases owned by the current Salesforce user and formats them for the Agentforce response.

Input

Variable	Type	Available for Input
userRequest	Text	Yes

The input is required for Agentforce action validation, even though the Flow uses the running user to identify Case ownership.

Query Logic

The Get Records element queries the Case object using:

- OwnerId Equals {!\$User.Id}
- IsClosed Equals False

Important: `$User.Id` must be selected using the Flow resource picker. Typing `$User.Id` manually causes Salesforce to treat it as a text value and results in an invalid ID error.

Processing Logic

1. Get all open Cases owned by the current user.
2. Loop through the Case collection.

3. Build a formatted text response with:
 - Case Number
 - Subject
 - Status
 - Priority
4. Return the formatted result to Agentforce.
5. If no records are found, return a message that there are no open Cases assigned to the user.

Output

Variable	Type	Available for Output
caseSummary	Text	Yes

Example response:

Here are your open cases:

- 00001029 – Request for account statement
Status: New | Priority: Low
- 00001028 – Incorrect invoice amount displayed
Status: New | Priority: Medium
- 00001027 – Customer cannot access portal after MFA reset
Status: New | Priority: High

Agentforce Action Configuration

- Action name: Get My Open Cases
 - Input: `userRequest`
 - Output: `caseSummary`
 - “Show in conversation” for the raw output variable can be disabled to avoid duplicate responses.
-

Flow 2: Create Follow-up Task

Flow label:

Create Follow-up Task

Flow type:

Autolaunched Flow

Purpose

Creates a Task linked to a Case and writes an audit record to AI_Action_Log__c.

Inputs

Variable	Type	Available for Input
caseNumber	Text	Yes
taskSubject	Text	Yes
dueDate	Date	Yes

Output

Variable	Type	Available for Output
resultSummary	Text	Yes

Flow Steps

1. Get the Case by Case Number.
2. Use a Decision element to determine whether the Case was

found.

3. If the Case exists, create a Task with:

Task Field	Value
Subject	{!taskSubject}
WhatId	{!Get_Case_by_Number.Id}
OwnerId	{!\$User.Id}
ActivityDate	{!dueDate}
Status	Not Started
Priority	Normal

4. Create one `AI_Action_Log__c` record with:

Log Field	Value
Action_Name__c	Create Follow-up Task
Case__c	Retrieved Case Id
Executed_At__c	<code>\$Flow.CurrentDateTime</code>
Request_Summary__c	Task request details
Result_Summary__c	Follow-up task created successfully
Status__c	Completed

5. Assign a user-friendly success message to `resultSummary`.

6. If the Case is not found, return a clear error message instead of attempting to create a Task.

Agentforce Confirmation Control

The Create Follow-up Task action is configured to require confirmation. The agent first summarizes the requested action and waits for the user to respond with confirmation, such as:

Yes

Only after confirmation does the Flow create the Task.

Example interaction:

User: Create a follow-up task for Case 00001028 tomorrow.
Subject: Review invoice discrepancy with customer.

Agent: You requested to create a follow-up task for Case with the subject "Review invoice discrepancy with customer. Please confirm that you want to proceed.

User: Yes

Agent: The follow-up task has been created for Case 00001

Flow 3: Generate Case Resolution Summary

Flow label:

Generate Case Resolution Summary

Flow type:

Autolaunched Flow

Purpose

Retrieves a Case and sends its data to a Prompt Builder Flex template that produces a structured, grounded case summary.

Input

Variable	Type	Available for Input
----------	------	---------------------

caseNumber	Text	Yes
------------	------	-----

Output

Variable	Type	Available for Output
resultSummary	Text	Yes

Flow Steps

1. Retrieve the Case using the supplied Case Number.
2. If no Case is found, return a clear message to the user.
3. Invoke the Prompt Builder template:

Generate Case Resolution Summary

4. Pass the retrieved Case record into the template's Case resource.
5. Assign the prompt action's actual promptResponse output to resultSummary.
6. Return the structured response to the Case Resolution subagent.

Important: The prompt response must be selected from the Flow resource picker. Entering the text `Invoke_Generate_Case_Resolution_Summary.promptResponse` manually causes the agent to display that literal text instead of the generated summary.

Prompt Builder Configuration

Prompt template name:

Generate Case Resolution Summary

Template type:

Flex

Input resource:

Case record resource named `caseRecord`

Prompt Objective

Generate a concise, factual support summary using only information present in the Case.

Required Output Format

Issue

[Describe the customer problem using Case data.]

Current State

[Include Case Number, Status, Priority, Type, Reason, and

Recommended Next Action

[Provide practical next steps based on the available Case

Escalation Risk

[Identify escalation risk only when justified by the Case

Grounding Rules

- Use only values available in the Case record.
- Do not invent root cause, customer details, escalation status, or technical facts.
- If information is missing, state that it is not available.
- Keep the response concise and actionable.

Example Result

For Case 00001027, the response identified that the customer could not access the portal after an MFA reset, noted the High priority and New status, recommended gathering the MFA method, timestamp, and error details, and indicated that no clear escalation risk was identified from the available data.

Knowledge Article and Data Library

Knowledge Article

Article title:

Reset Multi-Factor Authentication

Publication status:

Published

Article content:

Use this procedure when an internal customer cannot sign

1. Confirm the customer's identity using the approved ver
2. Confirm which MFA method was reset: authenticator app,
3. Ask the customer to use a newly generated code from th
4. For authenticator apps, confirm the device time is set
5. If access is still blocked, document the error and esc

Agentforce Data Library

Library name:

AgentOps Knowledge Library v2

Source:

■ Salesforce Knowledge

Identifying fields:

- Title
- Article Content

Content field:

- Article Content

Data Library Setup Steps

1. Create and publish the Knowledge article.
2. Create a new Agentforce Data Library.
3. Select Salesforce Knowledge as the data source.
4. Select Title and Article Content as identifying fields.
5. Select Article Content as the content field.
6. Do not apply a public-knowledge filter or category filter for this demo.
7. Wait until the library status changes to Ready.
8. Ensure the running user has the necessary Data Cloud/Data Space access.
9. Assign the Data Library to the Agentforce agent or Knowledge Assistant action.
10. Test the agent in Preview.

Knowledge Guardrail

The Knowledge Assistant should only use retrieved and approved Knowledge content. If no article is found, it should clearly state that no approved procedure is available and should not fabricate instructions.

Testing Evidence

The following end-to-end scenarios were successfully tested in Agentforce Preview:

1. Show My Open Cases

The agent routed to the Case Operations subagent, invoked the Get My Open Cases Flow, retrieved three open Cases, and returned formatted Case details.

2. Summarize Case 00001027

The agent routed to the Case Resolution subagent, invoked the Case Resolution Flow, used Prompt Builder, and returned a structured summary grounded in Case data.

3. How Do I Reset MFA?

The agent routed to the Knowledge Assistant subagent, searched the AgentOps Knowledge Library, retrieved the approved Reset Multi-Factor Authentication article, and returned the five-step procedure with a source citation.

4. Create Follow-up Task

The agent gathered the Case Number, due date, and subject; requested confirmation; created the Task after approval; and created an AI Action Log entry.

Key Technical Decisions

- Used subagents to separate operational actions, case reasoning, and knowledge retrieval.
- Used autolaunched Flows as Agentforce actions to connect natural-language requests to Salesforce record operations.
- Used explicit confirmation before creating Tasks to protect against unintended record changes.
- Used a custom audit object to make AI-initiated actions traceable.
- Used Prompt Builder with a Case resource to create consistent summaries from live CRM data.
- Used Salesforce Knowledge and an Agentforce Data Library to ground answers in approved internal documentation.
- Used restricted picklists on the audit object to preserve consistent

reporting values.

Resume Summary

Built an enterprise Service Cloud copilot using Salesforce Agentforce, Flow, Prompt Builder, and Salesforce Knowledge. The solution retrieves open Cases, creates confirmed follow-up Tasks with audit logging, generates grounded case-resolution summaries, and answers support questions from approved Knowledge content