My Internet Scan

Native Implementation Stories

iOS (SwiftUI) • Android (Jetpack Compose) • KMP Shared Logic

Generated: 8 April 2026

Total Stories: 71 (7 KMP, 32 iOS, 32 Android)

Story Summary

ID	Layer	Title	Epic
MIS-001	KMP	Implement diagnostic data models in KMP shared module	Core Infrastructure
MIS-002	KMP	Implement diagnostic evaluation engine in KMP	Core Infrastructure
MIS-003	KMP	Implement navigation state machine with history stack	Core Infrastructure
MIS-004	KMP	Implement i18n string management in KMP	Core Infrastructure
MIS-005	KMP	Implement chat prompt builder in KMP	Core Infrastructure
MIS-006	KMP	Implement diagnostic API integration in KMP	Core Infrastructure
MIS-007	KMP	Implement remote modem WiFi control API in KMP	Core Infrastructure
MIS-008	iOS	Build Service Moment Card (ELT entry point) - iOS	Entry & Scanning Flow
MIS-009	Android	Build Service Moment Card (ELT entry point) - Android	Entry & Scanning Flow
MIS-010	iOS	Build Intro Screen - iOS	Entry & Scanning Flow
MIS-011	Android	Build Intro Screen - Android	Entry & Scanning Flow
MIS-012	iOS	Build Pre-Scan Screen - iOS	Entry & Scanning Flow
MIS-013	Android	Build Pre-Scan Screen - Android	Entry & Scanning Flow
MIS-014	iOS	Build Retest Warning Screen - iOS	Entry & Scanning Flow
MIS-015	Android	Build Retest Warning Screen - Android	Entry & Scanning Flow
MIS-016	iOS	Build Scanning Screen with progress animation - iOS	Entry & Scanning Flow
MIS-017	Android	Build Scanning Screen with progress animation - Android	Entry & Scanning Flow
MIS-018	iOS	Build Scan Done Screen - iOS	Entry & Scanning Flow
MIS-019	Android	Build Scan Done Screen - Android	Entry & Scanning Flow
MIS-020	iOS	Build Modem Offline Screen - iOS	Result Screens
MIS-021	Android	Build Modem Offline Screen - Android	Result Screens
MIS-022	iOS	Build Network Incident Screen - iOS	Result Screens
MIS-023	Android	Build Network Incident Screen - Android	Result Screens
MIS-024	iOS	Build All Clear Screen (positive + negative paths) - iOS	Result Screens
MIS-025	Android	Build All Clear Screen (positive + negative paths) - Android	Result Screens
MIS-026	iOS	Build Sentiment Mismatch Screen - iOS	Sentiment Mismatch
MIS-027	Android	Build Sentiment Mismatch Screen - Android	Sentiment Mismatch
MIS-028	iOS	Build Mismatch Actions Screen - iOS	Sentiment Mismatch

MIS-029	Android	Build Mismatch Actions Screen - Android	Sentiment Mismatch
MIS-030	iOS	Build Positive Mismatch Screen - iOS	Positive Mismatch
MIS-031	Android	Build Positive Mismatch Screen - Android	Positive Mismatch
MIS-032	iOS	Build Positive Mismatch Actions Screen - iOS	Positive Mismatch
MIS-033	Android	Build Positive Mismatch Actions Screen - Android	Positive Mismatch
MIS-034	iOS	Build QoE Explainer Screen - iOS	QoE Issue Screens
MIS-035	Android	Build QoE Explainer Screen - Android	QoE Issue Screens
MIS-036	iOS	Build Modem Deregs Resolution Screen - iOS	QoE Issue Screens
MIS-037	Android	Build Modem Deregs Resolution Screen - Android	QoE Issue Screens
MIS-038	iOS	Build Dropcable Resolution Screen - iOS	QoE Issue Screens
MIS-039	Android	Build Dropcable Resolution Screen - Android	QoE Issue Screens
MIS-040	iOS	Build Technician Required Screen - iOS	QoE Issue Screens
MIS-041	Android	Build Technician Required Screen - Android	QoE Issue Screens
MIS-042	iOS	Build Broken Hardware/Modem Screen - iOS	QoE Issue Screens
MIS-043	Android	Build Broken Hardware/Modem Screen - Android	QoE Issue Screens
MIS-044	iOS	Build Coverage Booster Question Screen - iOS	Coverage Flow
MIS-045	Android	Build Coverage Booster Question Screen - Android	Coverage Flow
MIS-046	iOS	Build Coverage Interference Flow (WiFi ON + Booster) - iOS	Coverage Flow
MIS-047	Android	Build Coverage Interference Flow (WiFi ON + Booster) - Android	Coverage Flow
MIS-048	iOS	Build Coverage Poor Booster Flow (WiFi OFF + Booster) - iOS	Coverage Flow
MIS-049	Android	Build Coverage Poor Booster Flow (WiFi OFF + Booster) - Android	Coverage Flow
MIS-050	iOS	Build General Coverage Flow (No Booster) - iOS	Coverage Flow
MIS-051	Android	Build General Coverage Flow (No Booster) - Android	Coverage Flow
MIS-052	iOS	Build WiFi Help Screen - iOS	Support & Resolution
MIS-053	Android	Build WiFi Help Screen - Android	Support & Resolution
MIS-054	iOS	Build WiFi Flow Screen (basic troubleshooting) - iOS	Support & Resolution
MIS-055	Android	Build WiFi Flow Screen - Android	Support & Resolution
MIS-056	iOS	Build Clarification Screen - iOS	Support & Resolution
MIS-057	Android	Build Clarification Screen - Android	Support & Resolution
MIS-058	iOS	Build Misalignment Screen - iOS	Support & Resolution
MIS-059	Android	Build Misalignment Screen - Android	Support & Resolution

MIS-060	iOS	Build Support Screen - iOS	Support & Resolution
MIS-061	Android	Build Support Screen - Android	Support & Resolution
MIS-062	iOS	Build Chat Flow Screen - iOS	Support & Resolution
MIS-063	Android	Build Chat Flow Screen - Android	Support & Resolution
MIS-064	iOS	Build Success Screen - iOS	Support & Resolution
MIS-065	Android	Build Success Screen - Android	Support & Resolution
MIS-066	iOS	Build reusable ScreenShell component - iOS	Shared UI Components
MIS-067	Android	Build reusable ScreenShell component - Android	Shared UI Components
MIS-068	iOS	Build ActionButton component - iOS	Shared UI Components
MIS-069	Android	Build ActionButton component - Android	Shared UI Components
MIS-070	iOS	Build Bottom Navigation Bar - iOS	Shared UI Components
MIS-071	Android	Build Bottom Navigation Bar - Android	Shared UI Components

Epic: Core Infrastructure

MIS-001: Implement diagnostic data models in KMP shared module

Story ID	MIS-001
Epic	Core Infrastructure
Layer	KMP
Title	Implement diagnostic data models in KMP shared module
Description	Create all shared data types: ExperienceMode (positive/negative), Sentiment (positive/neutral/negative), EntryPoint (elt/product/support), ScreenState (39 states), QoEItem, DiagnosticResult, SelectedProduct, and AppState. These types must be consumable by both iOS and Android ViewModels.
Acceptance Criteria	1. All 39 ScreenState values are defined as a sealed class/enum 2. QoEItem contains type (String), priority (Int), description (String?) 3. DiagnosticResult contains modem.inService, network.incident/change/problem, qoe list 4. AppState holds experienceMode, sentiment, entryPoint, currentState, currentTab, qoeSelected, diagnosticResult, selectedProduct 5. Types compile successfully on both iOS and Android targets
Dependencies	None
Notes	Reference: src/types/diagnostic.ts

MIS-002: Implement diagnostic evaluation engine in KMP

Story ID	MIS-002
Epic	Core Infrastructure
Layer	KMP
Title	Implement diagnostic evaluation engine in KMP
Description	Port the waterfall diagnostic logic that evaluates a DiagnosticResult and returns the next ScreenState. The engine checks: 1) modem offline → modem_offline, 2) network incidents → network_incident (or positive_mismatch if positive sentiment), 3) no QoE + negative/neutral → sentiment_mismatch, 4) no QoE + positive → all_clear, 5) QoE present + positive → positive_mismatch, 6) QoE present → map to specific qoe_* screen by priority.
Acceptance Criteria	1. evaluateDiagnostic(result, sentiment) returns correct ScreenState and QoEItem 2. Priority sorting: filter_hp47(0.0) > filter_tof(0.0) > dropcable(1.1) > dice(1.2) > modem_deregs(2.1) > broken_hardware_modem(2.2) > coverage(3.5) 3. Positive sentiment + network issue → positive_mismatch 4. Positive sentiment + QoE issues → positive_mismatch with qoeSelected set 5. Negative/neutral + no issues → sentiment_mismatch 6. Unit tests cover all 6 waterfall branches
Dependencies	MIS-001
Notes	Reference: src/lib/diagnosticEngine.ts

MIS-003: Implement navigation state machine with history stack

Story ID	MIS-003
Epic	Core Infrastructure
Layer	KMP
Title	Implement navigation state machine with history stack
Description	Create a shared ViewModel (or state holder) managing the current ScreenState, navigation history stack, and back navigation. The history stack enables the back button on every screen. Transitioning to 'entry' clears the stack.
Acceptance Criteria	1. setCurrentState(state) pushes current state to history before transitioning 2. goBack() pops the last state from history and navigates to it 3. canGoBack is true when history is non-empty 4. Navigating to 'entry' resets the history stack 5. reset() returns all state to initial values and clears history
Dependencies	MIS-001

MIS-004: Implement i18n string management in KMP

Story ID	MIS-004
Epic	Core Infrastructure
Layer	KMP
Title	Implement i18n string management in KMP
Description	Create a shared localization system supporting EN, NL, FR. All UI strings must be externalized. The system should provide a t(key, params?) function that returns localized strings. Platform layers consume these strings.
Acceptance Criteria	1. All 400+ string keys from en.json/nl.json/fr.json are available 2. Interpolation works (e.g., {{used}} GB / {{total}} GB) 3. HTML-formatted strings (e.g., 5 minutes) are flagged for platform-specific rendering 4. Language can be switched at runtime 5. Fallback to English when a key is missing in NL/FR
Dependencies	None
Notes	Reference: src/i18n/locales/en.json (432 lines), nl.json, fr.json

MIS-005: Implement chat prompt builder in KMP

Story ID	MIS-005
Epic	Core Infrastructure
Layer	KMP
Title	Implement chat prompt builder in KMP
Description	Create a function that builds contextual chat prompts based on sentiment, modem status, and QoE type. The prompt is pre-filled text the user can paste into the support chat.

Acceptance Criteria	1. Modem offline + positive → 'Hi, I don\'t have an issue but your scan indicates my modem may be offline...' 2. Negative + QoE issue → 'Hi, I\'m experiencing problems... Your tool detected {{issue}}...' 3. Neutral + no issue → generic prompt 4. QoE type maps to human-readable descriptions (e.g., broken_hardware_modem → 'a defective modem') 5. 9 prompt variants covered by unit tests
Dependencies	MIS-001, MIS-004

MIS-006: Implement diagnostic API integration in KMP

Story ID	MIS-006
Epic	Core Infrastructure
Layer	KMP
Title	Implement diagnostic API integration in KMP
Description	Add the actual API call to fetch diagnostic data for a customer's modem. The API should return DiagnosticResult (modem status, network status, QoE items). Include error handling and timeout management.
Acceptance Criteria	1. API call returns DiagnosticResult matching the shared data model 2. Network errors are handled gracefully with retry option 3. API timeout is configurable (default 10s) 4. Response is parsed and validated before returning 5. Mock implementation available for testing/development
Dependencies	MIS-001

MIS-007: Implement remote modem WiFi control API in KMP

Story ID	MIS-007
Epic	Core Infrastructure
Layer	KMP
Title	Implement remote modem WiFi control API in KMP
Description	Add API integration for remotely turning off modem WiFi and remotely restarting the modem. Both operations are async with progress tracking.
Acceptance Criteria	1. turnOffModemWifi() triggers the remote command and returns success/failure 2. restartModem() triggers remote reboot and returns success/failure 3. Progress can be observed by the UI layer 4. Timeout handling for both operations 5. Error states are clearly communicated
Dependencies	MIS-001

Epic: Entry & Scanning Flow

MIS-008: Build Service Moment Card (ELT entry point) - iOS

Story ID	MIS-008
Epic	Entry & Scanning Flow
Layer	iOS
Title	Build Service Moment Card (ELT entry point) - iOS
Description	Implement the service moment card shown on the Start tab when ELT is enabled. Shows 'How is your WiFi at home?' with 3 emoji buttons (☹️ negative, 😐 neutral, 😊 positive). Dismissible with an X button. Selecting a sentiment enters the diagnostic flow.
Acceptance Criteria	1. Card appears on Start tab when ELT is enabled and not dismissed 2. 3 emoji buttons set sentiment and navigate to Intro screen 3. X button dismisses the card (persists until session reset) 4. Card has subtle entrance animation 5. Card styling matches design: rounded corners, border, shadow
Dependencies	MIS-001, MIS-003

MIS-009: Build Service Moment Card (ELT entry point) - Android

Story ID	MIS-009
Epic	Entry & Scanning Flow
Layer	Android
Title	Build Service Moment Card (ELT entry point) - Android
Description	Same as iOS story MIS-008 but implemented in Jetpack Compose.
Acceptance Criteria	1. Card appears on Start tab when ELT is enabled and not dismissed 2. 3 emoji buttons set sentiment and navigate to Intro screen 3. X button dismisses the card 4. Card has entrance animation using Compose animations 5. Card styling matches design system
Dependencies	MIS-001, MIS-003

MIS-010: Build Intro Screen - iOS

Story ID	MIS-010
Epic	Entry & Scanning Flow
Layer	iOS
Title	Build Intro Screen - iOS
Description	Implement the intro screen shown after sentiment selection. Positive sentiment: green sparkles icon, encouraging title. Negative sentiment: blue heart icon, empathetic title. Has 'Start Diagnosis' and 'Exit' buttons. If multiple homes exist, show address selection bottom sheet before proceeding.

Acceptance Criteria	1. Icon and copy adapt based on sentiment (positive vs negative) 2. 'Start Diagnosis' navigates to Pre-Scan screen 3. 'Exit' returns to entry/home 4. Address selection sheet appears when user has multiple homes 5. Selected address sets the product context (limited/unlimited)
Dependencies	MIS-001, MIS-003, MIS-004

MIS-011: Build Intro Screen - Android

Story ID	MIS-011
Epic	Entry & Scanning Flow
Layer	Android
Title	Build Intro Screen - Android
Description	Same as iOS story MIS-010 but in Jetpack Compose.
Acceptance Criteria	1. Sentiment-adaptive icon and copy 2. 'Start Diagnosis' and 'Exit' buttons work correctly 3. Bottom sheet for address selection when multiple homes 4. Smooth transitions between states
Dependencies	MIS-001, MIS-003, MIS-004

MIS-012: Build Pre-Scan Screen - iOS

Story ID	MIS-012
Epic	Entry & Scanning Flow
Layer	iOS
Title	Build Pre-Scan Screen - iOS
Description	Shows what the scan will check: Modem status, Network status, Connection quality. Two CTAs: 'Start new scan' → Scanning, 'Retest after a fix' → Retest Warning.
Acceptance Criteria	1. 3 check items displayed with icons (Router, Globe, Wifi) 2. 'Start new scan' navigates to Scanning screen 3. 'Retest after a fix' navigates to Retest Warning screen 4. Back button navigates to previous screen 5. Staggered entrance animation for check items
Dependencies	MIS-003, MIS-004

MIS-013: Build Pre-Scan Screen - Android

Story ID	MIS-013
Epic	Entry & Scanning Flow
Layer	Android

Title	Build Pre-Scan Screen - Android
Description	Same as iOS story MIS-012 but in Jetpack Compose.
Acceptance Criteria	1. 3 check items with staggered animation 2. Both CTAs navigate correctly 3. Back button works
Dependencies	MIS-003, MIS-004

MIS-014: Build Retest Warning Screen - iOS

Story ID	MIS-014
Epic	Entry & Scanning Flow
Layer	iOS
Title	Build Retest Warning Screen - iOS
Description	Warning screen explaining that diagnostic data may take up to one week to update after a fix. Shows warning banner. 'Continue anyway' → Scanning, 'Come back later' → Entry.
Acceptance Criteria	1. Warning text includes bold HTML rendering for '5 minutes' 2. Yellow warning banner with clock icon 3. 'Continue anyway' starts the scan 4. 'Come back later' returns to home
Dependencies	MIS-003, MIS-004

MIS-015: Build Retest Warning Screen - Android

Story ID	MIS-015
Epic	Entry & Scanning Flow
Layer	Android
Title	Build Retest Warning Screen - Android
Description	Same as iOS story MIS-014 but in Jetpack Compose.
Acceptance Criteria	1. HTML-formatted text rendered correctly 2. Warning banner styling 3. Both CTAs navigate correctly
Dependencies	MIS-003, MIS-004

MIS-016: Build Scanning Screen with progress animation - iOS

Story ID	MIS-016
Epic	Entry & Scanning Flow
Layer	iOS

Title	Build Scanning Screen with progress animation - iOS
Description	Animated scanning screen: pulsing WiFi icon with ripple rings, progress bar (0-100% over ~4s), 3 step indicators (Modem/Network/Connection) that check off at 33%/66%/100%. 'Did you know?' card cycles facts every 2s. Auto-navigates to Scan Done at 100%.
Acceptance Criteria	1. Progress bar fills from 0-100% over approximately 4 seconds 2. Ripple animation on WiFi icon (3 expanding rings) 3. Step indicators animate from dot → checkmark at thresholds 4. 'Did you know?' facts rotate every 2 seconds with fade animation 5. Auto-navigates to Scan Done screen when progress reaches 100% 6. Back/close buttons are hidden during scan
Dependencies	MIS-003, MIS-004

MIS-017: Build Scanning Screen with progress animation - Android

Story ID	MIS-017
Epic	Entry & Scanning Flow
Layer	Android
Title	Build Scanning Screen with progress animation - Android
Description	Same as iOS story MIS-016 but in Jetpack Compose.
Acceptance Criteria	1. Progress bar with shimmer effect 2. Pulsing ripple animation on icon 3. Step indicators with spring animations 4. Rotating facts with crossfade 5. Auto-navigation at 100%
Dependencies	MIS-003, MIS-004

MIS-018: Build Scan Done Screen - iOS

Story ID	MIS-018
Epic	Entry & Scanning Flow
Layer	iOS
Title	Build Scan Done Screen - iOS
Description	Shows scan completion with animated checkmarks for all 3 steps, celebration ring animation. 'See result' button triggers the diagnostic engine evaluation and navigates to the appropriate result screen.
Acceptance Criteria	1. 3 checkmarks appear with staggered spring animations 2. Connecting lines animate between steps 3. 'See result' triggers evaluateDiagnostic() with panel inputs 4. Correct ScreenState and QoEItem are set based on evaluation 5. CTA appears with delayed entrance after checkmark animations
Dependencies	MIS-002, MIS-003

MIS-019: Build Scan Done Screen - Android

Story ID	MIS-019
Epic	Entry & Scanning Flow
Layer	Android
Title	Build Scan Done Screen - Android
Description	Same as iOS story MIS-018 but in Jetpack Compose.
Acceptance Criteria	1. Spring animations for checkmarks 2. Staggered line animations 3. 'See result' triggers evaluation engine 4. Correct navigation based on result
Dependencies	MIS-002, MIS-003

Epic: Result Screens

MIS-020: Build Modem Offline Screen - iOS

Story ID	MIS-020
Epic	Result Screens
Layer	iOS
Title	Build Modem Offline Screen - iOS
Description	Two-step screen. Step 1 (Cause): Red WiFi-off icon, shows 'modem offline' as cause with alert banner. Step 2 (Solutions): Two solution cards (Turn on modem, Restart modem) + info note about 5-min wait. CTAs: 'Redo test' → re-scan, 'Not helpful' → Support.
Acceptance Criteria	1. Cause step shows destructive-themed alert with shaking icon animation 2. Solutions step shows 2 solution cards with staggered entrance 3. Info note about waiting 5 minutes is displayed 4. 'Redo test' navigates to Scanning screen 5. 'Not helpful' navigates to Support screen
Dependencies	MIS-003, MIS-004

MIS-021: Build Modem Offline Screen - Android

Story ID	MIS-021
Epic	Result Screens
Layer	Android
Title	Build Modem Offline Screen - Android
Description	Same as iOS story MIS-020 but in Jetpack Compose.
Acceptance Criteria	1. Two-step flow (cause → solutions) 2. Alert banner with animation 3. Staggered solution cards 4. Both CTAs work correctly
Dependencies	MIS-003, MIS-004

MIS-022: Build Network Incident Screen - iOS

Story ID	MIS-022
Epic	Result Screens
Layer	iOS
Title	Build Network Incident Screen - iOS
Description	Two-step screen. Step 1 (Cause): Warning icon, explains network issue. Step 2 (Solutions): Shows 'Wait for technicians' card with optional ETA. 'Got it, thanks' returns to entry.
Acceptance Criteria	1. Cause step shows warning-themed presentation 2. Solutions step shows technician card with clock icon 3. ETA is displayed if available in diagnostic result (formatted as locale date)

	4. 'Got it, thanks' navigates to entry/home
Dependencies	MIS-003, MIS-004

MIS-023: Build Network Incident Screen - Android

Story ID	MIS-023
Epic	Result Screens
Layer	Android
Title	Build Network Incident Screen - Android
Description	Same as iOS story MIS-022 but in Jetpack Compose.
Acceptance Criteria	1. Two-step flow with animations 2. ETA display when available 3. CTA navigates to entry
Dependencies	MIS-003, MIS-004

MIS-024: Build All Clear Screen (positive + negative paths) - iOS

Story ID	MIS-024
Epic	Result Screens
Layer	iOS
Title	Build All Clear Screen (positive + negative paths) - iOS
Description	Two variants: POSITIVE: Green checkmark, 'Supercharged WiFi' badge with zap icons, 'Let\'s celebrate' button triggers confetti then auto-returns to home after 5s. NEGATIVE: Green checkmark, 'No issues detected', asks 'Still experiencing problems?' with Yes/No options.
Acceptance Criteria	1. Positive path: confetti particle effect fires on celebrate tap 2. Positive path: auto-navigates to entry after 5 seconds 3. Negative path: 'No, everything\'s fine' → Success screen 4. Negative path: 'Yes, I still have issues' → Clarification screen 5. Confetti uses native particle system (Konfetti on Android, CAEmitterLayer on iOS)
Dependencies	MIS-003, MIS-004
Notes	Confetti: Use Konfetti library on Android, CAEmitterLayer on iOS

MIS-025: Build All Clear Screen (positive + negative paths) - Android

Story ID	MIS-025
Epic	Result Screens
Layer	Android
Title	Build All Clear Screen (positive + negative paths) - Android

Description	Same as iOS story MIS-024 but in Jetpack Compose with Konfetti for confetti.
Acceptance Criteria	1. Positive: Konfetti confetti effect on celebrate 2. Positive: Auto-return to home after 5s 3. Negative: Two-option choice with correct navigation 4. Konfetti colors: green, blue, amber, pink, purple
Dependencies	MIS-003, MIS-004

Epic: Sentiment Mismatch

MIS-026: Build Sentiment Mismatch Screen - iOS

Story ID	MIS-026
Epic	Sentiment Mismatch
Layer	iOS
Title	Build Sentiment Mismatch Screen - iOS
Description	Shown when user reports negative/neutral but no issues found. Displays side-by-side comparison cards (Our Data: Supercharged WiFi vs Your Experience: Negative). Two CTAs: 'What\'s the reason?' opens a bottom sheet drawer explaining why mismatches happen, 'What should I do?' → Mismatch Actions.
Acceptance Criteria	1. Two comparison cards (green/success vs red/destructive) displayed side by side 2. 'What\'s the reason?' opens drawer with explanation text and 4 bullet reasons 3. Drawer includes suggestion section and close button 4. 'What should I do?' navigates to Mismatch Actions screen
Dependencies	MIS-003, MIS-004

MIS-027: Build Sentiment Mismatch Screen - Android

Story ID	MIS-027
Epic	Sentiment Mismatch
Layer	Android
Title	Build Sentiment Mismatch Screen - Android
Description	Same as iOS story MIS-026 but in Jetpack Compose with BottomSheet.
Acceptance Criteria	1. Comparison cards with appropriate theming 2. Bottom sheet with explanation content 3. Both CTAs navigate correctly
Dependencies	MIS-003, MIS-004

MIS-028: Build Mismatch Actions Screen - iOS

Story ID	MIS-028
Epic	Sentiment Mismatch
Layer	iOS
Title	Build Mismatch Actions Screen - iOS
Description	Shows two options: 'General WiFi help' → WiFi Help screen, 'Contact us' → Support screen.
Acceptance Criteria	1. 'General WiFi help' navigates to WiFi Help screen 2. 'Contact us' navigates to Support screen 3. Lightbulb icon in header
Dependencie	MIS-003

s	

MIS-029: Build Mismatch Actions Screen - Android

Story ID	MIS-029
Epic	Sentiment Mismatch
Layer	Android
Title	Build Mismatch Actions Screen - Android
Description	Same as iOS story MIS-028 but in Jetpack Compose.
Acceptance Criteria	1. Both CTAs navigate correctly 2. Consistent styling with design system
Dependencies	MIS-003

Epic: Positive Mismatch

MIS-030: Build Positive Mismatch Screen - iOS

Story ID	MIS-030
Epic	Positive Mismatch
Layer	iOS
Title	Build Positive Mismatch Screen - iOS
Description	Shown when user is positive but system found issues. Side-by-side cards: warning 'Possibly wobbly WiFi' vs success 'Positive'. 'What\'s the reason?' drawer + 'What should I do?' → Positive Mismatch Actions.
Acceptance Criteria	1. Warning/success comparison cards 2. Drawer with 4 bullet explanations 3. 'What should I do?' navigates to Positive Mismatch Actions
Dependencies	MIS-003, MIS-004

MIS-031: Build Positive Mismatch Screen - Android

Story ID	MIS-031
Epic	Positive Mismatch
Layer	Android
Title	Build Positive Mismatch Screen - Android
Description	Same as iOS story MIS-030 but in Jetpack Compose.
Acceptance Criteria	1. Comparison cards with correct theming 2. Bottom sheet drawer functionality 3. Navigation works correctly
Dependencies	MIS-003

MIS-032: Build Positive Mismatch Actions Screen - iOS

Story ID	MIS-032
Epic	Positive Mismatch
Layer	iOS
Title	Build Positive Mismatch Actions Screen - iOS
Description	Two options: 'Do nothing & come back later' → entry, 'Dive into the problem' → QoE Explainer (or Network Incident if network issue without QoE).
Acceptance Criteria	1. 'Do nothing' returns to home 2. 'Dive in' goes to QoE Explainer when QoE item exists 3. 'Dive in' goes to Network Incident when it's a network issue without QoE 4. Lightbulb icon header
Dependencie	MIS-003

s	

MIS-033: Build Positive Mismatch Actions Screen - Android

Story ID	MIS-033
Epic	Positive Mismatch
Layer	Android
Title	Build Positive Mismatch Actions Screen - Android
Description	Same as iOS story MIS-032 but in Jetpack Compose.
Acceptance Criteria	1. Both CTAs work with correct conditional logic 2. Dive-in logic checks network vs QoE correctly
Dependencies	MIS-003

Epic: QoE Issue Screens

MIS-034: Build QoE Explainer Screen - iOS

Story ID	MIS-034
Epic	QoE Issue Screens
Layer	iOS
Title	Build QoE Explainer Screen - iOS
Description	Generic explainer screen that adapts to the detected QoE type. Shows type-specific icon, label, and detailed description. 'What can I do?' navigates to the type-specific resolution screen. Maps: modem_deregs, dropcable, coverage, filter, filter_hp47, filter_tof, dice, broken_hardware_modem.
Acceptance Criteria	1. Icon and text adapt based on qoeSelected.type 2. 8 QoE types have unique labels and descriptions 3. 'What can I do?' navigates to the correct qoe_* screen 4. Redirects to Support if no QoE item selected
Dependencies	MIS-001, MIS-003, MIS-004

MIS-035: Build QoE Explainer Screen - Android

Story ID	MIS-035
Epic	QoE Issue Screens
Layer	Android
Title	Build QoE Explainer Screen - Android
Description	Same as iOS story MIS-034 but in Jetpack Compose.
Acceptance Criteria	1. 8 QoE type variants with correct icons/labels 2. Navigation to correct resolution screen 3. Fallback to Support screen
Dependencies	MIS-001, MIS-003, MIS-004

MIS-036: Build Modem Deregs Resolution Screen - iOS

Story ID	MIS-036
Epic	QoE Issue Screens
Layer	iOS
Title	Build Modem Deregs Resolution Screen - iOS
Description	Two-step: cause → solutions. Solutions show 'Restart your modem' card + 'Initiate modem reboot' button that opens a drawer. Drawer has 3 states: warning/confirm → restarting (progress bar) → done (did it improve? yes/no). Skips to solutions if coming from QoE Explainer.
Acceptance Criteria	1. Modem reboot drawer: warning state with bold HTML info text 2. Reboot progress bar fills over ~10 seconds 3. After reboot: 'Yes, it\'s better!' → Success, 'No' → Support

	4. 'Not helpful' on solutions → Support 5. Starts at solutions step when navigated from QoE Explainer (previousState check)
Dependencies	MIS-003, MIS-007

MIS-037: Build Modem Deregs Resolution Screen - Android

Story ID	MIS-037
Epic	QoE Issue Screens
Layer	Android
Title	Build Modem Deregs Resolution Screen - Android
Description	Same as iOS story MIS-036 but in Jetpack Compose with BottomSheet.
Acceptance Criteria	1. 3-state reboot drawer (warning → progress → result) 2. Progress animation over ~10 seconds 3. Yes/No outcome navigation 4. Previous state detection for skip-to-solutions
Dependencies	MIS-003, MIS-007

MIS-038: Build Dropcable Resolution Screen - iOS

Story ID	MIS-038
Epic	QoE Issue Screens
Layer	iOS
Title	Build Dropcable Resolution Screen - iOS
Description	Three-step: cause → solutions → verify. Solutions show 'Tighten cable' card with photo of modem cable. 'Done' → verify step asks 'Did it improve?'. Yes → Success, No → Support. Skips to solutions from Explainer.
Acceptance Criteria	1. Solution card includes a photo showing cable tightening 2. Photo loaded from assets with alt text 3. 'Done' navigates to verify step 4. Verify: Yes → Success, No → Support 5. 'Not helpful' → Support
Dependencies	MIS-003, MIS-004
Notes	Requires modem-cable-tighten image asset

MIS-039: Build Dropcable Resolution Screen - Android

Story ID	MIS-039
Epic	QoE Issue Screens
Layer	Android

Title	Build Dropcable Resolution Screen - Android
Description	Same as iOS story MIS-038 but in Jetpack Compose.
Acceptance Criteria	1. 3-step flow (cause → solutions → verify) 2. Image display in solution card 3. All navigation paths work correctly
Dependencies	MIS-003, MIS-004

MIS-040: Build Technician Required Screen - iOS

Story ID	MIS-040
Epic	QoE Issue Screens
Layer	iOS
Title	Build Technician Required Screen - iOS
Description	Two-step: cause → resolution. Covers filter, filter_hp47, filter_tof, dice QoE types. Resolution shows 'A technician visit is required' with 'Contact support' → Support screen.
Acceptance Criteria	1. Cause step shows warning-themed presentation 2. Resolution step shows destructive-themed icon 3. 'Contact support' navigates to Support screen 4. Works for all 4 QoE types (filter, filter_hp47, filter_tof, dice)
Dependencies	MIS-003

MIS-041: Build Technician Required Screen - Android

Story ID	MIS-041
Epic	QoE Issue Screens
Layer	Android
Title	Build Technician Required Screen - Android
Description	Same as iOS story MIS-040 but in Jetpack Compose.
Acceptance Criteria	1. Two-step flow 2. Contact support CTA 3. Handles all 4 QoE types
Dependencies	MIS-003

MIS-042: Build Broken Hardware/Modem Screen - iOS

Story ID	MIS-042
Epic	QoE Issue Screens
Layer	iOS

Title	Build Broken Hardware/Modem Screen - iOS
Description	Two-step: cause → resolution. Shows 'Modem replacement needed' with 'Schedule replacement' → Support.
Acceptance Criteria	1. Destructive-themed icon (wrench) 2. 'Schedule replacement' navigates to Support 3. Skips cause step when coming from Explainer
Dependencies	MIS-003

MIS-043: Build Broken Hardware/Modem Screen - Android

Story ID	MIS-043
Epic	QoE Issue Screens
Layer	Android
Title	Build Broken Hardware/Modem Screen - Android
Description	Same as iOS story MIS-042 but in Jetpack Compose.
Acceptance Criteria	1. Two-step flow with conditional skip 2. Navigation to Support
Dependencies	MIS-003

Epic: Coverage Flow

MIS-044: Build Coverage Booster Question Screen - iOS

Story ID	MIS-044
Epic	Coverage Flow
Layer	iOS
Title	Build Coverage Booster Question Screen - iOS
Description	Asks 'Do you have a BASE TP-Link Deco booster?' with 3 options: Yes, No, I don\'t know. Answer determines the sub-flow: Yes + modemWifiOn → CoverageInterference, Yes + modemWifiOff → CoveragePoorBooster, No/Unknown → CoverageGeneral.
Acceptance Criteria	1. 3 answer buttons: Yes (checkmark), No (X), I don\'t know (question mark) 2. Yes + modem WiFi ON → Interference sub-flow 3. Yes + modem WiFi OFF → Poor Booster sub-flow 4. No or Unknown → General coverage sub-flow
Dependencies	MIS-003, MIS-004

MIS-045: Build Coverage Booster Question Screen - Android

Story ID	MIS-045
Epic	Coverage Flow
Layer	Android
Title	Build Coverage Booster Question Screen - Android
Description	Same as iOS story MIS-044 but in Jetpack Compose.
Acceptance Criteria	1. 3-option question with icons 2. Correct sub-flow routing based on answer + modemWifiOn state
Dependencies	MIS-003, MIS-004

MIS-046: Build Coverage Interference Flow (WiFi ON + Booster) - iOS

Story ID	MIS-046
Epic	Coverage Flow
Layer	iOS
Title	Build Coverage Interference Flow (WiFi ON + Booster) - iOS
Description	5-step internal state machine: cause → solutions → turning_off → verify → booster_install. Solutions show 'Turn off modem WiFi' card + 2 CTAs. 'Turn off remotely' triggers 5s loading then verify. Verify: yes → Success, no → booster_install. 'Not helpful' on solutions → booster_install. Booster Install screen: FAQ link, 'Yes helpful' → Success, 'No' → WiFi Help.
Acceptance Criteria	1. Solutions screen shows only 'Turn off modem WiFi remotely' and 'Not helpful' 2. 'Turn off remotely' shows 5-second loading spinner 3. Verify screen: 'Yes, it\'s better!' → Success, 'No, I still need help' → Booster Install 4. 'Not helpful' on solutions → Booster Install screen

	5. Booster Install: FAQ opens https://www.base.be/.../how-to-install-wifi-boosters.html 6. Booster Install: 'Yes, this was helpful' → Success (small confetti) 7. Booster Install: 'No, not helpful' → WiFi Help screen
Dependencies	MIS-003, MIS-004, MIS-007

MIS-047: Build Coverage Interference Flow (WiFi ON + Booster) - Android

Story ID	MIS-047
Epic	Coverage Flow
Layer	Android
Title	Build Coverage Interference Flow (WiFi ON + Booster) - Android
Description	Same as iOS story MIS-046 but in Jetpack Compose.
Acceptance Criteria	1. 5-step state machine (cause → solutions → turning_off → verify → booster_install) 2. Loading spinner during WiFi turn-off 3. FAQ link opens in browser 4. All navigation paths work correctly
Dependencies	MIS-003, MIS-004, MIS-007

MIS-048: Build Coverage Poor Booster Flow (WiFi OFF + Booster) - iOS

Story ID	MIS-048
Epic	Coverage Flow
Layer	iOS
Title	Build Coverage Poor Booster Flow (WiFi OFF + Booster) - iOS
Description	Two-step: cause → solutions. Solutions show 'Reposition your booster' card, 'Use the Deco app' FAQ link (opens base.be deco troubleshooting), 'Buy an additional booster' (opens booster shop), 'Not helpful' → Support.
Acceptance Criteria	1. Solution card: Reposition booster with MapPin icon 2. 'Use Deco app' opens https://www.base.be/.../my-deco-wifi-booster-is-not-working-well.html 3. 'Buy additional booster' opens https://www.base.be/en/internet/wifi-booster.html 4. 'Not helpful' → Support screen
Dependencies	MIS-003, MIS-004

MIS-049: Build Coverage Poor Booster Flow (WiFi OFF + Booster) - Android

Story ID	MIS-049
Epic	Coverage Flow
Layer	Android
Title	Build Coverage Poor Booster Flow (WiFi OFF + Booster) - Android

Description	Same as iOS story MIS-048 but in Jetpack Compose.
Acceptance Criteria	1. Reposition card with solution description 2. Two external link buttons open correct URLs 3. 'Not helpful' navigates to Support
Dependencies	MIS-003, MIS-004

MIS-050: Build General Coverage Flow (No Booster) - iOS

Story ID	MIS-050
Epic	Coverage Flow
Layer	iOS
Title	Build General Coverage Flow (No Booster) - iOS
Description	Two-step: cause → solutions. Solutions: 'Reposition your modem' card, 'Order a WiFi Booster' (opens shop), 'DIY tips and tricks' (opens FAQ), 'Not helpful' → Support.
Acceptance Criteria	1. Reposition modem card with MapPin icon 2. 'Order WiFi Booster' opens booster shop URL 3. 'DIY tips' opens problem-with-wi-fi-at-home FAQ 4. 'Not helpful' → Support
Dependencies	MIS-003, MIS-004

MIS-051: Build General Coverage Flow (No Booster) - Android

Story ID	MIS-051
Epic	Coverage Flow
Layer	Android
Title	Build General Coverage Flow (No Booster) - Android
Description	Same as iOS story MIS-050 but in Jetpack Compose.
Acceptance Criteria	1. 3-CTA solutions screen with external links 2. 'Not helpful' navigates to Support
Dependencies	MIS-003, MIS-004

Epic: Support & Resolution

MIS-052: Build WiFi Help Screen - iOS

Story ID	MIS-052
Epic	Support & Resolution
Layer	iOS
Title	Build WiFi Help Screen - iOS
Description	4 option cards: 'Initiate modem restart' (opens reboot drawer), 'DIY tips' (external link), 'Order WiFi Booster' (external link), 'Not helpful' → Support. Modem restart drawer has 3 states: warning → restarting (progress) → done (yes/no).
Acceptance Criteria	1. 4 option cards with icons displayed as list 2. Modem restart drawer with 3-state flow (same as Modem Deregs drawer) 3. After restart: Yes → Success, No → Support 4. 'DIY tips' opens base.be WiFi FAQ 5. 'Order WiFi Booster' opens booster shop
Dependencies	MIS-003, MIS-004, MIS-007

MIS-053: Build WiFi Help Screen - Android

Story ID	MIS-053
Epic	Support & Resolution
Layer	Android
Title	Build WiFi Help Screen - Android
Description	Same as iOS story MIS-052 but in Jetpack Compose.
Acceptance Criteria	1. 4 option cards 2. Bottom sheet reboot flow 3. External link buttons 4. All navigation paths
Dependencies	MIS-003, MIS-007

MIS-054: Build WiFi Flow Screen (basic troubleshooting) - iOS

Story ID	MIS-054
Epic	Support & Resolution
Layer	iOS
Title	Build WiFi Flow Screen (basic troubleshooting) - iOS
Description	Two-step: tips → verify. Shows 3 basic WiFi tips (restart router, move closer, disconnect devices). 'I\'ve tried these' → verify asks if better. Yes → Success, No → Support.
Acceptance Criteria	1. 3 tip cards with staggered entrance animation 2. 'I\'ve tried these' advances to verify step 3. Yes → Success, No → Support

	4. Subtitle adapts based on sentiment
Dependencies	MIS-003, MIS-004

MIS-055: Build WiFi Flow Screen - Android

Story ID	MIS-055
Epic	Support & Resolution
Layer	Android
Title	Build WiFi Flow Screen - Android
Description	Same as iOS story MIS-054 but in Jetpack Compose.
Acceptance Criteria	1. 3 tip cards with animation 2. Verify step with Yes/No 3. Sentiment-adaptive subtitle
Dependencies	MIS-003, MIS-004

MIS-056: Build Clarification Screen - iOS

Story ID	MIS-056
Epic	Support & Resolution
Layer	iOS
Title	Build Clarification Screen - iOS
Description	Asks what kind of issue: 'WiFi issues' → WiFi Flow, 'Something else' → Support.
Acceptance Criteria	1. Two option buttons 2. WiFi issues → WiFi Flow screen 3. Something else → Support screen
Dependencies	MIS-003

MIS-057: Build Clarification Screen - Android

Story ID	MIS-057
Epic	Support & Resolution
Layer	Android
Title	Build Clarification Screen - Android
Description	Same as iOS story MIS-056 but in Jetpack Compose.
Acceptance Criteria	1. Two-option layout 2. Correct navigation
Dependencies	MIS-003

MIS-058: Build Misalignment Screen - iOS

Story ID	MIS-058
Epic	Support & Resolution
Layer	iOS
Title	Build Misalignment Screen - iOS
Description	5 options: No internet (→ modem_offline), Slow speeds (→ qoe_modem_deregs), WiFi coverage (→ qoe_coverage), Intermittent drops (→ qoe_dropcable), Something else (→ support). Staggered entrance animation.
Acceptance Criteria	1. 5 option buttons with unique icons 2. Each navigates to the correct screen 3. Staggered entrance with slide-in animation
Dependencies	MIS-003

MIS-059: Build Misalignment Screen - Android

Story ID	MIS-059
Epic	Support & Resolution
Layer	Android
Title	Build Misalignment Screen - Android
Description	Same as iOS story MIS-058 but in Jetpack Compose.
Acceptance Criteria	1. 5 options with correct navigation 2. Staggered animation
Dependencies	MIS-003

MIS-060: Build Support Screen - iOS

Story ID	MIS-060
Epic	Support & Resolution
Layer	iOS
Title	Build Support Screen - iOS
Description	Two CTAs: 'Chat with us' → Chat Flow, 'Call support' → opens phone dialer. Subtitle adapts based on sentiment.
Acceptance Criteria	1. 'Chat with us' navigates to Chat Flow screen 2. 'Call support' opens tel: URL 3. Subtitle changes for positive vs negative sentiment
Dependencies	MIS-003, MIS-004

MIS-061: Build Support Screen - Android

Story ID	MIS-061
Epic	Support & Resolution
Layer	Android
Title	Build Support Screen - Android
Description	Same as iOS story MIS-060 but in Jetpack Compose.
Acceptance Criteria	1. Chat CTA navigates to Chat Flow 2. Call CTA opens phone dialer intent 3. Sentiment-adaptive subtitle
Dependencies	MIS-003, MIS-004

MIS-062: Build Chat Flow Screen - iOS

Story ID	MIS-062
Epic	Support & Resolution
Layer	iOS
Title	Build Chat Flow Screen - iOS
Description	Two phases: 1) Pre-chat info screen showing async chat limitation, auto-generated prompt (copy-to-clipboard), 'Open chat' button. 2) Chat UI with message bubbles, typing indicator, send input. Chat prompt is built dynamically from sentiment + QoE type.
Acceptance Criteria	1. Pre-chat: info card explains non-live chat 2. Pre-chat: prompt text generated from KMP chat prompt builder 3. Copy-to-clipboard button with 'Copied!' feedback 4. 'Open chat' transitions to chat UI 5. Chat UI: bot greeting, user can send messages 6. Bot typing indicator with bouncing dots 7. Chat auto-scrolls to latest message
Dependencies	MIS-003, MIS-004, MIS-005

MIS-063: Build Chat Flow Screen - Android

Story ID	MIS-063
Epic	Support & Resolution
Layer	Android
Title	Build Chat Flow Screen - Android
Description	Same as iOS story MIS-062 but in Jetpack Compose.
Acceptance Criteria	1. Pre-chat info with clipboard integration 2. Chat UI with bubbles and typing indicator 3. Auto-scroll behavior 4. KMP prompt builder integration

Dependencies	MIS-003, MIS-004, MIS-005

MIS-064: Build Success Screen - iOS

Story ID	MIS-064
Epic	Support & Resolution
Layer	iOS
Title	Build Success Screen - iOS
Description	Shows party popper icon with spring animation, confetti burst on load (delayed 600ms). 'Done' button resets all state and returns to home.
Acceptance Criteria	1. Party popper icon with spring + shake animation 2. Confetti fires after 600ms delay 3. 'Done' calls reset() and returns to entry 4. Confetti colors: green, blue, amber, pink
Dependencies	MIS-003
Notes	Use Konfetti (Android) or CAEmitterLayer (iOS) for confetti

MIS-065: Build Success Screen - Android

Story ID	MIS-065
Epic	Support & Resolution
Layer	Android
Title	Build Success Screen - Android
Description	Same as iOS story MIS-064 but in Jetpack Compose with Konfetti.
Acceptance Criteria	1. Spring animation on party popper 2. Konfetti confetti burst after 600ms 3. 'Done' resets state
Dependencies	MIS-003

Epic: Shared UI Components

MIS-066: Build reusable ScreenShell component - iOS

Story ID	MIS-066
Epic	Shared UI Components
Layer	iOS
Title	Build reusable ScreenShell component - iOS
Description	Base screen wrapper with: slide-up entrance animation (with blur), back button (top-left), close button (top-right), optional icon/title/subtitle with staggered animations. Back navigates history, close returns to entry.
Acceptance Criteria	1. Entrance: opacity 0→1, y 16→0, blur 4px→0px over 500ms 2. Exit: opacity 1→0, y 0→-12, blur 0→4px 3. Back button (ArrowLeft) calls goBack(), hidden when hideBack=true 4. Close button (X) navigates to entry, hidden when hideClose=true 5. Icon, title, subtitle animate in with staggered delays (150ms, 200ms, 300ms)
Dependencies	None

MIS-067: Build reusable ScreenShell component - Android

Story ID	MIS-067
Epic	Shared UI Components
Layer	Android
Title	Build reusable ScreenShell component - Android
Description	Same as iOS story MIS-066 but in Jetpack Compose.
Acceptance Criteria	1. Matching enter/exit transitions 2. Back and close buttons with visibility control 3. Staggered content animations
Dependencies	None

MIS-068: Build ActionButton component - iOS

Story ID	MIS-068
Epic	Shared UI Components
Layer	iOS
Title	Build ActionButton component - iOS
Description	Reusable button with variants: default (filled primary), outline (border), ghost (transparent). Supports optional leading icon. Has active:scale-95 press feedback.
Acceptance Criteria	1. 3 variants: default, outline, ghost 2. Optional leading icon support 3. Press animation (scale down to 95%) 4. Full-width layout

Dependencies	None

MIS-069: Build ActionButton component - Android

Story ID	MIS-069
Epic	Shared UI Components
Layer	Android
Title	Build ActionButton component - Android
Description	Same as iOS story MIS-068 but in Jetpack Compose.
Acceptance Criteria	1. 3 button variants 2. Icon slot 3. Press feedback animation
Dependencies	None

MIS-070: Build Bottom Navigation Bar - iOS

Story ID	MIS-070
Epic	Shared UI Components
Layer	iOS
Title	Build Bottom Navigation Bar - iOS
Description	Fixed bottom nav with 4 tabs: Start (Home icon), Bills (FileText), Support (Headphones), Account (User). Active tab highlighted with primary color. Switching tabs resets diagnostic flow to entry.
Acceptance Criteria	1. 4 tabs with icons and localized labels 2. Active tab shows primary color, inactive shows muted 3. Tab switch resets currentState to 'entry' 4. Hidden during active diagnostic flow
Dependencies	MIS-003, MIS-004

MIS-071: Build Bottom Navigation Bar - Android

Story ID	MIS-071
Epic	Shared UI Components
Layer	Android
Title	Build Bottom Navigation Bar - Android
Description	Same as iOS story MIS-070 but in Jetpack Compose.
Acceptance Criteria	1. 4-tab bottom nav 2. Active/inactive styling 3. Tab switch resets state 4. Hidden during diagnostic flow

Dependencies	MIS-003, MIS-004