IOT_PHASE 04

SMART WATER FOUNTAINS

Register no:610821106315

Name:VIJAY.V

Certainly, developing a real-time water fountain status platform involves a series of steps. Here's a high-level overview of what you need to do:

1. **Set Up the Environment:**

- Choose a code editor or IDE for web development.

- Ensure you have a server environment for running your web application (e.g., Apache, Nginx).

2. Frontend Development:

- Create an HTML file for the structure of your platform.

- Design the layout using CSS to make it visually appealing.

- Use JavaScript for real-time data updates.

3. Real-Time Data Integration:

- For real-time data, consider using technologies like WebSockets or Server-Sent Events (SSE).

- Set up a backend server to collect and push water fountain data to the platform.

4. Displaying Water Fountain Data:

- Create elements on your web page to display information such as water flow rate and malfunction alerts.

- Use JavaScript to update these elements with real-time data.

5. Malfunction Alerts:

- Implement an alert system that triggers when a malfunction is detected. You can use JavaScript for this and display a prominent message or notification.

6. User Interface:

- Ensure the platform has an intuitive user interface that is easy to understand and navigate.
- Consider using charts or graphs to visualize data trends over time.

7. Testing:

- Thoroughly test the platform to ensure it accurately displays real-time data and alerts.

8. Security:

- Implement security measures to protect data transmission and user access.

9. Documentation:

- Document your code and system architecture for future reference and maintenance.

10. Deployment:

- Deploy your platform to a web server or cloud hosting service for public or private access.

Remember that this is a simplified overview, and the actual development process may require more specific details and considerations. Additionally, you may need to use libraries or frameworks, depending on your preferences and project requirements.

Program:

1. HTML (index.html):

Html

```
<!DOCTYPE html>
```

```
<html lang=”en”>
<head>
<meta charset=”UTF-8”>
<meta name=”viewport” content=”width=device-width, initial-scale=1.0”>
<link rel=”stylesheet” href=”styles.css”>
<title>Water Fountain Status</title>
</head>
<body>
<h1>Water Fountain Status</h1>
<div id=”flow-rate”>Flow Rate: Loading…</div>
<div id=”alerts”>Malfunction Alerts: None</div>
<script src=”script.js”></script>
</body>
</html>
```

2.Css (styles.css):

```
Ccs
Body {
Font-family: Arial, sans-serif;
Text-align: center;
Background-color: #f0f0f0;
}
H1 {
Color: #333;
}
```

```
Div {
Margin: 20px;
Padding: 10px;
Background-color: #fff;
Border: 1px solid #ccc;
}
```

3. **JavaScript (script.js):**

```javascript
// Simulated real-time data
Function generateRandomFlowRate() {
Return (Math.random() * 10).toFixed(2); // Generates a random flow rate between 0 and 10 L/min
}
Function simulateMalfunction() {
Return Math.random() < 0.1; // Simulate a malfunction with a 10% chance
}
Function updateData() {
Const flowRateElement = document.getElementById('flow-rate');
Const alertsElement = document.getElementById('alerts');
Const flowRate = generateRandomFlowRate();
Const hasMalfunction = simulateMalfunction();
flowRateElement.textContent = `Flow Rate: ${flowRate} L/min`;
if (hasMalfunction) {
alertsElement.textContent = 'Malfunction Alerts: Yes';
```

```
alertsElement.style.color = ‘red’;
} else {
alertsElement.textContent = ‘Malfunction Alerts: None’;
alertsElement.style.color = ‘green’;
}
}
// Update data every 5 seconds
setInterval(updateData, 5000);
// Initial data update
updateData();
```