

Cucumber Report

28-Feb-2026, 5:19:36 pm

Start : Feb 28, 5:19:31.915 pm

End : Feb 28, 5:19:35.786 pm

Duration : 3.871 s

Features





PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 1
SKIPPED - 0

Steps


PASSED - 0
FAILED - 1
SKIPPED - 1




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<i>This is to display excel values which were read in other feature</i>		3.871 s		1	0	1	0	2	0	1	1

#	Feature Name	Scenario Name
1	<u><i>This is to display excel values which were read in other feature</i></u>	<u><i>excel data values display</i></u>

TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
@exceltestDisplay		1	0	1	0	1	0	1	0
@smoke		1	0	1	0	1	0	1	0
@sanity		1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<i>This is to display excel values which were read in other feature</i>	1	0	1	0	3.871 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>This is to display excel values which were read in other feature</u>	<u>excel data values display</u>	2	0	1	1	3.869 s

This is to display excel values which were read in other feature



excel data values display



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.PrePostExecutionActions.preExecutionSetup(io.cucumber.java.Scenario) execution started	PASSED	3.432 s
1	Given extract test data which was read from excel earlier java.lang.Error: Unresolved compilation problem: Type mismatch: cannot convert from FilloExcelUtility to List<Map<String, String>> at stepDefinitions.ExcelDataDisplay.extract_test_data_which_was_read_from_excel_earlier(ExcelDataDisplay.java:20) at ?.extract test data which was read from excel earlier(classpath:features/DisplayExcelValues.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.010 s
2	Then Display read values from test data file	SKIPPED	0.001 s
	AFTER - hooks.PrePostExecutionActions.evidenceCapture(io.cucumber.java.Scenario) execution ended	PASSED	0.138 s