Cucumber Report

| **Start : Jan 19, 6:51:39.507 pm**	**End : Jan 19, 6:51:57.554 pm**	**Duration : 18.047 s**
Features	Scenarios	Steps

Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 1 SKIPPED - 0

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
This feature consists of scenarios related to login & logout of application	*18.047 s*	*1*	*0*	*1*	*0*	*4*	*3*	*1*	*0*

#	Feature Name	Scenario Name
1	*This feature consists of scenarios related to login & logout of application*	*Login page validation with valid credentials list*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@smoke	1	0	1	0	1	0	1	0
@exceltest	1	0	1	0	1	0	1	0
@sanity	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*This feature consists of scenarios related to login & logout of application*	1	0	1	0	18.047 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	This feature consists of scenarios related to login & logout of application	Login page validation with valid credentials list	4	3	1	0	18.042 s

This feature consists of scenarios related to login & logout of application

FAILED	DURATION - 18.047 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 6:51:39.507 pm // 6:51:57.554 pm /					

Login page validation with valid credentials list

FAILED	DURATION - 18.042 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 6:51:39.512 pm // 6:51:57.554 pm /				
This feature consists of scenarios related to login & logout of application				
@smoke @exceltest @sanity				

#	Step / Hook Details	Status	Duration
	BEFORE - hooks.PrePostExecutionActions.preExecutionSetup(io.cucumber.java.Scenario)	PASSED	3.150 s
	execution started		
1	Then Validate application launch	PASSED	0.053 s
2	When Log into sauce labs application with credentials "standard_user" "**" from "credentials.xlsx" located in "emp_data"	PASSED	2.748 s
3	Then Validate user login for user "standard_user" from "credentials.xlsx" located in "emp_data"	PASSED	5.818 s
4	Then Reset application login page	FAILED	5.998 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h3[@data-test='error']/button[@data-test="error-button"]"} (Session info: chrome=131.0.6778.265) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [a7a6db5a5366e3e1460404c4f72508d8, findElement {using=xpath, value=//h3[@data-test='error']/button[@data-test="error-button"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.265, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\vijay\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55560}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55560/devtoo..., se:cdpVersion: 131.0.6778.265, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a7a6db5a5366e3e1460404c4f72508d8		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy39.isDisplayed(Unknown Source)		
	at pageObjects.LoginPage.clearLoginPage(LoginPage.java:88)		
	at stepDefinitions.shoppingCart.resetToAppLoginpage(shoppingCart.java:94)		
	at ?.Reset application login page(file:///E:/Learn/Selenium_Practise/SauceLabs_CucumberBDD/src/test/java/features/LoginLogout.feature:24) * Not displayable characters are replaced by '?'.		
	AFTER - hooks.PrePostExecutionActions.evidenceCapture(io.cucumber.java.Scenario) execution ended	PASSED	0.139 s