

Feature			Scei	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
This feature consists of scenarios related to login & logout of application	4.349 s	1	0	1	0	3	0	1	2

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
	This feature consists of scenarios related to login & logout of application	All items on home able to shop or not


TAG	Scenario				Feature				
Name	T	P	F	S	T	P	F	S	
@smoke	1	0	1	0	1	0	1	0	
@regression	1	0	1	0	1	0	1	0	
@sanity	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	This feature consists of scenarios related to login & logout of application	1	0	1	0	4.349 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
	This feature consists of scenarios	All items on home able to shop or not	3	0	1	2	4.346 s
	related to login & logout of application						

DETAILED SECTION

This feature consists of scenarios related to login & logout of application

FAILED	DURATION - 4.349 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 11:40:41.147 am //	11:40:45.496 am /	Pass - 0	1	Pass - 0	3
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

All items on home able to shop or not



#	Step / Hook Details	Status	Duration
1	Given Log into sauce labs application with credentials "standard_user" and password "secret_sauce"	FAILED	0.038 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: #user\-name For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium. firefox.FirefoxDriver Command: [ae0435bb-5556-4888-90ee-52bff76e21a2, findElement [value=user-name, using=id]] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 127.0, moz:accessibilityChecks: false, moz:buildID: 20240606181944, moz:debuggerAddress: 127.0.1:33328, moz:geckodriverVersion: 0.35.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 1148, moz:profile: C:\Usersivijay\AppData\Loca, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:33328/devtoo, se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10} Session ID: ae0435bb-5556-4888-90ee-52bff76e21a2 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.Codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy41.sendKeys(Unknown Source)		
	at pageObjects.LoginPage.insertUserName(LoginPage.java:33)		
	at stepDefinitions.shoppingCart.applicationLogin(shoppingCart.java:28)		
	at ?.Log into sauce labs application with credentials "standard_user" and password "secret_sauce"(file:///E:/Learn/Selenium_Practise/		
	SauceLabs_CucumberBDD/src/test/java/features/LoginLogout.feature:5)		
	* Not displayable characters are replaced by '?'.		
2	Given User at home page or not	SKIPPED	0.001 s
3	Then validate each item in home page haveing Add to cart button	SKIPPED	0.001 s